

# COMPUTE!

\$2.95  
November  
1985  
Issue 66  
Vol. 7, No. 11  
\$3.75 Canada  
02193  
ISSN 0194-357X



The Leading Magazine Of Home, Educational, And Recreational Computing


## Amiga's Amazing Graphics

**Telecommunications  
Software Overview:  
72 Inexpensive Packages  
For Commodore, Atari,  
Apple, Macintosh, IBM**

**Commodore 64  
3-D Animated Graphics  
Simple Commands  
To Create And Move  
Your Own Shapes**

**Apple Program Protector  
Shield Your Programs  
From Prying Eyes**


**Atari REMover  
Automatically Delete  
REMs From BASIC**



# EN

*A message from a leading software publisher.*

# WHY ELECTRONIC ARTS

A color photograph of Trip Hawkins, President of Electronic Arts, standing behind a white Amiga computer setup. He is wearing a grey patterned sweater over a light blue collared shirt and dark trousers. He has his left hand on the Amiga monitor and his right hand on a red chair. The monitor displays the 'We See Farther' software interface, which features a night sky with a crescent moon and a small sailboat. On the desk, there is a white keyboard, a mouse, a small globe, and some colorful geometric shapes. A large potted plant is on the left, and a window showing greenery is on the right.

"The Amiga will revolutionize the home computer industry. It's the first home machine that has everything you want and need for all the major uses of a home computer, including entertainment, education and productivity. The software we're developing for the Amiga will blow your socks off. We think the Amiga, with its incomparable power, sound and graphics, will give Electronic Arts and the entire industry a very bright future."

Trip Hawkins  
President, Electronic Arts

# IS COMMITTED TO THE AMIGA.

In our first two years, Electronic Arts has emerged as a leader of the home software business. We have won the most product quality awards—over 60. We have placed the most *Billboard* Top 20 titles—12. We have also been consistently profitable in an industry beset by losses and disappointments.

Why, then, is Electronic Arts banking its hard won gains on an unproven new computer like the Amiga?

## The Vision of Electronic Arts.

We believe that one day soon the home computer will be as important as radio, stereo and television are today.

These electronic marvels are significant because they bring faraway places and experiences right into your home. Today, from your living room you can watch a championship basketball game, see Christopher Columbus sail to the New World, or watch a futuristic spaceship battle.

The computer promises to let you do much more. Because it is interactive you get to participate. For example, you can play in that basketball game instead of just watching. You can actually be Christopher Columbus and feel firsthand what he felt when he sighted the New World. And you can step inside the cockpit of your own spaceship.

But so far, the computer's promise has been hard to see. Software

has been severely limited by the abstract, blocky shapes and rinky-dink sound reproduction of most home computers. Only a handful of pioneers have been able to appreciate the possibilities. But then, popular opinion once held that television was only useful for civil defense communications.

## A Promise of Artistry.

The Amiga is advancing our medium on all fronts. For the first time, a personal computer is providing the visual and aural quality our sophisticated eyes and ears demand. Compared to the Amiga, using some other home computers is like watching black and white television with the sound turned off.

The first Amiga software products from Electronic Arts are near completion. We suspect you'll be hearing a lot about them. Some of them are games like you've never seen before, that get more out of a computer than other games ever have. Others are harder to categorize, and we like that.

For the first time, software developers have the tools they need to fulfill the promise of home computing.

Two years ago, we said, "We See Farther." Now Farther is here.



### DrJ and Larry Bird Go One-On-One

The number one software sports game of all time. Shoot as accurately as Larry Bird, slam dunk like the Doctor, while you're cheered on by the victory chants of the Boston Garden crowd.



### Skyfox™

Get in the spaceship and fly. Our your window or on your radar screen you have but split-seconds to appreciate the fierce beauty of enemy jets and tanks.



### Seven Cities of Gold™

Be Christopher Columbus and discover the New World. Learn history and geography or generate your own random new worlds to explore.



### Archon

A new kind of computerized board game, like chess with wizards and dragons for pieces. But when one lands on another, they have to fight a white-knuckled action battle.



### Deluxe Video Construction Set™

Be your own video director for business presentations or just for fun. Set up special effects, animated computer graphics, sound effects and titles—even record them to videotape for use with a VCR.



### Arctifox™

You command the advanced and deadly tank of the future—the Arctifox. A first person tank combat game with all the stunning graphics and sound of the best 3-D simulations.



### Return to Atlantis™

Play Indiana Cousteau, oceanic hero, in this three dimensional simulation under the seven seas.




### Marble Madness™

For the first time, the home version of a coin-op arcade game is just as good as the original. Same graphics. Same sound. And you can play it in your bathroom.

For details about availability, see your Amiga software dealer or call us at (415) 572-ARTS. For a product catalog, send \$5.00 and a stamped, self-addressed envelope to: Electronic Arts, Amiga Catalog Office, 2755 Campus Drive, San Mateo, CA 94403. Amiga is a trademark of Commodore Business Machines. Skyfox, Seven Cities of Gold, Deluxe Video Construction Set, Arctifox, Return to Atlantis and Electronic Arts are trademarks of Electronic Arts. Marble Madness is a trademark of Acorn Games, Inc.

See Dealer Listing on Page 88.

# Left Brain.



Rational. Functional. Precise.

Introducing the OKIDATA 120, the logical printer for your Commodore® computer.

Get results fast. With a utility mode that zips through letters and reports at twice the speed of any Commodore printer.

Switch to the enhanced mode. And print your most important ideas with typewriter clarity. Or illustrate your rationale with the 120's bit image graphics for high resolution charts, graphs and drawings.

Stay on target. With a self-inking "Clean Hands" ribbon cartridge. And Okidata's famous full year warranty on parts, labor and printhead.

The OKIDATA 120. At \$269\*, it's the only Commodore-compatible printer that makes sense.

For more information, call 1-800-OKIDATA (in New Jersey 609-235-2600). Mt. Laurel, NJ 08054.

Get the OKIDATA 120 at these fine stores:  
 Advantage Computer  
 Accessories (Canada)  
 Childworld/Children's Palace  
 Consumers Distributing  
 Crazy Eddie  
 David Weiss  
 Electronics Boutique/  
 Games & Gadgets  
 Federated  
 Fred Meyer  
 Lionel/Kiddie City/  
 Lionel Playworld  
 Montgomery Ward  
 (at participating stores)  
 S.E. Nichols  
 Service Merchandise  
 Toys 'R Us

**OKIDATA®**  
 an OKI AMERICA company  
 We put business on paper.

Commodore is a registered trademark of Commodore Business Machines, Inc.  
 OKIDATA is a registered trademark of OKI AMERICA, INC.  
 \*Manufacturer's suggested retail price.



# Right Brain.



OKIMATE 10 — THE PERSONAL COLOR PRINTER

Better than a typewriter: OKIMATE prints 66 characters per second, 240 words per minute—about the same as four fast typists. OKIMATE prints an 8x10-inch color too sharp to be used to add between lines! And in single sheets of paper. Some OKIMATE work with word processing programs, charges and corrections can be done on the computer screen instead of on paper. MODEL: 87100000. SOLD PRINT: 100000.



Effervescent. Colorful. Outrageous.

Meet the OKIMATE 10, the \$208\* color printer that takes your Atari® or Commodore® computer over the rainbow!

Dazzle 'em. With brilliant printing in over 36 eye-tickling colors. Reds, greens, golds and blues that breathe life into everything: from charts and graphs to original drawings and overhead transparencies.

And when you're forced to work in black and white, the OKIMATE 10 prints crisp, clean reports and papers—at 240 words per minute. You can even add spice with wide, bold and fine print.

Everything you need for color printing comes with the OKIMATE 10 and its Plug 'n Print package. Including a data cable, Learn to Print and Color Screen Print software diskettes, a color ribbon cartridge, a black ribbon cartridge and paper.

So c'mon, print on the wild side. With the OKIMATE 10 Personal Color Printer from Okidata.

For more information, call 1-800-OKIDATA (in New Jersey 609-235-2600), Mt. Laurel, NJ 08054.

**OKIDATA®**  
an OKI AMERICA company  
**We put business on paper.**

\*Manufacturer's suggested retail price. Atari is a registered trademark of Atari, Inc. Commodore is a registered trademark of Commodore Business Machines, Inc.

OKIDATA is a registered trademark of OKI AMERICA, INC.

OKIMATE and Plug 'n Print are trademarks of OKI AMERICA, INC.

To run Plug 'n Print software, the Commodore 64, 128 and PLUS 4 require disk drive.


Atari requires disk drive and a 48K memory.

**Buy Now!**  
**\$15 Manufacturer's**  
**rebate on OKIMATE 10.**

Offer good from October 1,  
1985 through January 31,  
1986. See the following partic-  
ipating stores for details.

Advantage Computer  
Accessories (Canada)  
Arthur's Jewelers  
Best Catalog Showrooms  
Brendle's  
Caldor  
Childworld/Children's Palace  
Consumers Distributing  
Crazy Eddie  
David Weiss  
Dolgins Catalog Showrooms  
Electronic Boutique/  
Games & Gadgets  
Ellman's  
Evans  
Federated  
Fred Meyer  
Fred P. Gattas  
G.C. Murphy/Murphy Mart  
G.I. Joe  
Great Western  
Catalog Showrooms  
J. Triestman  
Jafco Catalog Showrooms  
LaBelles Catalog Showrooms  
Lionel/Kiddie City/  
Lionel Playworld  
McDade  
Meijers (Michigan only)  
Montgomery Ward  
(at participating stores)  
Prange  
Save-Rite  
Sears, Roebuck & Co.  
(at participating stores)  
Service Merchandise  
Stereo Village  
Stokes  
Toys 'R Us  
Videoland  
Witmark  
Wizards Electronics  
Zayre

# IF YOU CAN FIND A BETTER PROGRAM WE'LL BUY IT FOR YOU!\*



## WORD WRITER with Spell Checker

Now with 85,000 word Spelling Checker

- An efficient, 80-column professional word processing system which includes a spelling checker and built-in calculator.
- Contains all the features you'll need for everyday word processing, plus most of the sophisticated features found in more expensive programs: document chaining, form letter printout, page separations, horizontal and vertical scrolling, and more.

## With Timeworks you get more power for your dollar

You can use each program alone. Or interface this trio – one at a time if you like – into a completely integrated productivity system that delivers all the power and features most of you will ever need... at a cost that lets you enjoy their use.

Look for these and other Timeworks programs at your favorite dealer. Or contact Timeworks, 444 Lake Cook Road, Deerfield, IL 60015. Phone: (312) 948-9200.

## DATA MANAGER 2

Faster, more efficient, more versatile

- A complete general information storage and retrieval system with report-writing, graphics, statistics, and label-making capabilities.
- Exclusive X-SEARCH, X-SORT, and X-CHART features allow you to cross-search any category of information; sort items alphabetically, numerically, or by date; break down statistical information into categories; and graphically view your results.

## With Timeworks you get more than software

### You Get Our Customer Technical Support Team

At the other end of our toll-free hotline, you'll find our full-time Customer Technical Support Team. Free of charge to all registered users.

### You Get Our Liberal Trade-Up Policy

You'll find the details inside each package.

## SWIFTCALC with SIDEWAYS

New easy-to-use spreadsheet for home and small business use

- The SIDEWAYS option lets you print all your columns on one, continuous sheet... sideways.
- 250 rows and up to 250 columns (128K version) provide up to 62,500 cells (locations on the spreadsheet) in which to place information.
- Performs mathematical functions up to 17 digits. Allows the use of minimum and maximum values, averages, sums, integers, absolute values and exponential notation.

## \* With Timeworks you get our Money Back Guarantee

If you can find anything that works better for you, simply send us your Timeworks program, your paid receipt, and the name of the program you want, along with your check or credit card number for any retail price difference. If it's available, we'll buy it for you.\*\*

For Apple, IBM, Commodore 128 (128K) & Commodore 64 Computers



More power for your dollar.

### Other Timeworks Programs:

- The Evelyn Wood Dynamic Reader
- Sylvia Porter's Personal Finance Series
- SwiftCalc ■ Cave of the Word Wizard
- Business Systems ■ Wall Street
- The Electronic Checkbook
- The Money Manager

\* Offer valid for 90 days from date of purchase.

\*\* Registered trademarks of Apple Computer, Inc., International Business Machines Corporation, and Commodore Computer Systems.

© 1985 Timeworks, Inc. All rights reserved.

These programs interface  
with each other  
Now available for  
Commodore 128

# COMPUTE!

NOVEMBER 1985  
VOLUME 7  
NUMBER 11  
ISSUE 66

## FEATURES

- 18 Trends in Telecomputing ..... Selby Bateman  
22 An Overview of Telecommunications Software ..... Selby Bateman and Kathy Yakal  
27 What's New Online? ..... Kathy Yakal  
30 Programming Languages: Communicating with Your Computer ..... Todd Heimark and Kathy Yakal  
44 Puzzler ..... Mark Tuttle and Kevin Myktytn  
62 Skyscape ..... Robert M. Simons

## GUIDE TO ARTICLES AND PROGRAMS

64/VIC/+4/16/AT/AP/  
PC/PCjr/TI  
64/AT/AP/PC/PCjr/TI

## REVIEWS

- 80 Crossword Magic ..... Karen McCullough  
80 Colorasaurus ..... Steve Hudson  
87 Grollier Online Encyclopedia ..... Dan Gutman  
88 BASIC Lightning & White Lightning for Commodore 64 ..... Roark Darby  
90 Gata for Apple and IBM ..... Michael B. Williams  
90 Atari PaperClip ..... Robert L. Riggs

AP/64/AT/PC/PCjr  
AT/64/12B

64  
AP/PC/PCjr/Mac  
AT

## COLUMNS AND DEPARTMENTS

- 6 The Editor's Notes ..... Richard Mansfield  
10 Readers' Feedback ..... The Editors and Readers of COMPUTE!  
60 HOTWARE: Software Best Sellers ..... Bill Wilkinson  
131 The Beginner's Page: Variable Accuracy ..... Tom R. Halfhill  
132 Computers and Society:  
Personal Computers and Personal Freedom ..... David D. Thornburg  
133 Telecomputing Today: Faster Than a Speeding Byte ..... Arlan R. Levitan  
134 The World Inside the Computer:  
The Case of the Phantom Programmers ..... Fred D'Ignazio  
135 INSIGHT: Atari—Deactivating BASIC ..... Bill Wilkinson  
136 IBM Personal Computing: A Promise of Things to Come ..... Donald B. Trivette  
137 Programming the TI: The States of the Union ..... C. Regena

## THE JOURNAL

- 92 Commodore 64 3-D Animated Graphics ..... Christian-Marc Panneton  
102 IBM Graphics on a Monochrome Monitor ..... Thomas G. Hanlin, III  
106 Commodore Dynamic Keyboard, Part 2 ..... Jim Butterfield  
108 Simple Assembling with IBM DEBUG ..... Tim Victor  
111 Save-with-Replace: Debugged at Last, Part 2 ..... P. A. Slaymaker  
115 Atari.REMover ..... Jeff Stefanski  
116 Plus/Term for Commodore 1600 Modem ..... Mark Wood  
117 Atari Animation with P/M Graphics, Part 3 ..... Robert Powell  
119 Amiga's Amazing Graphics ..... Charles Brannon  
125 A Better Way to POKE on the Commodore 64 ..... Matthew MacKenzie  
127 Adding TIMES to Atari ..... Kenneth S. Szajda  
129 Apple Program Protector ..... Boris Troyanovsky

- 139 COMPUTE!'s Guide to Typing in Programs  
142 MLX Machine Language Entry Program for Commodore 64  
144 CAPUTE! Modifications or Corrections to Previous Articles  
145 News & Products  
160 Advertisers Index

NOTE: See page 139  
before typing in  
programs.

64  
PC  
64/12B/V/+4/16/P  
PC/PCjr  
64/12B/V/+4/16/P  
AT  
64  
AT  
AM  
64  
AT  
AP

AP Apple, Macintosh, AT  
Atari, V VIC-20, 64 Commodore 64,  
+4 Commodore Plus/4, 16 Com-  
modore 16, 128 Commodore 128,  
P PET/CBM, TI Texas Instruments,  
PC IBM PC, PCjr IBM PCjr, AM  
Amiga. \*General interest.

TOLL FREE Subscription Order Line  
800-334-0868 (in NC 919-275-9809)

**COMPUTE!** Publications, Inc. 

One of the ABC Publishing Companies:  
ABC Publishing, President, Robert G. Burdon  
1330 Avenue of the Americas, New York, New York 10019  
Address all inquiries to:  
P.O. Box 5406, Greensboro, NC 27403

**COMPUTE!** The Journal for Progressive Computing (USPS: 537250) is published monthly by COMPUTE! Publications, Inc., P.O. Box 5406, Greensboro, NC 27403 USA. Phone: (919) 275-9809. Editorial Offices are located at 324 West Wendover Avenue, Greensboro, NC 27408. Domestic Subscriptions: 12 issues, \$24. POSTMASTER: Send address changes to: **COMPUTE!** Magazine, P.O. Box 10555, Des Moines, IA 50395. Second class postage paid at Greensboro, NC 27403 and additional mailing offices. Entire contents copyright ©1985 by COMPUTE! Publications, Inc. All rights reserved. ISSN 0194-357X.



# Editor's Notes

*This month's Editor's Notes are written by Richard Mansfield, senior editor. We suggest that he does not mean to imply that "mouseketeers" are mousy; perhaps a rebuttal in the months ahead?*

—Robert C. Lock, Editor in Chief

Ever since the Macintosh was introduced, the computing community has been debating about ease of learning versus ease of use: mice, menus, and icons are easy to learn, but typewriter keys, written commands, and control codes are often easier to use in the long run.

These two philosophies are represented rather neatly by two manufacturing giants, IBM and Apple. When you turn on an IBM, you are in the DOS environment. It's much like a programming language. There are dozens of words you can type which control the computer's behavior. Type DIR and you see a list of all the files on a disk. TIME will give you the time of day. CLS clears the screen. Beyond this, you can combine some of the commands: DIR > FILE sends a copy of the directory into a file named FILE. DIR | SORT will print a sorted directory. Essentially, you are given a rich language with which to communicate your particular instructions to your machine. But you pay a price for this richness—it takes longer to learn how to work with PC-DOS than it does to learn to use menu-driven systems like the Macintosh.

You may have seen the ads. A formidable tome crashes down next to a PC, graphically illustrating that running PC-DOS is a complicated affair. Then the Macintosh manual, light as a leaf, softly settles next to Apple's menu-driven computer. They're right, of course. You can be mousing around with the Macintosh within minutes, effortlessly deleting files, sorting directories, and activating applications programs.

Atari has chosen to configure its new ST computer quite like the Macintosh. The familiar elements are all in place. The ST displays icons (pictorial representations) so you can tell at a glance when something's a data file. It

will look like a tablet with the edges of the pages turned up. On an IBM, by contrast, you must learn that filename extensions like .EXE or .COM signify a program that can be run. Extensions like .DOC indicate a data or text file.

On the IBM, you delete a file by typing DEL NAME. On the ST, it's a bit difficult to describe. You use the mouse controller to move a pointer on the screen to open a disk directory. Then you move the mouse to the target filename and click the mouse, highlighting the name. Then you click the mouse again and drag a picture of the filename until it's on top of a picture of a trash can. A warning window opens and asks you if you, in fact, *do* want to delete the file. You must either click the mouse in a box labeled CANCEL or in another box labeled OK. During this process, you must be able to see the filename and the trash can. Thus, if something is covered up, you must move it to some available space on the screen before you can access it. This can add steps to the above process. You might need to make some windows smaller or move them to a different part of the screen.

It sounds pretty intimidating, but skilled mouseketeers can fly around the screen, popping windows open and closed at quite a clip. You do need a fair amount of clear desk space to the side of the computer where you might otherwise have a book. But, one of the ideas behind windows, icons, and mice is that you won't need a book. Everything is on screen: windows covering older windows, menus popping out of other menus, "dialog" boxes appearing on top of menus. Your desktop is clean (for the mouse), but your screen can get pretty busy.

Although early STs are currently being shipped without software or documentation offering an alternative to the mouse environment, there is a command program which allows you to talk to the ST directly in the IBM style. In this mode, you can list a directory with the simple command LS. And you can quickly see everything in any data file via TYPE NAME. It's too early to tell whether or not this facility will be made part of the ultimate ST package. But that is the solution to the debate: offer both styles. For people who prefer not

to type, offer mice. For people who don't like mice, offer command control. For people who prefer words like DEL, offer text-only screens. For people who prefer pictures, offer the trash can illustration.

Similarly, when you go to buy a word processor, one of the major factors in your decision will be whether you want a menu-driven or control-code-driven package. For example, some software pops up with a menu every time you want to change the margin: 1. Indent? 2. Flush right? 3. Single line? and you type the number signifying your choice. Additional menus might then appear asking how much you want to indent. Conversely, control-code style software requires that you memorize a pattern. To indent ten spaces, you might type CONTROL-110. This is a lot faster than responding to menus, but it is harder to learn and remember. If you indent often and are a good typist, however, you will likely prefer the efficiency of control codes. For one thing, your fingers don't leave the keyboard so commands to the word processor don't require that you look at the keys.

The best software offers the user a choice of either menus or control codes. Perhaps the best computers will offer optional mice, windows, and icons, but will provide a command-driven mode as well. When both styles are available, we can have the best of worlds.

*Richard Mansfield*

Senior Editor



# Net Worth<sup>TM</sup> scores "a bull's-eye" with critics and you!

"Until Your Personal Net Worth came into our lives, our budget was non-existent, and our financial planning was reminiscent of the Stone Age."

Betsy Byrne  
Albuquerque, NM

"this comprehensive package is much more than a method of adding up one's accumulated financial worth as its title might imply. It's an extremely flexible home-budgeting and accounting program, with a well-written manual that explains simple accounting principles for the uninitiated."


Family  
Computing

"Congratulations! Your Personal Net Worth is the best home budget program I have seen yet..."

Walter C. Repak  
Bloomfield, NJ

"A program that is powerful and versatile, yet very easy to use..."

Tribune, San Diego



"Your Personal Net Worth, from Scarborough Systems, is easy to like, if not love. It's home accounting without tears...Best of all, the program's probably tax-deductible."

PC World

"First, let me congratulate you on an excellent program...yours is by far the most professional, fastest, and most comprehensive."

Ronald J. Misk  
Beaverton, OR

"This program was written exclusively for individuals...It has scored a bull's eye by providing them with a helpful, flexible, easy-to-understand financial program that makes money management simple and fast."

PC Magazine

Try Your Personal Net Worth yourself and see how versatile and infinitely usable it is. It's only business is managing your home finances. No other program does it more quickly, more easily, more directly. You can even track your investments and household inventories. With more great features than programs selling at twice the price, Your Personal Net Worth is sure to score points with you too.

Get a free subscription to **Money** or **Fortune** when you buy this program.

# The Scarborough System.

© Scarborough Systems, Inc., 55 S. Broadway, Tarrytown, N.Y. 10591.

Publisher Editor in Chief Director of Administration	James Casella Robert C. Lock Alice S. Wolfe
Senior Editor Managing Editor Editor	Richard Marshall Kathleen Martinek Tom R. Hothill
Assistant Editor Production Director Production Editor	Philip Nelson Tony Roberts Gail Cowper
Editor, <b>COMPUTE's</b> GAZETTE	Lance Bka
Technical Editor	Otis R. Cowper
Assistant Technical Editors	John Krause, George Miller
Program Editor	Charles Brannon
Features Editor	Sally Barton
Assistant Editor, <b>COMPUTE's</b> GAZETTE	Toad Hermark
Assistant Features Editor	Kathy Yokel
Programming Supervisor	Patrick Poth
Editorial Programmers	Tim Victor, Kevin Mykyn
Submissions Reviewer	Mark Tuttle
Programming Assistant	David Flanance
Copy Editors	Joan Rouleau, Ann Davies
Executive Assistant	Debi Nash
Administrative Assistants	Julia Fleming, Iris Brooks, Jan Kieffer
Associate Editors	Jim Butterfield Toronto, Canada Harvey Herman Greensboro, NC Fred D'Agostino Roanoke, VA David Thornburg Los Altos, CA Bill Wilkinson
Contributing Editor	
<b>COMPUTE's</b> Book Division Editor	Stephen Levy
Assistant Editor	Gregg Keizer
Administrative Assistant	Laura Macadden
Director, Book Sales & Marketing	Steve Voyatzis
Assistant	Carol Dickerson
Production Manager Art & Design Director	Irma Swain Janice R. Fary
Assistant Editor, Art & Design	Lee Neal
Mechanical Art Supervisor	De Potter
Artists	Debbie Gray, Dabney Kefauver
Typesetting	Terry Cash, Carole Dunton
Illustrator	Harry Blair
Director of Advertising Sales Production Coordinator	Ken Woodard Pat Stokes
Administrative Assistant	Kathleen Hanlon
Promotion Assistant	Caroline Clark
Customer Service Manager Dealer Sales Supervisor	Phillippa King Gail Jones
Assistants	Liz Krusensterna, Rhonda Savage
Individual Order Supervisor	Judy Taylor
Assistants	Betty Atkins, Gayle Benbow, Mary Hunt, Jenna Nash, Chris Poffy
Receptionist	Anita Armfield
Warehouse Manager	Lorrie Ayden
Staff	Harold Ayers, Steve Bowman, Larry O'Connor, David Hensley
Data Processing Manager	Leah Stokes
Assistant	Chris Can
Vice President, Finance & Planning	Paul J. Meglola
Director, Finance & Planning	R. Steven Weigler
Accountant	Robert L. Bean
Financial Analyst	Karen K. Rogalski
Staff	Dale Bronch, Jill Pope
Credit Manager	Barry L. Beck
Staff	Sybil Agee, Anne Ferguson, Pat Fuller, Dots Hall, Linda Miller, Mary Waddell, Jane Wiggs
Purchasing Manager	Grieg L. Smith
Robert G. Burton, President Paul J. Meglola, Vice President, Finance and Planning	

## Coming In Future Issues

**All Machine Language Spreadsheet With SpeedScript Integrator For Commodore 64/128, Apple, Atari**

**Balloon Crazy: Frantic Arcade Game For Atari, Commodore 64, Apple, IBM PC/PCjr, TI**

**SpeedScript Revisited: Updates And Hints For Commodore 64, VIC, Atari, Apple**

**Million-Color Palette For IBM PC & PCjr**

**Computed GOTOS & GOSUBS For Commodore 64**

**Atari Fine Scrolling**

**Apple Hi-Res Screen Dump**

COMPUTE! Publications, Inc. publishes:

**COMPUTE!**

**COMPUTE's**  
**GAZETTE**

**COMPUTE! Books**

**COMPUTE's**  
**GAZETTE** DISK

**Corporate office:**  
324 West Wendover Avenue  
Suite 200  
Greensboro, NC 27408 USA  
**Mailing address: COMPUTE!**  
Post Office Box 583  
Greensboro, NC 27403 USA  
**Telephone: 919-275-9809**

## Subscription Orders

**COMPUTE!**  
P.O. Box 10955  
Des Moines, IA 50950


**TOLL FREE Subscription Order Line**

**800-334-0868**  
In NC 919-275-9809

## COMPUTE! Subscription Rates (12 Issue Year):

US (one yr.) \$24  
(two yrs.) \$45  
(three yrs.) \$65  
Canada and Foreign  
Surface Mail \$30  
Foreign Air  
Delivery \$65

## Advertising Sales



**1. New England**  
Jonathan M. Just  
Regional Manager  
212-315-1665

**2. Mid Atlantic**  
John Savai  
Eastern Advertising  
Manager  
212-315-1665  
Kathy Hicks  
Marsha A. Gittelman  
215-646-5700  
Brien S. Rogers  
212-674-0238

**3. Southeast & Foreign**  
Harry Blair  
919-275-9809

**4. Midwest**  
Gordon Benson  
312-362-1821

**5. Northwest / Mountain / Texas**  
Phoebe Thompson  
408-354-5553

**6. Southwest**  
Ed Winchell  
213-378-8361

**Director of Advertising Sales**  
Ken Woodard

**COMPUTE! Home Office 919-275-9809.**

**Address all advertising materials to:**  
Paul W. Stokes  
Advertising Production Coordinator  
**COMPUTE! Magazine**  
324 West Wendover Avenue,  
Greensboro, NC 27408

The **COMPUTE!** subscriber list is made available to carefully screened organizations with a product or service which may be of interest to our readers. If you prefer not to receive such mailings, please send an exact copy of your subscription label to **COMPUTE!** P.O. Box 10955, Des Moines, IA 50950, including a note indicating your preference to receive only your subscription.

Authors of manuscripts warrant that all materials submitted to **COMPUTE!** are original materials with full ownership rights resident in said authors. By submitting articles to **COMPUTE!**, authors acknowledge that such materials, upon acceptance for publication, become the exclusive property of **COMPUTE! Publications, Inc.** No portion of this magazine may be reproduced in any form without written permission from the publisher. Entire contents copyright © 1985, **COMPUTE! Publications, Inc.** Rights to programs developed and submitted by authors are explained in our author contract. Unsolicited materials not accepted for publication in **COMPUTE!** will be returned if author provides a self-addressed, stamped envelope. Programs (on tape or disk) must accompany each submission. Printed listings are optional, but helpful. Articles should be furnished as typed copy (upper and lowercase, please) with double spacing. Each page of your article should bear the title of the article, date and name of the author. **COMPUTE!** assumes no liability for errors in articles or advertisements. Opinions expressed by authors are not necessarily those of **COMPUTE!**.

PEI, CBI, VIC-20 and Commodore 64 are trademarks of Commodore Business Machines, Inc. and/or Commodore Electronics Limited. Apple is a trademark of Apple Computer Company. IBM PC and PCjr are trademarks of International Business Machines, Inc.

AT&T is a trademark of AT&T, Inc. TurboShock is a trademark of Texas Instruments, Inc. Radio Shack Color Computer is a trademark of Radio Shack, Inc.

**NPA**

Magazine Publishers Association





Apple Mac 512™



IBM PCAT™



Commodore Amiga™

# THERE'S ONLY ONE WORD FOR THESE PRICES: RIP-OFF.

*Introducing the Atari 520ST personal computer system. \$799.95\* complete.*

Go ahead. Compare those other machines with the new Atari 520ST™. They cost hundreds of dollars more, but you don't get much in return. That's what we call a rip-off.

For \$799.95\* the 520ST comes complete with high-resolution monochrome


monitor, 2-button mouse, 3.5" disk drive, TOS™ Operating System, including GEM™ Desktop, plus Logo™ and Atari BASIC programming languages. \$200 more gives you an RGB color monitor with 512 glowing colors.

Choose innovative business, entertainment, education, systems management, and integrated package software. Expand your 520ST with industry standard parallel printers, modems, MIDI controlled synthesizers and key-

boards, 1 megabyte floppies, 10 MB and larger hard disks, and more. All available now. At remarkably low prices.

So, go ahead. Compare the ST system to those other guys. Only Atari gives you so much. For so little.

For the dealer nearest you, write Atari Corp., Customer Services, 1196 Borregas Ave., Sunnyvale, CA 94086.



	ATARI™ 520ST	IBM™ PCAT™	APPLE™ Macintosh™	COMMODORE™ AMIGA™
Price	\$799	\$4675	\$2795	\$1795
CPU	68000	80286	68000	68000
Speed Mhz	8.0	6.0	7.83	7.16
Standard RAM	512K	256K	512K	256K
Number of Keys	95	95	59	89
Mouse	Yes	No	Yes	Yes
Screen Resolution (Non-Interlaced Mode)				
Color	640 x 200 640 x 400	640 x 200 720 x 350**	None	640 x 200*** 640 x 200***
Color Output	Yes	Optional	None	Yes
Number of Colors	512	16	None	4096
Disk Drive	3.5"	5.25"	3.5"	3.5"
Built-In Hard Disk (DMA) Port	Yes	Yes	No	No
MIDI Interface	Yes	No	No	No
No of Sound Voices	3	1	4	4

\*\*With optional monochrome board (non bit mapped)

\*\*\*Interface Mode - 640 x 400



\*Plus applicable local taxes. \$999.95 with color monitor.  
All prices are manufacturer's suggested retail list

## ATARI®

*Power without the price.*

IBM & PCAT are registered trademarks of International Business Machines Corp. Commodore & Amiga are trademarks of Commodore Electronics LTD. Apple & Macintosh are trademarks of Apple Computer, Inc. GEM is a trademark of Digital Research, Inc. Atari, TOS & Logo are trademarks of Atari Corp.





# Readers Feedback

The Editors and Readers of COMPUTE!

If you have any questions, comments, or suggestions you would like to see addressed in this column, write to "Readers Feedback," COMPUTE!, P.O. Box 5406, Greensboro, NC 27403. Due to the volume of mail we receive, we regret that we cannot provide personal answers to technical questions.

## Falling Through Trapdoors

I have a question about the placement of NEXT in a program. After typing in "Devastator" (COMPUTE!, August 1984) I made a few changes. In lines 1293-1294 (shown here) I tried moving the NEXT from line 1294 to the end of 1293. But now the program doesn't erase text the way it should. I thought it wouldn't make any difference which line the NEXT was on. Can you explain?

```
1293 FORT=1024TO1400:IF PEEK(T
) < 160 THEN POKE T, 32
1294 NEXT=GOSUB1300
```

Alfred Glasser, Jr.

The answer to your question applies to virtually every computer with BASIC. When the computer finds an IF statement, it immediately tests the expression after IF to determine whether it's true or false. If the expression is true, the computer performs whatever comes after THEN on that line. If the expression is false, the computer ignores everything after THEN and goes directly to the next program line. When an IF test proves false, it's as though a trapdoor opens at THEN. The computer immediately falls through (proceeds) to the next program line and performs what it finds there.

The lines shown here test screen memory locations 1024-1400. In plain English the part before GOSUB 1300 means "Check every location from 1024 to 1400. If a location doesn't contain a reverse space character (160), replace it with a blank (32). Otherwise ignore it." If the expression PEEK(T)<160 is true, the computer executes POKE T,32 before going to NEXT in line 1294. If the expression is false—if the location contains a reverse space—the computer skips the part after THEN and immediately falls through to 1294. Note that NEXT is always performed whether the IF statement is true or

false. Moving NEXT to the end of 1293 causes it to be executed only when the IF test is true—clearly not what the programmer intended.

Because the computer falls through an IF-THEN statement when the test proves false, be careful what you add to IF lines. Don't add statements to the end of the line unless you want them to be performed only when the IF test is true. For similar reasons you shouldn't put anything on the same line after a GOTO statement (which immediately sends the computer somewhere else in the program). These two lines demonstrate the error: The GOTO in line 10 prevents NEVER from being printed.

```
10 GOTO 20:PRINT "NEVER"
20 PRINT "ALWAYS"
```

## Atari Disk Speedup

I have a solution for Duyen Nguyen, who asked for a way to speed up his Atari disk drive ("Readers' Feedback," July 1985). Enter POKE 1913,80 to disable the verify function. Your drive will run faster.

Jim Noland

Thanks for pointing this out. This POKE dramatically speeds up write operations and has been widely used by Atari owners for years. In fact, some Disk Operating Systems, such as OS/4+ and DOS XL, incorporate this modification by default. The POKE works by modifying DOS to turn off the write-with-verify function. Normally, location 1913 contains the value 87, which tells DOS to verify each sector as it is written. This assures an error-free SAVE but also slows things down considerably. Disabling this function with POKE 1913,80 can make a noticeable difference. Although you might expect the modification to increase the likelihood of errors, in practice this is extremely rare. Atari programmers at COMPUTE! have been using this technique for many years without problems.

To save yourself the trouble of performing this POKE each time you boot your system, you can save the modified DOS on disk. After entering the POKE, type DOS. When the DOS menu appears, select option H, "Write DOS Files."

The new Atari DOS 2.5 disables

write-with-verify by default. It also lets you change this function without making any POKES. Simply run the DOS 2.5 utility file SETUP.COM and select the option "Change System Configuration." This is safer than POKEing around in DOS, because a mistyped POKE command could mess up something.

## ProDOS Date And Time

I have numerous books covering my Apple IIc and the ProDOS operating system, but nowhere have I been able to find out how to set the ProDOS date and time. Can you help me with this?

Stanley Moody

ProDOS keeps information about the current date and time in its System Global Page, a 256-byte block of memory starting at location 48896 (\$BF00). On an Apple IIe this information can be updated by a clock card. The Apple IIe User's Disk also has a utility to let you set these locations. The following program permits you to set date and time on the IIc.

```
99 10 REM SET TIME AND DATE
99 20 PRINT "TODAY'S DATE (MM/DD
/YY) ->": INPUT O$
99 30 IF LEN (O$) < > B THEN GOS
UB 1000: GOTO 20
24 40 Y = VAL ( MID$ (O$,7)) * 2
: M = VAL ( MID$ (O$,1,2)):
IF M > 12 THEN GOSUB 1000
: GOTO 20
68 50 IF M > 7 THEN Y = Y + 1:M
= M - B
83 55 D = VAL ( MID$ (O$,4,2)):
IF D > 31 THEN GOSUB 1000:
GOTO 20
8C 60 O = O + M * 32
92 70 POKE 49041,Y: POKE 49040,D
19 80 PRINT "TIME TO STAMP ON FI
LES (HH/MM) ->": INPUT T$
C9 90 IF LEN (T$) < > 5 THEN GOS
UB 1010: GOTO 80
4D 100 H = VAL ( MID$ (T$,1,2)):
IF H > 24 THEN GOSUB 101
0: GOTO 80
EF 110 M = VAL ( MID$ (T$,4,2)):
IF M > 59 THEN GOSUB 101
0: GOTO 80
C0 120 POKE 49043,H: POKE 49042,
M
8F 130 END
C0 1000 PRINT "BAO FORMAT FOR DA
TE": RETURN
D2 1010 PRINT "BAO FORMAT FOR TI
ME": RETURN
```



# You've Stumbled Into An Unknown Computer System. Now What?

Welcome To The Next Generation Of Home Computer Software.

*"Plunge into every hacker's dream."*

—Rick Manning/Louisville Times

*"Just like in real life, there are no rules, no clues,  
no instructions."*

—David Greising/Technology Memo


*"...the most mysterious game ever."*

—Rawson Stovall/"The Vid Kid"

*"An open screen says 'login please.'  
That's it, no instructions."*

—Technology Notebook/Gannett News Service

# Hacker™



What more can we say? Well, someone as clever and smart as you certainly wouldn't want any hints, right? So all we'll say is it was created by legendary designer, Steve Cartwright.

Created for the Commodore 64/128,  
Apple II series and Atari 800, XE, XL  
and compatible systems.



ACTIVISION  
HOME COMPUTER SOFTWARE

The Next Generation.

# You can find Mindscape's The Halley Project at these fine stores:

- National**  
Available at all Child World  
and Children's Palace Stores  
Selected Group  
Sears - Most larger stores  
Waldenbooks - Most locations
- Alabama**  
Software City  
Huntsville  
The Computer Shoppe  
Huntsville
- Alaska**  
Commodore Express  
Fairbanks
- Arkansas**  
The Computer Shoppe  
Little Rock
- California**  
Access to Software  
San Francisco  
Affordable Computer Systems  
Santa Clara and San Jose  
Alamo Computer Center  
Cupertino  
Alpha Electronic Components  
San Jose  
Applied Computer Skills  
Van Nuys  
B. Dalton Software Etc.  
Concord, San Diego,  
Escondido, Torrance,  
Montclair, Northridge  
Bakers & Bytes  
Beverly Hills  
Boots Camera Electronics  
Fresno  
Border Software  
Chula Vista  
Brown Kowm Computer  
San Diego  
Candy Computer  
Elk Grove  
Computer Outlet  
San Diego  
ComputerMart  
Diamond Bar  
Computerline  
Citrüs Hills  
Corporate Micro Services  
San Francisco  
Crown Book & Software  
Los Angeles, Santa Monica,  
Mann Del Rey, Studio City,  
Santa Ana, Redondo Beach  
Hollywood, Glendale, Culver  
City, Pasadena,  
Thousand Oaks, Torrance,  
Huntington Beach, Downey,  
Glendale Oaks, Encino, El  
Tor, Long Beach, Palms  
Verdes, Northridge,  
Pasadena, Westminster,  
Woodland Hills, Ventura,  
Lakeview  
Expedite  
Lawndale, Pasadena, Orange,  
Sherman Oaks, San Diego  
Family Discount Computer  
Escondido  
Future Vision  
San Luis Obispo  
Fullerton  
Napa  
H.T. Electronic, Inc.  
San Jose  
Home Computing Centers  
San Bruno, San Leandro  
Learning Tree Computer  
Santa Ana  
Software Center Int'l  
Costa Mesa, Santa Ana  
Computer Store  
Huntington Beach  
Software First  
San Rafael and Santa Rosa  
Software Galeria  
Orange  
Software House  
Fresno  
Software Service Center  
Lafayette  
Software Solutions  
Chico  
Software Solutions  
El Centro  
Software Station  
Costa Mesa  
Software Supermart  
Lawrence, Los Angeles,  
Sherman Oaks  
Software World  
Redding  
Software, Etc.  
Novato  
Software  
San Diego
- Colorado**  
CDA Enterprises  
Colorado Springs  
Complete Computing  
Lombard  
Computer Outpost  
Schauhammer
- Connecticut**  
Caldor  
West Norwalk, Old Saybrook,  
Middletown, Milford, W. Hartford,  
Vernon, Riverside, Norwalk,  
Brookfield, Trumbull,  
Mansfield, Norwich, Hamden,  
Waterbury, Manchester,  
Stamford, Wallingford, Avon,  
Rocky Hill, Bethel, Shelton,  
Hartford, Bristol, Bristol  
Middletown, Fairfield, Groton,  
New Britain, Derby,  
Southington  
Drazz Eddie  
Norwalk  
Danbury Video & Computer  
Danbury  
Derre Electronics  
Hamden  
Kidgown  
New Britain  
Personal Computer Center  
Norwich  
Petco's  
Salem, Danbury  
Software City  
Stamford, Orange  
Software Kingdom  
Hartford, E. Windsor  
Video Connection  
Bridgeport
- Delaware**  
Software Kingdom  
Dover
- District of Columbia**  
Crown Book & Software  
(2 locations)
- Florida**  
Computer Chip  
Sarasota  
Computer Generation  
Plantation  
Lindens  
Computer Discs  
Shalimar  
Florida Media  
Pompano Beach  
Games 'N Gadgets  
Clearwater, Jacksonville,  
Tallahassee, Orange Park  
Maxcat  
Miami  
Program Sign  
Clearwater, Pinesillas Park  
Software Cellar  
Fort Lauderdale  
Software Shops  
Brandon
- Georgia**  
Academic Software  
Roswell  
Alpha Information Systems  
Fayetteville  
Cardinal Computers  
Dallan  
Electronics Boutique  
Atlanta - Lincolx, Xerox,  
Atlanta (2 locations)  
Games 'N Gadgets  
Atlanta - North Lake Mall,  
Gwinnett Mall  
Software Atlanta  
Atlanta (2 locations)  
Software City  
Atlanta  
Versatile Video  
Atlanta and Roswell
- Hawaii**  
Electronic Library  
Honolulu
- Idaho**  
Software Galeria  
Idaho Falls  
Stokes Brothers, Inc.  
Boise
- Illinois**  
ABC Diskette  
Chicagoland Store  
Dakwin  
Appt. Computers  
Arlington Heights  
B. Dalton Software Etc.  
Chicago  
C22 Enterprises  
Chicago  
Complete Computing  
Lombard  
Computer Outpost  
Schauhammer
- Indiana**  
B. Dalton Software Etc.  
Indianapolis  
Burling Computer Center  
South Bend  
Computer Corner  
Westfield  
Microcomputer, Inc.  
Indianapolis
- Kentucky**  
The Computer Shoppe  
Louisville (2 locations)  
Hidvortons  
Louisville
- Louisiana**  
B. Dalton Software Etc.  
New Orleans  
P.L. Computer Center  
Monroe  
Software Mart  
Metairie
- Maryland**  
Buried Treasure  
Rockville  
Caldor  
Timonium, Baltimore,  
Gaithersburg, Pikesville  
Crown Book & Software  
Wheaton, Columbia, Laurel,  
Silver Spring, Gaithersburg,  
Bowie, Bethesda, Greenbelt,  
Gaithersburg, Annapolis,  
Rockville  
Electronics Boutique  
Baltimore  
Games 'N Gadgets  
Columbia, Baltimore (White  
Marsh Mall, Security Square  
Mall, Eastern Ave.)  
Greenings and Readings  
Towson
- Massachusetts**  
Atlantic Computers  
Waltham  
Barnes & Noble Bookstore  
Boston  
Chelmsford, Westborough,  
Ware, Needham Heights,  
Wellesley, Andover, Malden,  
Norwell, Brockton, Canton,  
Brighton, Taunton, Salem,  
Chelmsford, Framingham,  
Framingham, Framingham,  
Weymouth, Weymouth,  
Weymouth, Saugus, Methuen,  
Burlington  
Computer Concepts  
Haverhill  
Computer, Etc.  
Peabody  
Electronic Boutique  
Holyoke  
Sofpro  
Dartmouth  
Software City  
West Springfield  
West Springfield  
Boston  
The Whiz  
Westboro
- Michigan**  
Micro World  
Livonia and Milford  
Vox-Tech Computer Center  
Farmington Hills
- Minnesota**  
B. Dalton Software Etc.  
Brooklyn Park, Minneapolis,  
Roseville, Edina, Minneapolis
- Missouri**  
Forsyth Computers  
St. Louis
- Missouri (cont)**  
Software to Go  
St. Louis and Clayton
- Montana**  
North School Supply Co.  
Billings
- Nebraska**  
Caldor  
Omaha  
Computer Video Electronics  
Sparks  
Computer Video Electronics  
Carson City  
Software City  
Las Vegas
- New Hampshire**  
Caldor  
Bedford  
Moon Computer  
Londonderry  
Nash Computer  
Plaistow  
Plymouth Computer Center  
Portsmouth  
Soft Spot  
Manchester
- New Jersey**  
Bamberger's  
Menlo Park, Cherry Hill,  
Paramus, Livingston, Wayne  
Caldor  
Easton, N. Plainfield,  
Meriden, West Orange, Ridge  
Watchung, Paramus, Morris  
Park, Woodbridge, Brick  
Town, N. Brunswick, W.  
Paterson  
DCA  
S. Plainfield  
Circuit Services  
Newton  
Computer Pro's  
Wayne  
Computer Software  
Ocean  
Crazy Eddie  
Paramus, E. Brunswick,  
Union, Holmdel, Woodbridge  
J&K of the Month Club  
Fair Lawn  
Electronics Boutique  
Rockville, Rockaway,  
Woodbridge  
Family Computer Centers  
Fairfield, Orange  
Games 'N Gadgets  
Lindfield, Burlington, Wayne  
Glen Ridge  
Gemin Enterprises  
Garden Knolls  
Hedge Hedge Inc.  
Jersey  
Rocky Software  
Cherry Hill  
Electronic  
Kearny  
Price Range  
LIVINGSTON  
Program Store  
Edison and Wayne  
Towson  
Softex  
Software City  
Redbank, Linwood, Ridgely,  
Summit, Teaneck, Bergenfield,  
Passaic, Linwood  
Software Spectrum  
North Plainfield  
Software Station  
Morristown and Rockaway  
Video Dynamics  
Ridgewood  
Microcomputers/Computers Plus  
Bloomfield  
Village Computer Center  
Lodi  
Wayne  
New York  
Volters Inc.  
East Orange
- New Mexico**  
Academy Computer  
Albuquerque  
B. Dalton Software Etc.  
Albuquerque  
Colborn School Supply Co.  
Albuquerque
- New York**  
177 Software Street  
Valhalla  
45th Electro  
47th St. Photo, Inc.  
New York City  
Advanced Camera  
New York  
Arnes and Nible Bookstore  
New York (2 locations)
- New York (cont)**  
B. Dalton Software Etc.  
Yonkers and New York  
Big I Electronics  
W. Hempstead, W. Babylon,  
Syosset, New Hyde Park,  
Pacheco  
Binary Orchard Inc.  
Barnard, West Seneca  
Barnard Computers  
New York  
Byte Shop  
Manhasset  
Caldor  
Lake Ronkonk, East Patchogue,  
Walpole Falls, Riverhead,  
Rocky Point, Bridgehampton,  
Vails Gate, Glen Falls, Kingston,  
Hudson, Latham, Manlius,  
Bedford Hills, Albany, Yorktown  
Heights, Peekskill, Poughkeepsie, Fort Worth, Irving, Hurst  
White Plains, Yonkers,  
Newburgh, Port Chester,  
Poughkeepsie, W. Babylon,  
Lewiston, Coram, Clifton Park  
CIA Software  
Farmingham  
Computer Discount of America  
Huntington  
Computer Software Plus  
Brooklyn  
Computer Tech.  
Brooklyn  
Computerware  
East Meadow  
Computerworld  
Bayshore  
Crazy Eddie  
Nesconset, Mass. New York,  
Syosset, Elmira, Albany,  
Fairfield, Hartsdale, Bronx,  
Nanuet  
East 33rd Typewriter  
Wayne  
Electronic Man  
New York  
Electronics Boutique  
Albany  
Executive Photo & Supply  
Brooklyn  
Focus Electronic  
Brooklyn (2 locations)  
Four Guys  
New York  
Games 'N Gadgets  
Garden City, Huntington,  
Brooklyn  
Glossy Photo  
New York  
Home American Software  
Flushing  
Home Software  
Albany  
Intercontinental  
Flushing  
Flushing Video & Computer  
Coram  
J&K Computer Outlet  
New York  
J&K Electronic  
New York  
Leight's Computers, Inc.  
New York  
Lloyd Corne  
New York  
New York  
Lynn Luggage  
New York  
Micro Co.  
New York  
Micro Systems  
Micro Electronics  
Village Stream  
New York  
New York  
Park Avenue Video  
New York  
Photo Sound  
New York  
Programs Plus  
Brentwood  
Puzzle Electronics  
New York  
Software Video  
Ridgewood  
Show & Tell Video  
Albany  
Software Centre  
Forest Hills  
Software City  
Mount Kisco, Syracuse,  
Wappinger Falls, Brooklyn,  
Patterson, Ithaca, Ithaca,  
Spring Valley  
Software Link  
Software Seller  
Harrison  
Staten Island Software  
Staten Island  
Sycat, Inc.  
Brooklyn  
Thruway Market  
Walton
- New York (cont)**  
Wall Street Camera  
New York  
Walt's Electronics  
New York  
World Trade  
New York  
Washville, Knoxville, Memphis,  
Chattanooga, Madison
- North Carolina**  
Byte Shop  
Greensboro  
Games 'N Gadgets  
Raleigh  
Oasis Software  
Wilmington
- North Dakota**  
North School Supply Co.  
Grand Forks  
Software House  
Fargo
- Ohio**  
Abby's Software  
Fairport  
B. Dalton Software Etc.  
Columbus  
Big Bytes Computers  
Pond  
Computers Plus of Ohio  
Mansfield  
Disk Drive  
Toledo  
Electronic Connection  
Kettering  
Electronic One  
Columbus  
Games 'N Gadgets  
N. Randall  
Magic One Computer  
Barberton  
Microwave Magic  
Fairfield  
North Coast Programming  
Wiloughby and Solon  
Promax Store  
Software and More  
Cincinnati  
Software City  
Columbus  
Swellers  
Sylvan Enterprises  
Cincinnati  
Video Computer World  
Oregon  
Video H
- Oklahoma**  
Computer Software Center  
Oklahoma City  
Famfix  
Tulsa and Oklahoma City  
Videocom  
Woodbridge
- Oregon**  
At Computers  
Klamath Falls  
Egghood Software  
Beaverton  
Link Three  
Beaverton  
Software Galeria  
Beaverton
- Pennsylvania**  
B. Dalton Software  
Monroeville  
Bamberger's  
Whitehall, King of Prussia  
Black Sun  
Ermuaque  
De Re Computers  
Harrisburg  
Electronics Boutique  
Langhorne, King of Prussia,  
Whitehall, Exton  
Proppy Dist.  
Mechanicsburg  
Games 'N Gadgets  
Lancaster, West Mifflin,  
King of Prussia, Media,  
Philadelphia
- Rhode Island**  
Calder  
Woonsocket, Warwick,  
Lincoln  
Tulip Images  
Woonsocket  
Software Connections  
Warwick
- South Carolina**  
Horizon Computers Super  
Store  
Greenville (2 locations)  
Software Solutions  
Charleston
- Tennessee**  
Games 'N Gadgets  
Memphis
- Tennessee**  
Inacom  
Brentwood  
Software Store  
Memphis  
The Computer Shoppe  
Nashville, Knoxville, Memphis,  
Chattanooga, Madison
- Texas**  
B. Dalton Software Etc.  
Dallas  
Bababags  
Dallas, Houston, Fort Worth, Irving, Hurst  
Casa Computer  
Dallas  
Computer House  
Houston (2 locations)  
Computer City  
San Antonio  
Computer Experience  
San Antonio  
The Computer Store  
San Antonio  
Data Pro Computer Center  
Ft. Worth  
Edu-Ton  
Fort Worth  
Poppy Wizard  
Houston  
Electronic Connection  
Frisco Electronics  
San Antonio, Austin  
Houston  
Friendswood  
National Video Austin  
Austin (4 locations)  
San Antonio  
Austin & Things  
Austin  
Software Store  
San Antonio  
Videoland  
All locations
- Utah**  
Software Center  
Salt Lake City  
Software Hut  
Salt Lake City  
Stokes Brothers, Inc.  
Salt Lake City, West Valley  
City, Ogden, Layton
- Virginia**  
Computer Works  
Petersburg  
Crown Book & Software  
Houdon, Woodbridge  
Trenton, Springfield, Vienna,  
Manassas, McLean, Falls  
Church, Fairfax  
Family Computer Center  
Fairfax  
Games 'N Gadgets  
Hampton, Virginia Beach  
L&V Electronics  
Woodbridge
- Washington**  
Next Generation Computer  
Pittsburg  
Wirkamberg  
Puyallup, Shore  
Bell Church  
Software Central  
Norfolk  
Software Mart  
Springfield  
Softwarecenter, Inc.  
Vashita  
University Bookstore  
Blackburg
- Washington**  
Barnes & Noble TV and  
Computer Service  
Federal Way  
Federal Way  
Software Solutions  
Bellevue  
Nobles and Bites  
Tacoma
- Wisconsin**  
Corporate Software Center  
Milwaukee  
Computer Warehouse  
Milwaukee  
Romeyn Software  
Jansville  
Software Source  
TMM Software  
Fond du Lac
- Wyoming**  
Colborns of Wyoming  
Casper
- Canada**  
Computerhouse  
Vancouver, BC

Note: Not all items available  
at all locations

If no dealer in your area, phone 1-800-221-9884 for information. (Illinois - 1-800-942-7315)

MINDSCAPE

# Just tell your friends you're going on a very long trip.

Kiss your earthbound buddies goodbye and travel the solar system in the most exciting space program ever envisioned.

*The Halley Project: A Mission In Our Solar System™* is history's first real-time space simulation. Its challenge provides out-of-this-world stimulation.

Lightweight space jockeys need not apply; this one's for qualified star pilots. A rigorous ten-mission training program will test your knowledge and skill as you navigate



by the stars from planet to planet. Complete all ten missions and be invited to face the ultimate challenge: the incredible secret eleventh mission.

So take off to a software dealer and join an elite group of space explorers. As for your chums, tell them you'll wave as you fly over.

## Mindscape

Software that challenges the mind.



*The Halley Project is available on: Apple® Atari® and Commodore®*

Mindscape, Inc. 3444 Dundee Road, Northbrook, Illinois 60062, 1-800-221-9684 (In Illinois 1-800-942-7315)

Copyright © 1986, Mindscape, Inc. All Rights Reserved. Apple, Atari, and Commodore are registered trademarks of Apple Computer, Atari Inc., and Commodore Business Machines.

## Hi-Res Characters On The 64

I have written a program that draws charts and graphs on the Commodore 64's high-resolution screen, but have trouble putting numbers and letters on the screen. Plotting every character pixel by pixel takes much too long. Is there any easy way to do this?

Sean Wood

One solution is to copy the character definitions directly from the ROM (Read Only Memory) character set into the bitmap. The following program demonstrates the technique. Lines 10-30 enter hi-res mode, lines 100-180 contain the character plotting routine, and line 40 shows how to call the routine. Define the message you want to print as AS. Variables X and Y determine the row and column where printing begins. Keep X within the range 0-39 and Y in the range 0-24. DX controls the direction of printing. If DX=1, the string prints from left to right; if DX=40, it prints from top to bottom. Other values can be used to print diagonally, from bottom to top, and so on. BK and CH set the background color and character color, respectively. After these variables are defined, GOSUB 100 puts the string on the screen.

Another solution is to look up the article "64 Multicolor Graphics Made Easy" in the October issue of COMPUTE! It includes a program called "Color Plotter 64" that adds 14 commands to Commodore BASIC for drawing multicolor hi-res graphics and text.

```
10 POKE 53265, PEEK(53265) OR 32
20 POKE 53272, PEEK(53272) OR 8: P
  RINT"[CLR]"
30 BASE=8192:FORA=BASETOBASE+8
  192:POKEA,0:NEXT:REM CLEAR
    [SPACE]HIRES SCREEN
40 AS="ABCDEFGHIJKLMNPOQRSTUVWXYZ
  XYZ1234567890":X=0:Y=0:DX=1
  :BK=1:CH=6:GOSUB100
50 WAIT198,1:POKE53272,21:POKE
  53265,27:PRINT"[CLR]":END
100 S=X*8+Y*320+BASE:D=1024-X+
  40*Y
110 FOR A=1 TO LEN(AS):B=ASC(M
  ID$(A,A,1))
120 IF B<63 AND B<96 THEN B=B-
  64:GOTO 140
130 IF B<95 THEN B=B-32
140 C=B*8+53248:POKE56334,0:PO
  KE1,51:POKEB,BK+16*CH
150 FORQ=0TO7:POKEQ+C,PEEK(C+Q
  ):NEXT
160 POKE1,55:POKE56334,1
170 S=S+DX*8:D=D+DX:NEXT
180 RETURN
```

## Commodore Screen Splitting

Is there any way to split the Commodore 64's screen between multicolor bitmapping on the top and uppercase text on the bottom?

Brian Sullivan

The picture on your TV or monitor is composed of many horizontal lines called raster lines. The 64 permits you to set up an interrupt at any raster line. When the computer reaches that line, it stops what it's doing and performs a special machine language routine (which you must have prepared in advance). This technique, known as raster interrupt programming, is covered thoroughly in COMPUTE!'s First Book Of Commodore 64 and Mapping The 64. Here's a program that puts a multicolor bitmap display at the top of the screen and uppercase text at the bottom. POKE location 2 with the number of the raster line where you want the change to occur (only lines 50-249 are visible on the screen).

```
10 FORA=828TO913:READB:POKEA,B
  :C=B+8:NEXT:IFC<>9673THENPR
  INT"[CLR]DATA ERROR":STOP
15 SYS828
20 DATA 120,169,88,141,20,3,16
  9,3,141,21
30 DATA 3,169,1,141,26,208,169
  ,27,141,17
40 DATA 208,88,169,127,141,13,
  220,96,169,1
50 DATA 141,25,208,162,59,160,
  216,173,18,208
60 DATA 197,2,176,9,169,29,141
  ,24,208,165
70 DATA 2,208,11,162,27,160,20
  ,0,169,21,141
80 DATA 24,208,169,0,142,17,20
  8,140,22,208
90 DATA 141,18,208,173,13,220,
  41,1,240,3
100 DATA 76,49,234,76,188,254
```

## Commodore Countdown

I am writing a Commodore program and want to add a timer that counts down in minutes and seconds. My problem is that when the timer reaches 0 it flips to 99 instead of 59. Can you help?

Chaiyos Gosolattit

In many cases it's easiest to treat time as seconds rather than minutes and seconds. Then you have only one number to worry about. When you need to display the time, convert the number of seconds into appropriate minute and second values. For instance, if TM represents the number of seconds, the statements MN=INT(TM/60) and SE=TM-60\*INT(TM/60) calculate the minutes and seconds, respectively.

The following routine demonstrates a simple countdown timer that should work on any Commodore computer. Line 10 sets the computer's internal clock to 000000. The reserved variable TIS returns the time (in hours/minutes/seconds format) elapsed since reset. As shown, the example provides a countdown of three minutes (180 seconds). To modify this, change the value of SS (line 10) to the desired number of seconds.

```
10 TIS="000000":SS=180
20 TS=TIS:TM=SS-(VAL(MIDS(TS,3
  2)))+60*VAL(MIDS(TS,5,2)))
30 MN=INT(TM/60):SE=TM-MN*60
40 PRINT"[HOME]"MN"[LEFT]"SE
  "[LEFT]":GOTO20
```

## Atari Cartridge Dilemma Solved

Like many other Atari owners, after suffering from the bugs in revision B BASIC, I ordered the new revision C BASIC cartridge for my 800XL. However, with the BASIC cartridge in place I can't use the Monkey Wrench II cartridge (a useful BASIC editing aid). My solution is this program, which copies the old BASIC from ROM into underlying RAM with a fast machine language routine, then changes rev B into rev C (only 12 bytes are different). This program runs so fast that it's almost as convenient as plugging in a cartridge, and now I can use my editing cartridge along with the new BASIC. Pressing RESET switches ROM BASIC back in; enter POKE 54017,255 to go back to rev C BASIC in RAM.

```
1 FOR I=0 TO 43:READ A:PO
  KE 16384+I,A:NEXT I:A=A-U
  SR(16384)
2 DATA 104,169,0,133,203,
  169,160,133,204,162,32,
  160,0,177,203,72
3 DATA 169,255,141,1,211,
  104,145,203,169,253,141
  ,1,211,136,203,237
4 DATA 230,204,202,48,6,2
  08,230,160,0,208,226,96
5 FOR J=1 TO 13:READ A,B:
  POKE A,B:NEXT J
6 DATA 54017,255,43231,23
  4,43232,248,43233,17
7 DATA 43234,234,47913,0,
  49139,0,49140,0,49141,0
8 DATA 49142,0,49143,0,49
  144,0,49145,0
9 PRINT "BASIC VERSION C
  ACTIVATED":PRINT "POKE
  54017,255 TO REACTIVATE"
```

Gregory Latta

Thanks for the program, which should prove useful to Atari owners who wish to use other cartridges with the new BASIC. The revision B bugs, found in the BASIC built into the 600XL and 800XL, are familiar to many Atari users by now. See Bill Wilkinson's "INSIGHT: Atari" column in June 1985 COMPUTE! for a demonstration of the bug that mangles strings. To demonstrate the bug that adds 16 bytes to a program when you load it, run the program above, then enter POKE 54017,253 (or press RESET) to switch the ROM BASIC back in. Now type in and run the following program (a disk drive is required):

```
1 ? "PROGRAM ENDS AT":PE
  EK(140)+256*PEEK(141):?
  " # OF BYTES FREE ":FRE
  (0)
```



# Choose the SAT program with less manual labor.

The idea behind choosing a computerized SAT program over a manual is to save you from piles of paperwork. But surprisingly, two of the best-known programs come with big, fat manuals and only 2 or 3 double-sided disks.

When that much information is put into the manual, what's left to put into the computer?

Why not buy a computer program that's really a computer program? Buy The Perfect Score from Mindscape for just \$69.95.\*



It has 6 double-sided disks and a real skinny manual. It even has print-out capability and a continuous on-screen clock. All this makes The Perfect Score more computerized than those others.

Now, if this cold logic fails to convince you, perhaps an emotional appeal to your sense of patriotism and social consciousness will. Your choice is this. Either you buy their SAT, which kills innocent trees to make all that paper. Or you buy our SAT with 6 disks and Save America's Trees.

**The Perfect Score, \$69.95, from Mindscape** 

\*Suggested retail price. Available for Apple, Commodore 64, and IBM. The Perfect Score: Computer Preparation for the SAT. © 1984 Mindscape, Inc. All rights reserved.

```
2 SAVE "D:EXPANDER": IF PE
EK(53279)<>6 THEN RUN "
D:EXPANDER"
```

The program saves, reloads and runs itself over and over, growing 16 bytes longer every time when rev B BASIC is present. Press the START key when you've seen enough. Now enter POKE 54017,255 (to switch in rev C BASIC), then run it again to confirm that it saves and reloads without changing in size.

## Atari ML Addresses

I own an Atari 800XL and was interested in the "Commodore ML Addresses" program in "Readers' Feedback," September 1985. Do you have a program for Atari computers that finds the starting and ending addresses of machine language programs on disk and tape?

Adam Mercadante

*This program prints the starting and ending addresses of most machine language files. Be sure to include the C: prefix (for tape) or D: prefix (for disk) when entering the filename.*

```
10 DIM A$(14)
20 PRINT "ENTER FILENAME
(INCLUDE C: OR D):" : IN
PUT A$
30 OPEN #1,4,0,A$:GET #1,
A:GET #1,A
40 GET #1,SLB:GET #1,SHB
50 GET #1,ELB:GET #1,EHB
60 PRINT "START ADDRESS =
":SLB+256*SHB
70 PRINT "END ADDRESS =
":ELB+256*EHB
80 CLOSE #1
```

## IBM Compatible Coverage

Now that the PCjr has died, I begin to worry anew about what little support and information has been forthcoming for the IBM-compatible home computers. (I define that as an MS-DOS-based 8088 chip computer which can be purchased for less than an Apple IIe system.) So far I have been able to run all the PCjr programs in COMPUTE! on my Tandy 1000. And all the programs in your book *Easy BASIC Programs for the IBM PC and PCjr* run beautifully on my Tandy. I recently bought your machine language book for the PCjr and have not run into problems yet. But now I fear for the future of those books; you might be tempted to pull them off the shelves before they even become available. Please don't. I appeal to your business sense to broaden the spectrum of your coverage and pay some attention to the market so strikingly similar to the IBM market you already cover. Why not change your PCjr coverage into PC/MS-DOS coverage? This surely requires only a minimum of effort and I

think it will pay off.

Christopher L. Herd

Our home-oriented IBM coverage in COMPUTE! already is directed toward compatibles as well as both the PC and PCjr. If your "IBM-compatible" computer is truly compatible, it should run the programs we publish for the PC and PCjr without modifications—as your experience with the Tandy 1000 bears out. The Tandy has proven to be highly compatible with IBM computers. But not all so-called compatibles are created equal. If a program doesn't run, there's almost certainly a slight compatibility problem with your computer, BASIC, or DOS. Since there are dozens of IBM compatibles on the market, it isn't practical for us to test every program on every system. Instead, we design the programs to work on what is considered the common denominator in the IBM-compatible world—the IBM PC itself.

## Commodore ML Keyboard Input

I'm writing a Commodore 64 machine language program that requires input from the keyboard to be printed on the screen. Neither the CHRIN routine (\$FFCF) nor GETIN (\$FFE4) seem to work properly, and after several weeks of work I'm stumped. The bug in question occurs only when I call the CHROUT routine with JSR \$FFD2. When I JSR to \$F1CA (the address \$FFD2 jumps to), my program works fine. What's the difference between calling CHROUT at \$F1CA instead of \$FFD2?

Jerry Ford

Under normal circumstances it makes no difference which address you use. Since the Kernal call at \$FFD2 simply performs JMP (\$0326) to get to \$F1CA, the result is the same unless you've disturbed the vector at \$0326–\$0327. We can't debug your program without seeing the code, but you should know that CHRIN and GETIN handle keyboard input quite differently. Here are two brief examples that do the job you describe and show how the two routines differ. You'll need a machine language assembler to type them in (the comments are optional).

```
LDX #0 ;Set counter
STX TEMP ;at zero.
LINE JSR $FFCF ;Input line/char.
CMP #13 ;RETURN
;character
BEQ EXIT ;terminates.
STORE LDX TEMP ;Get counter.
STA BUFFER,X ;Store char.
INC TEMP ;Bump counter.
BNE LINE ;Always branch.
EXIT RTS
TEMP ,BYTE 0
BUFFER = *
```

This routine puts the input string in memory starting at BUFFER and records its length in the variable TEMP. The code may look confusing unless you understand that CHRIN performs two different functions depending on when it's called. The first time you call CHRIN, the computer simply lets you enter a logical line (up to two screen lines). It displays a blinking cursor and allows you to type on the screen, waiting until you press RETURN. When CHRIN terminates, the accumulator holds the first character from the input line. At this point, the routine falls through to STORE to put the first character in BUFFER. BNE LINE goes back to do another JSR \$FFCF, but this time CHRIN doesn't input a line. Instead it puts the second character in the accumulator. Subsequent calls to CHRIN retrieve the remaining characters, so the routine keeps storing and branching back until a carriage return appears. Calling CHRIN after the whole input line has been retrieved starts the process over again.

```
LDX #0
STX TEMP
GETIT JSR $FFE4 ;Get character.
BEQ GETIT ;Ignore nulls.
CMP #13
BEQ EXIT
JSR $FFD2
LDX TEMP
STA BUFFER,X
INC TEMP
BNE GETIT
EXIT RTS
TEMP ,BYTE 0
BUFFER = *
```

GETIN does nothing but pull a character from the keyboard buffer and return it in the accumulator. Thus, if you want a cursor or editing keys, your program must provide them (we don't have space for a complete example here).

At first, CHRIN seems more useful than GETIN because it provides so many features (cursor, editing keys, etc.) automatically. But you pay a price for all that convenience. The first call to CHRIN traps you in the ROM routine until RETURN is pressed. If you type only what the program expects, all is well. But there's nothing to prevent a user from moving the cursor to the wrong line, clearing or scrolling the screen, typing graphics garbage rather than letters, or wreaking other sorts of havoc. To avoid such problems, it's often preferable to write a custom input routine with GETIN, adding code to handle editing keys, screening out unwanted characters, and displaying a cursor. The commented source code in *SpeedScript: The Word Processor for the Commodore 64 and VIC-20* (published by COMPUTE! Books) includes two fairly elaborate keyboard routines built around GETIN. ©

# COMPUTE! FOR CHRISTMAS.

Give a gift subscription to *Compute!* and you'll be giving a lot more than just another computer magazine. That's because *Compute!* comes complete with over 20 FREE programs in each big issue.

Send *Compute!* today and your gift recipient can depend on a steady supply of high quality fun-filled programs like Cash Flow Manager, Speed Ski, Turtle Pilot, Boggler, Text Plot, Retirement Planner and hundreds of other educational, home finance, and game programs the entire family can use all year long.

The free programs alone are worth much more than the low holiday gift subscription price. But there's much more to *Compute!* than just free programs.

*Compute!*'s superb editorial delivers the latest inside word on everything from printers

to interfaces...joy sticks to disc drives. And our up-to-the-minute software reviews are "must reading" for any home user.

So whether that "certain someone" is a novice or an experienced user, *Compute!* makes a great stocking stuffer. Especially when you can give twelve big issues for just \$18...that's 25% off the regular subscription rate...less than 8¢ per program.

*Compute!* It's the perfect holiday gift. Give a subscription today by returning the attached subscription card...or by calling 1-800-247-GIFT.

**COMPUTE!**  
MAGAZINE



**STUFF THEIR  
STOCKINGS WITH  
HUNDREDS OF NEW  
PROGRAMS FOR JUST  
PENNIES APIECE...**


**WITH A GIFT  
SUBSCRIPTION  
TO COMPUTE!**

**To Order, Call Toll-Free 1-800-247-GIFT**

In Iowa Call 1-800-532-1272

# Trends in Telecomputing

If you're a telecomputing enthusiast, how would you like to dial all the long-distance calls you want for only a modest monthly fee? Or access an online information service with color graphics for pennies a day? These and similar experiments may soon boost personal telecomputing to new heights of popularity.





**M**any companies are betting that telecommunications holds the key to the future of personal computing. Some of these companies are now experimenting with innovative ideas and lower prices.

For example, when you log onto an electronic bulletin board or online information service, minutes have traditionally been measured in dollars and cents. In effect, a meter is running for every moment you spend on the long-distance telephone line or carrier systems such as Telenet, Tymnet, and Uninet.

But now one of those carriers, GTE Telenet, is experimenting in a dozen major cities with a system that could drastically change the telecomputing landscape. For the first time, people in those cities will be able to call bulletin boards, other computer users, and noncommercial databases over the Telenet system for a flat monthly fee of \$25. Without flat-rate billing, many telecomputing fans can amass \$25 in charges in just one evening. The new service is called PC Pursuit.

There are limits to this experiment, however. PC Pursuit is available only during evenings and weekends, and cannot be used to access the commercial online services which have direct links with Telenet, such as CompuServe, The Source, Dow Jones, and others. Those systems have their own hourly rates which include access through Telenet and other long-distance carriers.

Still, PC Pursuit is a significant development for those who frequently call local bulletin boards and fellow computerists. The experiment is now under way in

Atlanta, Boston, Chicago, Dallas, Denver, Detroit, Houston, Los Angeles, New York, Philadelphia, San Francisco, and Washington, D.C. Whether or not PC Pursuit expands into a national service depends on how much interest is generated.

### Measuring Demand

"We've seen this as a need, but whether the potential market is great enough, we weren't sure—we still aren't totally sure," says Claudia Houston, a GTE Telenet spokesperson. "We're the first ones to have done this, so there's no proof."

Telenet's primary business is not the evening and weekend access which it makes available to consumers, Houston says. "The reason we're able to offer a rate like this is because we have the Telenet data network in place, a major value-added network service supplying business customers during the day. We're able to handle a billion packets of data a month, equivalent to about 28 million typed pages. So when business closes up at the end of the day, there's plenty of room for other uses."

To use PC Pursuit, you first call the local Telenet number, then enter your name and phone number. Next you enter the name of the city you're calling and the phone number, then hang up. PC Pursuit makes the contacts and calls you back with the connection already established. The service prevents illegal use of the long-distance network for voice connection. Each month, PC Pursuit customers are billed automatically on their Visa or MasterCard accounts.

GTE Telenet is eager to hear

from people who are interested in PC Pursuit, even if you don't live in one of the 12 cities involved in the experiment. A toll-free bulletin board has been set up to distribute more information, and you can also leave a private message about PC Pursuit for Telenet's ongoing market research. The bulletin board number is 1-800-835-3001. For voice phone inquiries between 8 a.m. and 5 p.m. Eastern time, call 1-800-368-4215.

If PC Pursuit catches on, it can be easily extended to other metropolitan areas, Houston adds. In one form or another, the idea behind PC Pursuit will eventually be established, agree observers: easier, cheaper access for nonbusiness personal telecomputing.

### The Quantum Connection

People who use computers at home are beginning to wake up to the possibilities of telecommunications, says Owen Davies, co-editor of *The Omni Online Database Directory*, an annual compendium of more than a thousand electronic databases. Business people may now make up the bulk of the traffic, but individuals are finding new applications almost every day. Davies, who closely watches the telecomputing field, has seen plenty of growth during the past year: new online databases in many different areas of interest, easier access for home users, and telecomputing software that's simpler to learn.

Another innovative experiment is QuantumLink, a new telecommunications network to be operated jointly by Commodore International and Control Video Corporation. The official launch date for QuantumLink was scheduled for October 1, although testing has been going on for several months.

"What we'll be doing, initially for the Commodore 64 and 128, is offering a set of services, mostly on a flat-fee basis for \$9.95 a month," says Stephen Case, vice president of marketing for Quantum Computer Services. QuantumLink's offerings will include previews of commercial software that can be downloaded, bulletin boards, a computer information center, news, teleshopping, and interactive telegaming with full-color graphics, says Case. "The \$9.95 a month includes communications charges for some of the services—like the encyclopedia, for example. You can use it [Grolier's *American Academic Encyclopedia*] all you want and there's no extra charge."

Some services, such as software downloading and the Chat feature—an interactive online conversation—cost an extra six cents a minute. QuantumLink can be accessed through the Uninet carrier network.

Computer owners who register for QuantumLink before the end of 1985 will get Quantum's special terminal software without charge plus a free month of access. After January 1, the signup fee will be \$25, says Case. The special software is necessary because QuantumLink has a graphics interface similar to that of the Macintosh, and telegames such as chess, backgammon, and hangman—which feature full-color graphics and sound—are stored on the disk. (To register online for a free trial, call 1-800-833-9400.)

### Online Previews

Commercial programs are not the only products that can now be previewed online. On CompuServe, science fiction fans can read chapters from new books published by

Baen Books. There's no charge other than the usual CompuServe connect fees. CompuServe subscribers can reach the Science Fiction and Fantasy Forum by typing GO HOM 29. Baen Books is currently in the forum's Data Library 3 (although that may change by the time you read this). To enter that library, type DL3 and hit RETURN or ENTER. Then type BRO to browse through the various filenames. Subcommands let you retrieve and read a file. You can even comment on what you've read by leaving a message for Baen Books via its CompuServe user number: 70307,541.

The Baen Books files can be read, copied, and distributed freely, as long as they aren't altered or sold. Local bulletin boards can retrieve the files from CompuServe and offer them to their members without charge.

These experiments and others are changing the ways in which people use their personal computers. In two particular areas—immediate acquisition of information and communication among like-minded individuals—telecomputing is becoming easier every day, says Matthew Lesko, an authority on the use of electronic databases and president of Information U.S.A., a database information company.

"Now I can hook up my computer terminal and be on the floor of the stock market even 5,000 miles away. That's a wonderful application."

Immediate communication among members of different professions has already become a commonplace event, reaping extraordinary results, Lesko adds. "It's like-minded people communicating, getting together and talking. It's how our society takes leaps and bounds."

*"Shhhh, don't tell Dad I got him more BOWATER PAPER & FILES for Christmas. Mom says Bowater's helping our family get organized. That's suppose to help Dad have more time for me . . . and it helps Mom smile cause Dad doesn't have papers all over the house anymore."*

**Ben Wismer**  
Precocious 5 year old

Ben's Mom also bought Bowater's 500 sheet package of computer paper with a **FREE** Christmas Window Ornament that looks like stain glass. She knows Bowater gives her family **MORE** than just computer paper.

Ask for Bowater Computer Forms at your local office supply, computer dealer, discount or specialty department store. Or, call us and we'll help you locate the Bowater dealer nearest you.

Bowater Paper & Files come in 500, 1000, and 2900 sheet packages in 9½x11 - 20# bond computer paper.

Bowater Better Image brand with Christmas Window Ornament comes in 500 and 1000 sheet packages of 9½x11 20# bond computer paper.



**BOWATER**  
BOWATER COMPUTER FORMS INC.

800/527-3412 outside Texas • 214/578-2000  
P. O. Box 869020 • Plano, TX 75086-9020

# An Overview Of Telecommunications Software

The following chart contains information on a variety of telecommunications programs for several different computer systems. There are hundreds more available, but we have limited this guide to software in the under-\$100 price range.

Choose carefully when shopping for a terminal program. The most expensive, multifeatured modem is helpless without adequate software.

Data for this guide was supplied by .MENU—The International Software Database Corporation. For further information and ordering, contact .MENU, 1520 South College Avenue, Fort Collins, CO 80524. Call toll-free 1-800-THE-MENU or 303-482-5000 (in Colorado or outside the U.S.). Telex ISD 454590. When ordering, please use the International Standard Program Number (ISPIN).

Product	Price	ISPIN	Publisher/ Vendor	Systems	Description
Apple Sourcelink	\$29.95	74737-0500	Source Telecomputing Corp.	Apple II, II+, IIc, IIe	Communications software designed to supplement use of The Source
ASCII Express II	\$59.95	75100-2100	Roger Wagner Publishing	Apple II, II+, IIe	
Basic Terminal	Cassette \$14.95	17512-0600	Practicorp International	VIC-20	Allows the user with either a plug-in modem or RS-232C/modem combination to communicate with a remote time-sharing system
BITS (Basic Interactive Terminal Software)	\$54.95	73612-1000	Software Sorcery	Apple II+, IIc, IIe	
Busitem	\$59.95		Skyles Electric Works	Commodore 64	
CHAT	\$40	45537-1000	Lovells	Apple II, II+	
COMMTALK Ver. 2	\$89.95	29393-1000	Enhanced Technology Assoc.	IBM PC	Has automated communication and information retrieval
Copylink PC	\$99.95	84616-1000	U.S. Digital Corp.	IBM PC	
Copylink Ver. 2.41	\$99.95	83208-2000	U.S. Digital Corp.	Apple II, IBM PC	
CW/Term Ver. 1.0	\$60	13300-0500	The Code Works	IBM PC	
Data Capture IIc	\$90	74850-1100	Southeastern Software	Apple IIc, IIe	
Data Capture Ver. 5.0	\$90	74850-1050	Southeastern Software	Apple II, II+	
Data Express	\$75	50500-0970	MicroLab Inc.	Apple II, II+, IIc, IIe	Has an unattended answer mode
Datalink	\$99.95	44850-2000	Link Systems	Apple II, II+, IBM PC	
Datalink (enhanced version)	\$99.95 \$175.00	44850-2500	Link Systems	Apple II, II+, IBM PC	
Direct.Connect	\$95	25975-1000	Direct.Aid	IBM PC	
Dow Jones Spreadsheet Link	\$99	26725-4000	Dow Jones & Company Inc.	Apple II, II+, IIc, Macintosh, IBM PC	Download information from Dow Jones News/Retrieval directly into a spreadsheet template set up for analysis
Dow Jones Straight Talk	\$95	26725-4250	Dow Jones & Company Inc.	Mac	Designed to help the user obtain, store, and organize information from Dow Jones News/Retrieval
Flex-I-Term	\$95.95	70675-2000	Source View Corp.	Apple II, II+, IIc	
Genterm Ver. 2.60	\$79.95	37600-1000	Information Analysis Sys. Corp.	IBM PC	Asynchronous communications system with optional terminal emulation
Habacom	\$69.95	33987-0500	Haba Systems Inc.	Mac	
Hello Central	\$99.95	67731-2700	Howard W. Sams and Company Inc.	Apple II	
Home Connection	\$49.95		Penguin Software	Apple II	
HomePak	\$49.95	07075-295	Batteries Included	Commodore 64	Integrated telecommunications-database-word processor





# TELECOMPUTING

It's only a phone call away.

## MacTalk: Telecomputing on the Macintosh

Sheldon Leemon  
Arlan Levitan

A complete guide to telecomputing on the Macintosh from choosing a modem and software to accessing information services and electronic bulletin boards.

**\$14.95** ISBN 0-942386-85-X




## COMPUTE!'s Telecomputing on the IBM

Arlan R. Levitan  
Sheldon Leemon

The ins and outs of telecomputing on the IBM PC or PCjr, selecting a modem and evaluating terminal software, how to go online with the major information services.

**\$14.95** ISBN 0-942386-96-5



## COMPUTE!'s Telecomputing on the Commodore 64

Edited

Introduces readers to telecommunications, with sections on buying and using modems, accessing information services and bulletin boards, and uploading and downloading files. There is also a disk available which includes the programs in the book.

**\$12.95** ISBN 0-87455-009-2



Telecomputing lets you call up computers around the world through a network of telephone lines.

To get you started in telecomputing, COMPUTE! Books offers you five top-selling books. Written for the Apple II-series, Commodore 64, IBM PC and PCjr, and Macintosh, the books give you all the information you need, from selecting software to dialing large databases.


To order your complete guide to telecomputing, give us a call. In the U.S., call toll free 800-334-0868 (North Carolina residents call 919-275-9809).

## COMPUTE!'s Personal Telecomputing

Don Stoner

This comprehensive general guide to the world of telecomputing shows how to access databases, receive software, and communicate with others using a personal computer.

**\$12.95** ISBN 0-942386-47-7




## COMPUTE!'s Guide to Telecomputing on the Apple

Thomas E. Enright  
Joan Nickerson  
Anne Wayman

An informative, easy-to-understand guide to telecomputing on the Apple: covers everything from selecting hardware and software to accessing large databases.

**\$9.95** ISBN 0-942386-98-1




**COMPUTE!** Publications, Inc. 

One of the ABC Publishing Companies

324 W. Wendover Avenue, Suite 200, Greensboro, NC 27408 919-275-0809

Publishers of COMPUTE!'s Gazette, COMPUTE!'s Gazette Disk, COMPUTE!' Books, and COMPUTE!'s Apple Applications

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England.



# SOME HISTORIC BREAKTHROUGHS DON'T TAKE AS MUCH EXPLAINING AS COMPUSErVE.

**But then, some historic breakthroughs could only take you from the cave to the tar pits and back again.**

CompuServe, on the other hand, makes a considerably more civilized contribution to your life.

It turns that marvel of the 20th century, the personal computer, into something useful.

Unlike most personal computer products you read about, CompuServe is an information service. It isn't software. It isn't hardware. And you don't even have to know a thing about programming to use it. You subscribe to CompuServe—and 24 hours a day, 7 days a week, it puts a universe of information, entertainment and communications right at your fingertips.



**A few of the hundreds of things you can do with CompuServe.**

## COMMUNICATE

**EasyPlex™** Electronic Mail lets even beginners compose, edit, send and file messages the first time they get online. It puts friends, relatives and

business associates—anywhere in the country—in constant, convenient touch.

**CB Simulator** features 72 channels for "talking" with thousands of other enthusiastic subscribers throughout the country and Canada. The chatter is frequently hilarious, the "handles"



unforgettable, and the friendships hard and fast.

**More than 100 Forums** welcome your participation in "discussions" on all sorts of topics. There are Forums for computer owners, gourmet cooks, veterinarians, pilots, golfers, musicians, you name it! Also, Electronic Conferencing lets businesses put heads together without anyone having to leave the shop.

**Bulletin Boards** let you "post" messages where thousands will see them. You can use our National Bulletin Board or the specialized Bulletin Boards found in just about every Forum.

## HAVE FUN

**Our full range of games** includes "You Guessed It!", the first online TV-style game show you play for real prizes; and MegaWars III, offering the

ultimate in interactive excitement. And there are board, parlor, sports and educational games to play alone or against other subscribers throughout the country.

**Movie Reviews** keep that big night at the movies from being a five star mistake.

## SHOP

**THE ELECTRONIC MALL™** gives you convenient, 24-hour-a-day, 7-day-a-week shopping for name brand goods and services at discount prices from nationally known stores and businesses.

## SAVE ON TRIPS



**Travelshopper™** lets you scan flight availabilities (on virtually any airline—worldwide), find airfare bargains and order

tickets right on your computer.

**Worldwide Exchange** sets you up with the perfect yacht, condo, villa, or whatever it takes to make your next vacation a vacation.

**A to Z Travel/News Service** provides the latest travel news plus complete information on over 20,000 hotels worldwide.

## MAKE PHI BETA KAPPA

**Grolier's Academic American Encyclopedia's Electronic Edition** delivers a complete set of encyclopedias right to your living room just in time for today's homework. It's continuously updated ... and doesn't take an inch of extra shelf space.



**The College Board**, operated by the College Entrance Examination Board, gives tips on preparing for the SAT, choosing a college and getting financial aid.

## KEEP HEALTHY

**Healthnet** will never replace a real, live doctor—but it is an excellent and readily available source of health and medical information for the public.

**Human Sexuality** gives the civilization that put a man on the moon an intelligent alternative to the daily "Advice to the Lovelorn" columns. Hundreds turn to it for real answers.

## BE INFORMED

**All the latest news** is at your fingertips. Sources include the AP news wire (covering all 50 states plus



national news), the Washington Post, USA TODAY Update, specialized business and trade publications and more. You can find out instantly what Congress did yesterday; who finally won the game; and what's happening back in Oskaloosa with the touch of a button. And our electronic clipping service lets you tell us what to watch for. We'll electronically find, clip and file news for you...to read whenever you'd like.

## INVEST WISELY

**Comprehensive investment help** just might tell you more about the stock you're looking at than the company's Chairman of the Board knows. (Don't know who he is? Chances are, we can fill you in on that, too.) CompuServe gives you complete statistics on over 10,000 NYSE, AMEX and OTC securities. Historic trading statistics on over 50,000



stocks, bonds, funds, issues and options. Five years of daily commodity quotes. Standard & Poor's. Value Line. And more than a dozen other investment tools.

**Site II** facilitates business decisions by providing you with demographic and sales potential information by state, county and zip code for the entire country.

**National and Canadian business wires** provide continuously updated news and press releases on hundreds of companies worldwide.

## GET SPECIALIZED INFORMATION

**Pilots** get personalized flight plans, weather briefings, weather and radar maps, newsletters, etc.

**Entrepreneurs** use CompuServe too for complete step-by-step guidelines on how to incorporate the IBMs of tomorrow.

**Lawyers, doctors, engineers, military veterans and businessmen of all types** use similar specialized CompuServe resources pertinent to their unique needs.

## And now for the pleasant surprise.

Although CompuServe makes the most of any computer, it's a remarkable value. With CompuServe, you get low start-up costs, low usage charges and local phone-call access in most major metropolitan areas.

## Here's exactly how to use CompuServe.

First, relax.

There are no advanced computer skills required.

In fact, if you know how to buy breakfast, you already have the know-how you'll need to access any subject



in our system. That's because it's "menu-driven," so beginners can simply read the menus (lists of options) that appear on their screens and then type in their selections.

Experts can skip the menus and just type in "GO" followed by the abbreviation for whatever topic they're after.

In case you ever get lost or confused, just type in "H" for help, and we'll immediately cut in with instructions that should save the day.

Besides, you can either ask questions online through our Feedback service or phone our Customer Service Department.

## How to subscribe.

To access CompuServe, you'll need a CompuServe Subscription Kit, a computer, a modem to connect your computer to your phone, and in some cases, easy-to-use communications software. (Check the information that comes with your modem.)

With your Subscription Kit, you'll receive:

- a \$25 usage credit.
- a complete hardcover Users Guide.
- your own exclusive user ID number and preliminary password.
- a subscription to CompuServe's monthly magazine, *Online Today*.

Call **800-848-8199** (in Ohio, 614-457-0802) to order your Subscription Kit or to receive more information. Or mail this coupon.

Kits are also available in computer stores, electronic equipment outlets and household catalogs. You can also subscribe with materials you'll find packed right in with many computers and modems sold today.



- ☐ Please send me additional information.  
☐ Please send me a CompuServe Subscription Kit.  
☐ I am enclosing my check for \$39.95, plus \$2.50 handling. (Add sales tax if delivered in Ohio.)

Please make check payable to CompuServe Information Services, Inc.

- ☐ Charge this to my VISA/MasterCard

# \_\_\_\_\_

Expiration Date \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

MAIL TO:

# CompuServe®

Customer Service Ordering Dept.  
P.O. Box L-477  
Columbus, Ohio 43260

PR1-511

An H&R Block Company  
EasyFlex and ELECTRONIC MAIL are trademarks of CompuServe, Incorporated. Travelshopper is a service mark of TWA.



Product	Price	ISBN	Publisher/ Vendor	Systems	Description
ICOMM	\$100	71550-1000	Smith Educ. Engineering Ser. Inc.	IBM PC	
Intelink	\$59.95	27050-4600	Dynacomp Inc.	Atari 24K RAM	
Kimber-Link	\$29.95, plus \$3 shipping		Kimbertek, Inc.	Commodore 64	Compatible with auto-dial modems
Kwik-Phone	\$19.95	23700-0540	Datamost Inc.	Commodore 64	Has automatic answer, built-in phone book, and bulletin board
MacMail	\$59.95	01718-6000	Aegis Development Inc.	Mac	Send or receive electronic mail (data/program files) automatically. Interact with Apple-Talk and other networks or person to person
MacTerminal	\$99	03900-4150	Apple Computer, Inc.	Mac	
Micro Link II	\$99	25400-7600	Digital Marketing	IBM PC	
Micro Link II with Newsnet	\$99	25400-3700	Digital Marketing	IBM PC	Will auto-dial, auto-logout, and capture onto disk any information retrieved
Modem-86	\$89	18600-1250	Compuvision Products Inc.	IBM PC	
Mouse Exchange Terminal	\$39.95	26769-5500	Dreams of the Phoenix Inc.	Mac	
MTerm Ver. 1.40	\$79.95	51537-6000	Micro-Systems Software Inc.	IBM PC	
Omnicomm	\$39.95 \$34.95	73925-2000	Oakridge Micro Computer	Commodore 64, VIC-20	
Online	\$89.95	75100-4400	Roger Wagner Publishing	Apple II, II+, IIe	
OwlTerm	\$50	59000-5500	Owl Micro Communications Ltd.	Apple II	Asynchronous communications package allowing the Apple to behave as a dumb teletype terminal
PC-Dial	\$25	09856-1000	Jim Button	IBM PC	
PCModem	\$49.95	74412-1000	Solution Software Systems	IBM PC	
PC-Talk Version 2.0	\$35	34987-1000	The Headlands Press Inc.	IBM PC	
PC-Talk III	\$35	31418-1000	Freeware	IBM PC	
PFS:Access Ver. A.0	\$70 \$95	73300-1250	Software Publishing Corp.	Apple IIc, IIe, IBM PC	
Pits (PASCAL Interactive Terminal Software)	\$54.95	73612-2000	Software Sorcery	Apple II, II+, IIc, IIe	
Pretty Good Terminal	\$35	13087-6500	Club Mac User Group	Mac	Has Mac-to-Mac and XMODEM (Christensen) file transfer protocols
Procom-M Ver. 1.6	\$99	63273-4000	Prometheus Products Inc.	Apple II, II+, IIc, IIe, Mac	Has XMODEM protocol, phone directory, log-on macro capability, XON/XOFF, capture buffer, text editor, phone log
PTP 1.1	\$69.95	82790-1000	Trutec Software	Apple II, IIe	
Reach/86	\$39.95	73950-4190	The Software Toolworks	IBM PC	
ReadTerm	\$75	65378-2000	Readware Systems, Inc.	IBM PC	
Sixth Sense	\$89.95	53625-0750	Microtechnic Solutions, Inc.	Commodore 64	Communications package with the capability to perform complex tasks including decision-making
Skewriter II	\$49.95	70387-665	Prentice-Hall	Commodore 64	Cartridge-based telecommunications/word processor
Smart 64 Talking Terminal	\$39.95	53625-0950	Microtechnic Solutions, Inc.	Commodore 64	Operates with the Convolve Speech Synthesizer for visually impaired people
Smart 64 Terminal +3	\$39.95	53625-1000	Microtechnic Solutions Inc.	Commodore 64	
Smart 64 Terminal +4	\$39.95	53625-1050	Microtechnic Solutions Inc.	Commodore 64	
SourceLink	\$49.95	74737-1000	Source Telecomputing Corp.	IBM PC	Communications package designed by The Source for communication to this and other time-sharing services
Syncomm	\$44.95	77500-7880	Synapse Software	Atari 400/800, XL, XE	
Talking Termexec	\$95	30345-1000	Exec Software, Inc.	Apple II, II+, IIc, IIe	A communications package for the visually impaired
Telelink I	16K-\$29.95 8K-\$24.95	05750-8400	Atari Corp.	Atari 400/800, XL, XE	
Telelink II	\$19.95	05750-8500	Atari Corp.	Atari 400/800, XL, XE	



Product	Price	ISBN	Publisher/ Vendor	Systems	Description
Tele-Porter	\$79.95	69200-6000	Sensible Software, Inc.	Apple II+, IIe	
TeleText	\$49.95	53425-9000	Microsparc, Inc.	Apple II, II+, IIe	
Teletext Ver. 1.0	\$79.95	51500-6000	Microsparc, Inc.	Apple II, II+, IIe	
Telpac Ver. 2-0	\$99	84619-1000	U.S. Robotics, Inc.	Apple II, IIe, III	Can automatic call, logon, transfer files, and make timed calls
Telstar 64	\$29.95		Eastern House Software	Commodore 64	
TermExec	\$95	30345-2000	Exec Software, Inc.	Apple II, II+, IIc, IIe	
TermExec	\$79.95	64475-4000	Quinsept, Inc.	Apple II+, IIc, IIe	
Terminal.II	\$60	80950-6900	Telephone Software Connection	Apple II+, IIc, IIe	Features auto-logon/logon-memorization, automatically records online sessions, review, print, and save to disk
Transend	\$89	75500-1000	Transend Corporation	Apple II+, IIe, IBM PC	
Videolink 88	\$59.95	86878-1000	Windmill Software, Inc.	IBM PC	
VIP Terminal	\$59.95		Softlaw, Inc.	Commodore 64	
XL	\$75	03184-9000	AML	Commodore 64	
Z-Term	\$99.95	75100-8000	Roger Wagner Publishing	Apple II, II+, IIe	

# What's New Online?

Kathy Yakal, Assistant Features Editor

*The major telecommunications services have added several new features over the past year, and a few new services oriented toward personal computer users have come online. Here are the highlights.*

## American People/Link

Last December, American Home Network premiered American People/Link, a telecommunications network focusing on family entertainment and online conversations. Electronic mail, a CB simulation, and a wide variety of telegames are its main features.

In mid-August, American People/Link started adding online clubs to its other services. Similar to special interest groups (SIGs) on other telecommunications net-

works, they provide an electronic forum for people with similar interests to share information. Initial clubs cater to such interests as sports, aviation, humor, women's issues, and health.

Subscriber fees are as follows: For the first three hours of nonprime-time use each month, the hourly charge is \$4.78 for 300 bps and \$7.78 for 1200 bps. Additional time costs \$2.95/hour for 300 bps and \$5.95/hour for 1200 bps. Prime-time access is \$9.95 for both 300 and 1200 bps (\$14.95 in some cities).

For more information, contact: American Home Network, Inc., Arlington Ridge Office Center, 3215 N. Frontage Road, Suite 1505, Arlington Heights, IL 60004. 800-524-0100 (Illinois residents call 312-870-5200).

## CompuServe Information Service

CompuServe, the nation's largest consumer information service, experienced tremendous growth in 1985. Its subscriber base grew by more than 70 percent to nearly a quarter-million, and several new services were added.

*Travelshopper* gives subscribers access to Trans World Airlines' reservation system. You can find the lowest rates and most convenient flights, then make a reservation while online. Tickets can be sent to your home or to the airline ticket counter, or issued by a local travel agency.

The *Executive Service Option* (formerly called *Executive Information Services*) is a database of sophisticated financial information

which is now available to all subscribers. It offers a variety of tools for investment and financial planning, as well as special merchandise offers and discounts. There is a one-time charge of \$10 (\$5 for new users) and a \$10 minimum monthly usage fee.

CompuServe has also upgraded and simplified its electronic mail service. *Easypex* features different modes for different levels of expertise; online instructions; easy editing; and an "address book" which stores names and user IDs of up to 50 people.

Gannett Co., Inc., is now distributing *USA TODAY Update* through CompuServe. *Hotlines*, updated hourly from 8 a.m. to 11 p.m., offers business, financial, local, and international news, plus weather reports. *Decisionlines*, updated daily, is targeted to specific industries and professions such as travel, technology, law, and energy.

Since August 1983, the NCR Universal Credit Union has allowed its members to conduct transactions electronically from anywhere in the world through CompuServe's *Companion at-Home*. In the last year, three additional major credit unions have announced an intention to do the same: Northwest Orient Airlines Employee Credit Union, Pacific IBM Employees Credit Union, and Oak Ridge National Laboratories Employees Credit Union.

For more information, contact: *CompuServe*, P.O. Box 20212, Columbus, OH 43220. 800-848-8199.

## Delphi

Since June, Delphi has offered service at 2400 bps, for an additional \$5 an hour.

Two new areas of the service have also been developed. Subscribers can now get current news, sports, and financial information on Delphi through AP News Services. And owners of Commodore, Apple II-series, Macintosh, and Atari computers can share information and get technical help through several new online SIGs.

For more information, contact: *Delphi*, 3 Blackstone Ct., Cambridge, MA 02139. 800-544-4005.

## Dow Jones News/Retrieval

Dow Jones has added two new databases to its information service.

*Peterson's College Selection Service* has profiles on more than 3,000 two- and four-year colleges and universities. And a new medical and drug reference database addresses the diagnosis of hundreds of diseases and offers information on many pharmaceutical drugs.

*American Express Advance* lets cardholders look up previous statements on their accounts. *American Express Shopping And Travel Service* offers online shopping and travel information.

In June, Dow Jones' per-minute fees for 300 bps changed to 90 cents (prime time) and 20 cents (nonprime time). The 1200 and 2400 bps rates are double the 300 bps rate. Certain business-related databases require an additional 30 cents (prime) and 60 cents (nonprime) per minute. In addition to the \$75 standard membership fee, there's also a \$12 annual service fee.

For more information, contact: *Dow Jones News/Retrieval*, P.O. Box 300, Princeton, NJ 08540. 800-257-5114.

## The Source

Over the past year, The Source simplified use of its telecommunications network. The updated menu incorporates a self-teaching design to help users find what they're looking for more quickly.

Online assistance has always been available on The Source, but now it's expanded and it's free. The tutorial includes four lessons of graduated difficulty to familiarize new users with the system. Unlimited free access to this assistance allows both new and experienced subscribers to explore areas of the system that they may not have known about before.

In August, officials at The Source announced that individual SIGs would soon be online. Though details have not been fully developed at this writing, the SIGs are expected to address the special interests of personal computer owners. An additional per-minute fee will be charged for this service.

In August, 2400 bps service began in ten major cities. Additional cities will soon be added via Uninet and Telenet. The base rate for prime-time 2400 bps service is 46 cents per minute; nonprime time is 20 cents per minute.

A new database contains updated listings for 14,000 domestic and 8,000 international hotels. Each listing contains the hotel's address and telephone number, as well as information on restaurants, convention facilities, sports and leisure services, and rates.

For more information, contact: *The Source*, 1616 Anderson Road, McLean, VA 22102. 800-336-3366.

## Viewtron

Viewtron is a new videotex service scheduled to begin this fall for Commodore, Apple, and IBM owners. Operated by Viewdata Corporation, a subsidiary of Knight-Ridder Newspapers, Inc., Viewtron was to start October 1 in most areas of the U.S. with access to a Telenet, Tymnet, or Uninet number, except Massachusetts, New Hampshire, Vermont, and Maine. Viewtron plans to offer news, weather, sports, and current stock prices; book, movie, and software reviews; communication with other subscribers through electronic mail and a CB simulator; and online shopping and banking.

Viewtron is to be the first major news and information service in the U.S. to display color graphics, though only for Commodore users. Because of this feature, Commodore owners need special terminal software designed for the system. IBM and Apple owners can use any terminal software with VT-100 emulation (or Viewtron's package).

To subscribe, you must buy a Viewtron Software Starter Kit (\$9.95) which contains terminal software, one free hour of service, an ID and password, and a user manual. Rates after the first hour are nine cents a minute (after 6 p.m. weekdays, all day weekends) and 22 cents a minute (weekdays before 6). There is no monthly minimum and no extra charge for 1200 bps access.

Viewdata is offering free starter kits with the purchase of some Anchor Automation modems. A 300 bps Westridge 6420 modem with software is \$49.95; a 1200 bps Volksmodem 12 is \$189.95.

For more information, contact: *Viewdata Corporation of America, Inc.*, 1111 Lincoln Road, 7th Floor, Miami Beach, FL 33139. 800-543-5500, Department 9401. ©


# HOW TO GET OVER \$2000 WORTH OF NEW CAPABILITIES FOR YOUR COMMODORE 64™



## FOR \$599\*

The Spartan™ is the Apple™ II+ emulator for your Commodore 64™ that will open up a whole new world of hardware and software for you! Imagine adding these features to your Commodore 64™ for the Spartan™ price of \$599. ☐ Apple™ II+ hardware and software capabilities ☐ 64K RAM expansion ☐ four software selectable Commodore 64™ cartridge slots ☐ non-dedicated 8-bit parallel port ☐ standard audio cassette deck capabilities for your C-64™.

The suggested retail value of comparable products offering only these capabilities is over \$2200.00\* — but the Spartan™ gives you much, much more! By building on your investment in your Commodore 64™ — an excellent introductory computer — you create a whole new system with both C-64™ and Apple™ II+ capabilities. There is a whole other world out there! The huge selection of Apple™ II+ hardware and software is now yours to explore! Call toll free for the Spartan™ dealer nearest you.



### MIMIC

FOR INFORMATION WRITE:  
MIMIC SYSTEMS INC.  
1112 FORT ST., FL. 6N  
VICTORIA, B.C.  
CANADA V8V 4V2

TO ORDER CALL:  
**1-800-MODULAR**  
(663-8527)

\*All prices quoted are in U.S. funds, freight and taxes not included. Value of components equivalent to the Spartan™ system are quoted from Apple™ II+ CPU and Apple™ II+ single disk drive 1983 list prices, and from current suggested list prices and component specifications of other peripheral manufacturers. Commodore 64™ and Commodore logo are trademarks of Commodore Electronics Ltd. and/or Commodore Business Machines, Inc. Apple™ II+ is a trademark of Apple Computer Inc. Spartan™ is a trademark of Mimic Systems Inc. and has no association with Commodore Electronics or Apple Computer Inc. The Spartan™ is manufactured by Mimic Systems Inc. under license granted by AIG Electronics Inc. of Victoria, B.C. Canada.



Nick





# Programming Languages

## Communicating With Your Computer

Todd Heimarck, Assistant Editor  
Kathy Yakal, Assistant Features Editor

*BASIC, Logo, Pascal, FORTRAN, COBOL, Forth—these and a hundred other odd-sounding names are the languages we use to communicate with computers. Since the beginning of the computer age, scientists and programmers have been striving to make this human-machine interaction easier, faster, and more powerful. Why are there so many languages? Which are best? And what will tomorrow's languages be like? The answers may help you decide which language is best for you.*

**I**magine that if every time you asked someone to do something, you had to tediously explain each step of the procedure. Outlining something as simple as taking out the garbage could take ten minutes:

Walk to the garbage can by placing one foot in front of the other and moving forward. Stop. Bend over at the waist, extending both arms out in front of you. Put your hands on either side of the garbage bag and grasp it by curling your fingers and applying pressure to get a good grip. Stand up straight again, holding the bag in front of you. Turn around and face the opposite direction, still holding the bag. Walk toward the back door. Stop. Bend over again and release your grip on the bag. Stand up, extend your right arm, and grasp the doorknob. Apply pressure, twist, and pull until the door opens.... And so on.

Human beings don't need that kind of step-by-step instruction for most tasks. But computers require it for *all* tasks. Technically, the only way to make a computer do something is to rearrange its internal pathways of electricity by flipping the equivalent of thousands of microscopic on/off switches. By programming at the computer's most fundamental level, —a binary code of ones and zeros which controls those switches—programmers can instruct computers to carry out very simple tasks, like adding two numbers or storing a number in memory. When hundreds or even thousands of these simple commands are combined to form a program, computers can seem to handle tasks of great complexity.

But programming a computer in binary codes can be a daunting job. To make it easier and faster, computer scientists and engineers have spent the last four decades developing scores of programming languages as alternatives to communicating with computers on the binary level. Many of these languages are composed of familiar English words, and they serve as translators or interpreters between the language of the programmer and the language of the machine. For example, many of today's personal computers come with a language called BASIC, which stands for *Beginner's All-purpose Symbolic Instruction Code*. A typical English-like BASIC command is PRINT. When PRINT is followed by some text inside quotation marks, such as PRINT "HELLO", the computer prints the text on the monitor screen. To do the same thing directly in machine language, a programmer might have to write a half-dozen or more commands.

For this reason, languages such as BASIC are known as *high-level languages*—they are relatively far removed from the binary level of the machine. Programming in a high-level language versus programming in machine language is somewhat like the difference between saying "Please take out the garbage" or outlining the whole process step-by-step as shown above.

There are other reasons why high-level languages are continual-

**Special programming jobs require specialized tools; the language for writing an accounting program might not be the best for writing an adventure game.**

ly being developed, too. Different people have different programming styles, so more languages provide more choices. Also, special programming jobs require specialized tools; the language for writing an accounting program might not be the best for writing an adventure game.

The evolution of these languages, however, has distanced programmers from the inner workings of computers. High-level languages make it easier to write programs, but fewer and fewer people understand what's really happening inside the box—how the electrons are zipping in and out of logic gates. It's like driving a car without thinking about how the gas and air are exploding inside the cylinders, pushing the pistons up and down. Whether or not it's important to know these details is a matter of debate within the computing community.

**T**oday, you can run a program on just about any personal computer without knowing anything about programming. Usually it's as simple as inserting a floppy disk or program cartridge, switching on the system, and perhaps typing a single command to get things started.

This is quite a jump from 40 years ago, when the first electronic digital computer, ENIAC, was built.

ENIAC (Electronic Numeric Integrator and Calculator) was a 30-ton, 100-foot-long machine which contained almost a hundred thousand vacuum tubes, resistors, and capacitors. ENIAC had to be programmed by *hard-wiring*—engineers rewired it for each new program they wanted to run. There was no memory inside the computer to store programs. And today's mass-storage devices, such as floppy disks and tapes, were not yet imagined. Hard-wiring ENIAC could take days as engineers prepared the monster to solve one type of complex calculation. Once programmed, ENIAC could solve the equations far faster than people. But if a different type of calculation was required, the hard-wiring had to start all over again.

The difficulty of programming a behemoth such as ENIAC meant that only a handful of scientists and engineers could really "talk" to the computer. And they had to communicate completely in the machine's own primitive language of wires and connections.

In addition to being enormously expensive to build and maintain, these early computers were expensive to use because hard-wiring took so much time—time that could be spent on calculations. So engineers borrowed an idea from computer pioneer John von Neumann—*stored programs*. Adding memory to a computer to temporarily store a program as it runs is much faster and easier than rewiring the hardware. You can change programs simply by replacing the program in memory with a new one.

By mid-1948, British computer scientists had completed the Mark I, commonly recognized as the first stored-program computer. By flipping switches on the front of the Mark I, engineers could enter short programs into the machine. This was a major improvement, but still clumsy. Reportedly, the codes had to be entered *backward*.

**N**ext, a way had to be found to store programs between jobs; there isn't nearly enough memory in a computer to permanently keep all the possible programs that could be written. Also, many programs require data



# EPYX PRESENTS LUCASFILM GAMES. THE EIDOLON

**WIN** a day at Lucasfilm! Special sweepstakes offer.\*



You've just discovered the Eidolon—a curious 19th century machine whose inventor vanished without a trace. Only his journals and sketches remain. They tell of an incredible magical realm—a maze of caverns populated by strange creatures noted as Greps, Biter Birds and Bottlenecks. And "intelligent" Guardian Dragons—who hurl colorful fireballs of energy?

The machine itself belies its quaint Victorian charm. For the Eidolon glows with the power of enchanted energy. It awaits, pristine and gleaming—perfectly preserved for over a hundred years by the powerful forces that propelled it and its pilot to another dimension.

With the fascinating first-person point of view, you

can climb into the pilot's chair and fly this mysterious magical machine. And the haunting fractal graphics take you deeper and deeper into an endless maze of mystical caverns.

An adventure so real, it'll make you wonder: What ever happened to the Eidolon's mysterious inventor? Only the adventurous of spirit will know his fate. The Eidolon—scientific curiosity, or passport to a magical dimension?

C64/128

ATARI

APPLE

*The Eidolon*



**EPYX**  
COMPUTER SOFTWARE  
1043 Kiel Ct., Sunnyvale, CA 94089

**Strategy Games for the Action-Game Player®**



\* See specially marked boxes for details. No purchase necessary. Sweepstakes ends Dec. 31, 1985. Official rules available at participating dealers.

which changes from job to job and can't be stored as part of the program, such as the monthly electric bills of utility company customers.

This time, engineers borrowed a piece of nineteenth-century technology—cardboard punch cards. This idea was originally developed by nineteenth-century mathematician Charles Babbage, who took the concept from an earlier system used by the French to control weaving looms. Punch cards had proven their worth in data processing during the 1890 U.S. census, when they were used to speed up tabulation on mechanical adding machines.

By adapting punch cards to computers, it became possible to write and store programs without tying up the machine itself. Programmers typed their programs on keypunch machines, then waited their turn to feed the stack of cards into the computer. After the results were printed out, the computer was prepared to accept another batch of cards. This system was called *batch processing*.

For the first time, programmers were physically separated from computers. There were software experts, who wrote programs on batches of cards, and hardware experts, who fed the cards into computers.

The first real software breakthrough was an *assembler* program. An assembler translates mnemonics like LD (load a number from memory) and ST (store a number in memory) into the binary ones and zeros the computer understands. Each assembler operation code (or *opcode*) corresponds directly to a machine language instruction.

Soon, programmers began collecting useful pieces of programs written with assemblers. For example, if someone needed a routine to calculate square roots, they could borrow one from another programmer who had already figured out the math, rather than waste time reinventing the wheel. Such a fill-in-the-blanks routine is called a *macro-instruction*, or *macro* for short.

A library of macros isn't quite a language, because it's not organized or standardized. But macros were the first step toward high-level languages.

As computer education began seeping downward from colleges, for the first time there was a need for languages tailored especially for young people.

One of the first high-level languages was FORTRAN (FORmula TRANslator), developed in 1954. Before FORTRAN, engineers and scientists who were unfamiliar with computers had to describe a problem to a computer programmer, who would then write a program to solve it. FORTRAN made it easier for scientists and engineers to write their own programs.

Just as FORTRAN was written for engineers, COBOL (Common Business Oriented Language) was created for accountants. Developed in the 1950s by U.S. Navy Captain Grace Hopper, COBOL is still one of the most popular languages for large business computers, and is often used to write payroll programs and other applications in large data processing departments.

In 1964, when FORTRAN and COBOL were the most popular programming languages, two Dartmouth University professors formulated a couple of important ideas. First, they suggested that instead of processing programs in batches, a single computer could be hooked up to several terminals, sharing its time among many users. A fast typist works at perhaps 100 words per minute, while a computer can accept keystrokes much faster—in millionths of a second. A *time-sharing system* of terminals would allow more than one person to use the computer simultaneously. Because the computer works so fast, each person could have the

illusion that he was the only one working with the machine.

Their second idea was a new language, BASIC, a general computing language which would be easier to learn than FORTRAN or COBOL and more flexible.

Dartmouth became the first university to make computer time generally available to undergraduates, thanks to time-sharing and BASIC. (The two professors, John Kemeny and Thomas Kurtz, recently released a new version of BASIC called *True BASIC*.)

With batch processing, programmers had to write a program by punching it onto cards, then submit it for processing, collect the results the next day, find out there was a bug, rewrite it, submit it again, and so on. Time-sharing allowed programmers to begin debugging a program immediately. It also made computers accessible to more people and paved the way for personal computing.

Soon after BASIC was developed, many more programming languages began appearing. Computers were being adapted to more applications, and more people began using computers, so demand grew for better and more specialized languages.

In the late 1960s, a debate heated up within the academic and computer communities over *structured programming*. This is a method intended to keep programmers more organized and programs more readable and easily modified. The first language specifically designed to encourage structured programming was Pascal—invented by Niklaus Wirth in Switzerland and named after the French mathematician and logician, Blaise Pascal. Today, Pascal is popular in high schools and colleges because instructors say it teaches good programming style. It's also easier to follow the flow of a program written in Pascal.

Meanwhile, computer education began seeping downward from colleges into high schools, junior highs, and even elementary schools. For the first time, there was a need for languages tailored especially for young people. In the late 1960s, Seymour Papert of the Massachusetts Institute of Technology



# EPYX PRESENTS LUCASFILM GAMES™ KORONIS RIFT™

**WIN** a day at Lucasfilm! Special sweepstakes offer.\*



Koronis Rift—the weapons testing grounds of the Ancients. The chance of a lifetime awaits you.

Abandoned war hulks litter the Rift—crammed with exotic weapons and technology. The lifelike fractal graphics take you to this mythical land of the Ancients. The mind's-eye point of view puts you right in the driver's seat of a Surface Rover. A hulk looms before you—your mind races, feverishly planning a strategy. What weapons do you need to survive? What technology will fetch the highest price? If you can pack your battered Rover full—you'll be rich beyond your wildest dreams.

But it won't be easy. The Guardians—genetically

engineered mutants—stand watch over their creators' technology. And they deal swiftly and ruthlessly with characters like techno-scavengers.

But you've got a plan. If you and your trusty Science Droid can scavenge the right combination of weapons and technology—and get off the planet alive—you'll make it big. Destroy the Guardian base and you'll even be a hero! The treasures of the Ancients are yours . . . if you've got what it takes.

Koronis Rift

C64/128

ATARI

APPLE



**EPYX**  
COMPUTER SOFTWARE

1043 Kiel Ct., Sunnyvale, CA 94089

**Strategy Games for the Action-Game Player®**



\*See specially marked boxes for details. No purchase necessary. Sweepstakes ends Dec. 31, 1985. Official rules available at participating dealers.

developed Logo. Many of Logo's commands give directions to a *turtle* on the computer screen, a small object whose movements define and execute a graphics program. The on-screen turtle was adapted from Papert's original Logo, which attached the computer to an actual robotic turtle which children could program to draw designs on paper. Many elementary schools now teach Logo as the first programming language for young children.

New approaches to programming languages also were being explored. For example, Forth is an unusual language originally developed to control telescopes in observatories. It's roughly halfway between machine language and high-level languages like BASIC, and is *extensible*—you can define new functions and commands which then become part of the language. In a sense, it's a language that lets you create your own personal language. If you want, you can build up the language piece by piece, until you finally define a single word that runs the whole program.

Although there are hundreds of programming languages, most are not available for personal computers. Some languages were designed for large mainframe computers and cannot fit into small amounts of memory. Others are just too specialized for general use. If you'd like to explore the alternatives, here are some issues to consider:

• *What types of programs will you be writing?*

One language might offer lots of commands for handling files and variables, but very little in the way of graphics. Another might be strong in mathematical functions, but weak in handling strings and text. Look for a language that is suited for the kind of programs you want to write. There are always books and manuals which list the commands available in a language and describe what they do.

• *How much control do you want over the hardware and software? Is the language high-level, low-level, or somewhere in between?*

A low-level language like machine language puts you in direct control of the computer. Individual instructions do very simple things,

**The commands  
in high-level  
languages look more  
like words in a  
human language, so  
they're easier  
to learn.**

like fetching and storing numbers in memory, comparing two numbers, and basic addition and subtraction. To multiply two numbers, you might need several instructions. (However, on the newer chips, multiplication requires only a single instruction.)

High-level languages take you several steps away from machine language and the hardware. The commands look more like words in a human language, so they're easier to learn. Also, individual commands are usually broader, performing tasks which might require dozens of commands in machine language. But you pay a price: Direct control over the finer points of the computer may be more difficult, and the finished programs run more slowly and often consume more memory. Remember, the only language the computer *really* understands is machine language—at some stage, it has to translate programs written in another language into its native tongue.

• *How fast is the language?*

Speed is important in some programs. A certain part of a program may take 1/20 second to execute in one language and 1/2 second in another, not a noticeable difference if it's used once or twice. But if it's executed several thousand times, the difference could become significant.

Machine language is the fastest, and most commercial software is written in machine language. (In fact, most high-level languages themselves are written in machine language.) Mid-level languages such as Forth and C, while not as fast as machine language, are generally quicker than higher-level languages.

Because the faster languages are usually low-level, they may be more difficult to learn and use. High-level languages are fine for many programs, and here's where you must strike a balance: Would you rather spend five hours working with a low-level language to write a program that runs in one minute, or spend one hour working with a high-level language to write the same program that runs in 15 minutes? If you're going to run the program every day, you might choose to spend the extra time writing it with the faster language. But for an infrequently used program, you might prefer the language that's easier and slower.

In some cases, the speed of a language doesn't matter. If a printer seems to take forever to print reports or mailing labels, rewriting the program with a faster language may not help. The printer is probably the limiting factor on speed, not the language.

• *What are the system requirements? And how much free memory for programs remains after the language is loaded into the computer?*

You may find languages that require a certain operating system. C, for example, was originally written for the Unix operating system, although that has changed—other versions of C are now available. On a Commodore 64, certain languages work only with the CP/M cartridge. And some languages won't work without two disk drives.

Check the memory requirements. You may have to install additional memory boards or controller cards. Even if you have the minimum memory specified for a certain language, you may be left with very little space for your programs.

• *What programming style are you most comfortable with? Scientific and structured? Or creative and artistic?*

Some people write programs methodically, step by step. They draw a flowchart on paper, diagramming the program in modules. They fully document each section, describing exactly what happens when. Not until they finish the preliminary planning and structuring do they enter the program into the computer. In business, the structured approach is preferable. If a programmer quits for



# 22 FAST-PACED, EXCITING EVENTS. GO FOR THE GOLD!



**WIN** a Tahoe ski week! Special sport and ski-wear offer.\*

## SUMMER GAMES.®

Want some great play action? This award winning best seller brings you eight great events, including Swimming, Diving, Track, Gymnastics, and more. Compete against world records. Or get together with a group of up to eight for some good competitive *fun*. Realistic, graphics and *action* will challenge you again and again to go for the gold.

## SUMMER GAMES II.™

You asked us for more great events. Here they are. Rowing, Triple Jump, Javelin, High Jump, Fencing, Cycling, Kayaking, even Equestrian. Like SUMMER GAMES, you get spine tingling *action* and *challenge* for one to eight players. These aren't just games. They're the *games*. And you're the star.

## WINTER GAMES.™

You've got to see the graphics, and *feel* the knot in your stomach as your bobsled careens along the walls of the run

to know why people are wild over WINTER GAMES. Seven events give you a variety of action—from the endurance of the Biathlon to the timing of the Ski Jump, and more.

## What are you waiting for?

Play your favorite events over and over. Play all 22. Set up teams. Challenge your friends. These great action-strategy games are sure to be the stars of your collection.

At your local Epyx dealer.

	APPLE	MAC	ATARI	C64/128
Summer Games	✓	✓	✓	✓
Summer Games II	✓	✓	✓	✓
Winter Games	✓	✓	✓	✓




**EPYX**  
COMPUTER SOFTWARE

1043 Kiel Ct., Sunnyvale, CA 94089

**Strategy Games for the Action-Game Player.®**



\* See specially marked bonus for details. No purchase necessary. Sweepstakes ends Dec. 31, 1985. Official rules available at participating dealers.



# ANNOUNCING THE FAMILY SOFTWARE SPECTACULAR.™

## BUY 3, GET 1 FREE.

---

### CHOOSE FROM OVER 50 LEADING TITLES.

---

What do you call an offer that brings together, for the first time ever, five leading brands of home software?

The Family Software Spectacular!

And it's your opportunity to choose a *free* software program from the best titles on the market today. All you have to do is buy any combination of three titles from any participating brands during this special offer period. And we'll send you another one of your choice—*free*!

It's a one-of-a-kind value your family shouldn't miss.

---

### FISHER-PRICE® A NAME YOU CAN TRUST.

---

For years Fisher-Price has been known for helping children develop skills as they play. With Fisher-Price™ Learning Software, your child can develop skills in five key areas: math, language, creativity, basic learning and computer literacy.

Your child will love developing and testing language skills with the help of PETER RABBIT READING, a program that uses voice to teach sound and letter recognition in words.

---

### WINDHAM CLASSICS™ CLASSIC NOVELS COME TO LIFE.

---

Pick up Windham Classics, graphic interactive fiction based on some of the greatest adventures of all time.

They're great for kids, yet fun for all ages.

Enjoy "THE WIZARD OF OZ."™ You are Dorothy, and each of your decisions determines your adventure. There's more than one adventure to be had as you meet old friends and new in the land of Oz.

---

### WORK BETTER WITH BETTER WORKING.™

---

Constantly erasing and retyping? Unsure of your spelling? WORD PROCESSOR WITH SPELLCHECKER is exactly what you need. This full featured word processor includes the 50,000 word AMERICAN HERITAGE DICTIONARY™ spellchecker which detects over 99% of misspelled words.

The full line also includes FILE & REPORT and SPREADSHEET—titles that represent the best values on the market today.





---

## SPINNAKER® THE LEADER IN FAMILY LEARNING SOFTWARE.

---

From pre-school counting to high-school compositions, Spinnaker offers the high quality educational programs you have come to expect. For example, there's the HOMEWORK HELPER™ series which provides step-by-step methods for improving writing and math skills and helps kids tackle otherwise troublesome school assignments.

---

## TELARIUM.™ INTERACTIVE FICTION AT ITS BEST.

---

Here's graphic interactive fiction by famous writers of science fiction, fantasy, and mystery like Ray Bradbury, Arthur

C. Clarke and Erle Stanley Gardner. Each story unfolds with you in the center of the action—and completely in control. In PERRY MASON: THE CASE OF THE MANDARIN MURDER,™ you are the world famous criminal lawyer. Challenge the evidence. Cross-examine the witness. Only you can prove your client's innocence. And time is running out.

---

## A SOFTWARE OFFER FOR ALL AGES.

---

Any software offer including something for everyone in the family is certainly fantastic. But combine that with a free product offer and what you have is something spectacular. Look for the specially marked boxes of The Family Software Spectacular at your retailer.

*The Family Software Spectacular™*



**TURN PAGE FOR MORE INFORMATION ON THE FAMILY  
SOFTWARE SPECTACULAR.** →

© 1995 SSC. One Kendall Square, Cambridge, MA 02139. All rights reserved. Titles available on most popular home computers. Spelling Software developed by Houghton Mifflin Company, publishers of the American Heritage Dictionary.

THE FAMILY SOFTWARE SPECTACULAR is a trademark of Spinnaker Software Corp. SPINNAKER is a registered trademark of Spinnaker Software Corp. FISHER-PRICE is a trademark of The Quaker Oats Company and is used under license. WINDHAM CLASSICS is a trademark of Windham Classics Corp. TELARIUM is a trademark of Telarium Corp. BETTER WORKING is a trademark of Spinnaker Software Corp.

[ SEE PREVIOUS PAGE ]

## HERE'S HOW YOUR FAMILY CAN PARTICIPATE IN

### *The Family Software Spectacular™*

REMEMBER, TO RECEIVE A FREE PRODUCT YOU MUST PURCHASE ANY THREE TITLES FROM THE PARTICIPATING BRANDS (IN ANY COMBINATION) AND MAIL YOUR ENTRY NO LATER THAN JANUARY 31, 1987.

1. Start by saving the receipt(s) from your software program purchases. (It is not necessary for software purchases to appear on one receipt. Photocopies of the receipt(s) are accepted. Receipts must be dated BETWEEN JULY 1, 1985, AND JANUARY 31, 1987.)
2. Cut the proof-of-purchase tab from each of the three user manuals that come with the programs. (Photocopies not accepted.)
3. Attach the purchase receipt(s) and the three original proof-of-purchase tabs to one separate sheet of paper.
4. Fill in the form below and place the completed form in an envelope with:
  - a. A sheet of paper with three original proof-of-purchase tabs and your purchase receipt(s)
  - b. A check or money order for \$3.50 to cover postage and handling. (Canada residents please send \$5.00 for postage and handling.)

Make check payable to THE FAMILY SOFTWARE SPECTACULAR and mail envelope to:

THE FAMILY SOFTWARE SPECTACULAR  
P.O. Box 1327, Cambridge, MA 02238

#### ORDER FORM

To receive your free program, this form must be filled out completely. Please print.

#### Free Product Chosen:

Title/Brand \_\_\_\_\_

Computer/Model \_\_\_\_\_

MAKE SURE THE PRODUCT YOU CHOOSE IS AVAILABLE ON THE COMPUTER SYSTEM YOU HAVE SELECTED.

Name \_\_\_\_\_

Phone (\_\_\_\_) \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

#### TITLES PURCHASED

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

#### BRANDS

#### DATE OF PURCHASE

- |          |          |
|----------|----------|
| 1. _____ | 1. _____ |
| 2. _____ | 2. _____ |
| 3. _____ | 3. _____ |

Allow 6-8 weeks for delivery of your free software program. Note: All receipts and envelope postmark must be dated prior to January 31, 1987. Offer good in the US and Canada only. Void where taxed, restricted or prohibited by law.

some reason, the company needs to know how the programs are put together.

Others prefer a looser, more improvisational style. They type a few lines, run the program, make some changes, test it again, and so on. Then they write and test a new section. The programs are not necessarily unstructured or illogical; it's just that the program ideas are not written down. The program may change as it develops, evolving into something quite different from the original plan.

There are advantages and disadvantages to each style. Planning ahead takes a lot of time up front, before a single line is entered. And it locks you into a certain structure. But the programs are generally easy to follow and debug. When teams of programmers work together, they generally use the planned-out approach.

More casual programmers who work interactively with the computer can see immediate results, positive feedback that the program is progressing. There's also an element of creative experimentation: "I'll try this and if it doesn't work, I'll try something else." Less time is spent on planning, and more time on actual programming. The casual approach can be carried too far, however. If the program is written sloppily, even its author might not understand how it works if modifications are required a few months later.

*• If you need to write fast programs, but don't want to use machine language, will a compiler do the job?*

There are two general ways in which commands in higher-level languages are translated into the machine language that the computer can understand.

An *interpreter* language translates the commands as the program runs, on the fly. The BASICs built into personal computers are interpreters.

A *compiler*, on the other hand, translates all the high-level commands into machine language before running the program. This compilation step may take several minutes, but when it's done, the finished program usually runs much faster than an interpreted program (though not as fast as programs written directly in

machine language).

Some languages (including BASIC) are available as both interpreters and compilers. There are tradeoffs either way. Compiled programs run faster than interpreted programs, but usually require much more memory—sometimes too much for small computers. Interpreters are more interactive, because you can type in a few statements, quickly try them out, and continue. A compiler might take ten minutes to compile a program. The choice between an interpreter and a compiler depends a great deal on your personal programming style, the amount of memory in your computer, and your need for speed in the finished product.

Ultimately, the language you choose for communicating with your computer depends on a great number of things. After reviewing all the options, you may find it desirable to learn more than one language, especially if you plan to write different kinds of programs.

During recent years, computer scientists, programmers, and linguists have been working in the field of artificial intelligence to develop methods for computers to more closely mimic human thought. An important part of this work has been research into so-called *natural languages*—those languages which humans use. We may see a day when the perfect natural language interface is developed, and we need only tell the computer, in our own tongue, what we want it to do. The latest generation of personal computers—such as the Apple Macintosh, Atari 520ST, and Commodore Amiga—represent another small step in that direction.

For now, however, control over a computer means meeting the machine at least halfway—learning a language which gives the computer something intelligible to work with. No longer must people learn to program to use a computer enjoyably and productively. But for thousands of computer owners, learning to communicate with their machines in a common language opens up the world of computing in ways which are better experienced than explained.

BATTERIES



INCLUDED

*"The Energized Software Company!"*

We started with Commodore, designing programs that quickly became industry success stories. Now we're moving on, applying our expertise to other systems.

Look for Apple, Atari, IBM, and Commodore software with the Batteries Included label!



"The best Atari word-processor ever."  
ANTIC MAGAZINE



#### Also from BATTERIES INCLUDED:

**Calkit:** problem-solving spreadsheet program with built-in templates for the most-needed home and business applications — including income tax, budgets and many more.

**B/Graph:** professional-quality graphics/charting and statistical analysis package turns your data into superb visuals.

**Sales Force:** professional sales management and reporting program saves you valuable hours.

**"Keys To Typing":** easy to follow tutorial program/typing teacher.



"...capable of very large and complicated searches ... a very good system."  
TPUG MAGAZINE



"Performance: excellent...  
Error-Handling: excellent...  
Value: excellent"  
FAMILY COMPUTING  
(a "Billboard" magazine  
#1 best seller)



"quite simply the best  
... the highest rating possible."  
ANALOG COMPUTING



**"Literature Challenge — Introduction To Shakespeare"** — learn about the bard's three most-taught plays — and have fun! (Other authors on the way.)

Look forward to excellence, in every respect. Power and performance, ease of use, incredibly low prices, for programs that help you in so many ways.



**B.I.-80 Column Display:** add-on module doubles your screen capacity and improves visibility.

#### HOME ORGANIZER

**SERIES** home database managers. (8 programs including Home Inventory, Recipes, CheckBook, Address Book, Audio/Video Catalogue and more)

30 Mural Street  
Richmond Hill, Ontario  
L4B 1B5 CANADA  
(416) 881-9941  
Telex: 06-21-8290

BATTERIES



INCLUDED

*"The Energized Software Company!"*

WRITE TO US FOR FULL COLOUR CATALOGUE of our products for COMMODORE, ATARI, APPLE and IBM SYSTEMS.

FOR TECHNICAL SUPPORT OR PRODUCT INFORMATION PLEASE PHONE (416) 881-9816.

SOME PROGRAMS ARE NOT AVAILABLE FOR ALL SYSTEMS.

Commodore, Apple, Atari and IBM PC are registered trademarks of Apple Computers, Inc., Atari, Inc., Commodore Business Machines, Inc., and International Business Machines, respectively

17875 Sky Park North, Suite P  
Irving, California  
USA 92714  
(416) 881-9816  
Telex: 509-139





**COMPUTER**

*Centers of America Mail Order Ltd.*

# ***Holiday Gift Giving at Distributor LOW, LOW PRICES!***

**Computers • Printers • Monitors • Compact Discs • Robots • Modems**

*Computer Centers of America has it all...and much, much more at distributor's low, low discount prices! Why pay more when you can buy & save! Check out these prices!*

**WE'RE PROUD OF OUR PRICES - SATISFACTION GUARANTEED**

Check, Money Order, MC or Visa accepted / No additional charge for MasterCard and Visa / Call for shipping and handling information / NYS residents add applicable sales tax / Prices and availability are subject to change without notice / All factory fresh merchandise with manufacturer's warranty. Dealers Welcome. Call for recent price reductions and new rebate information. Plus shipping and handling. No returns without return authorization number.

IN NEW YORK STATE CALL TOLL FREE

**1-800-631-1003**

**1-800-221-2760  
OR 516-349-1020**

**1-800-548-0009**

*Or Write: Computer Centers of America, 81 Terminal Drive, Plainview, NY 11803*



## commodore PERSONAL COMPUTERS

**NEW! Commodore 128 Personal Computer System** ..... Call For Price  
1101 Letter Quality Printer ..... 274.95  
1702 Monitor ..... 174.95  
Commodore 64 Computer ..... 144.95  
1541 Disc Drive ..... 169.95

## PRINTERS

**Cardco LO/3 Daisy Wheel Printer**  
Letter Quality Printer with Built-in Interface, Free Cardco Mail Now,  
Spell Now, Write Now Included ..... 199.95  
**Gemini SG 10** ..... 209.95  
**Gemini SG 15** ..... 359.95  
Gemini SG 10C with Built-in Commodore Interface ..... Call  
New! Gemini SR 10115 ..... Call  
New! Gemini SB 10 ..... Call  
Silver Reed 400 ..... 249.95  
Panasonic 1091 ..... Call

## MONITORS

**Sharp 13" Color Composite Monitor 13M31U** ..... 144.95  
BMC Color ..... 149.95  
Pan 1300 RGB & Comp. .... 209.95  
Sharp Green ..... 64.95  
Sharp Amber ..... 69.95

## DISC DRIVES

**CCA Exclusive - New from Commodore!**  
**Enhancer 2000 Disc Drive**  
Faster than Commodore 1541, 100% Commodore Compatible, 2 Yr. Extended Warranty ..... 164.95  
MSD Silver Disc II ..... 389.95  
Single Drive ..... 179.95  
Index GT Disc Drive ..... 249.95

## TOMY ROBOTS

**Unleash the Power of Your Computer Directly Into the Tomy Robots**  
Includes: \*Computer, Interface, and Disk \*Create, Edit, Save, Retrieve\* and Mix Your Programs \*For Tomy Ornibot, Ornibot 2000 and Verbot All on the Same Disk ..... **Call for Price**

### Interfaces

**Telesys Turboprint GT**  
Prints Enhanced Graphics ..... 59.95  
Cardco G+ ..... Call  
Microworld ..... Call  
PPI ..... 44.95

### Discs

20 Memorex SS/OD w/Storage Case ..... 249.95  
\*After Rebate

### Diskettes

Nashua ..... 8.95  
Scotch ..... 11.95  
Maxell ..... 11.95  
Memorex ..... 11.95  
BASF ..... 8.95

### Modems

**Mighty Mo** ..... 64.95  
Commodore 1660 ..... 79.95  
Data Telecommunications ..... Call

### Wico Joysticks

**The Boss** ..... 12.88  
The Bat ..... 14.88  
3-Way ..... 19.88

## HOLIDAY SOFTWARE SPECIALS AT UNREAL PRICES!

### Software Special # 1

commodore  
**\$888**

Simon's Basic or Commodore's Programmer's Reference Guide

### Software Special # 2

**ACTIVISION**  
HOME COMPUTER SOFTWARE

**\$999**

Decathlon ..... Star League Baseball  
Pitfall I or II ..... On Field Football  
Zone Ranger ..... On Court Tennis  
Space Shuttle ..... H.E.R.O.  
Master of the Lamp

### Software Special # 3

**ACTIVISION**  
HOME COMPUTER SOFTWARE

**\$1488**

Ghostbusters ..... New! Alcazar  
New! Fast Trax ..... New! Countdown to  
New! Pet Person ..... Shutdown  
New! Hacker

### Software Special # 4

**EPYX**  
**\$1999**

Fastload ..... G.I. Joe  
Wintergames ..... Summer Games I or II  
Hot Wheels ..... Barbie  
Breakdance ..... Hot Wheels  
Jet Combat Simulator ..... Baseball

### Software Special # 5

**EPYX**  
**JUMP MAN**  
**288**

### Penguin Software

Quest ..... 19.99  
Transylvania ..... 19.99  
Sword of Kadosh ..... 19.99  
Xyphus ..... 19.99  
Graphics Magician Picture Painter ..... 21.99

### Professional Software

Fleet System 2 - Word Processor ..... 59.95  
with built-in 70000 Word Spell Check

### CBS Software

Dr. Seuss Fix Up The Mix-up Puzzler ..... 19.99  
Sesame Street Letter-Go Round ..... 19.99  
Big Bird's Fun House ..... 24.99  
The Sea Voyager ..... 12.99  
Weather Toppers ..... 9.99  
Movie Musical Madness

Success w/Decimals (Add/Subt) O.T. .... 14.99  
Success w/Decimals (Mult/Div) O.T. .... 14.99  
Success w/Fractions (Add/Subt) O.T. .... 14.99  
Success w/Fractions (Mult/Div) O.T. .... 14.99  
Oucks Ahoy ..... 23.99  
Ernie's Magic Shapes ..... 23.99  
Murder by the Dozen ..... 23.99  
Peanut Butter Panic ..... 24.99

### Access Software

Neutral Zone O.T. .... 20.95  
Spritmester O.T. .... 20.95  
Beachhead O.T. .... 20.95  
Master Composer D ..... 23.95

### Commodore Software

Assembler D ..... 27.95  
Easy Finance I, II, III, IV-D ..... 19.95  
Easy Calc-O ..... 64.95  
Easy Script-O ..... 39.95  
Easy Spell-D ..... 19.95  
Logo-D ..... 49.95  
The Manager-D ..... 37.95  
General Ledger ..... 37.95  
Accts. Rec-D ..... 37.95  
Accts. Pay-D ..... 37.95  
Magic Desk-D ..... 52.95  
Silent Butler ..... 24.95  
Sky Travel ..... 27.00

## SPECIAL HOLIDAY HARDWARE PACKAGES FOR COMMODORE USERS

Commodore 64 ..... Commodore 64  
Commodore 1541 ..... Commodore 1541  
Disc Drive ..... OR Disc Drive  
Commodore 803 ..... Color Monitor  
Printer

**YOUR CHOICE 449.95**

## COMPACT DISCS

CCA Now Has An Exclusive Line of Compact Disc Players

AOC ..... Priced From  
Emerson ..... 159.95  
Shenwood  
Magnavox  
and Many More

We Have a Huge Selection of Compact Discs - CBS, WEA, Delos, Telarc, Denon, Second Hearing, Mobile Fidelity and Much More!

**Call For Our Low, Low Prices**

**COMPUTER**  
Centers of America  
Mail Order Ltd.

Call Toll Free:

**1-800-631-1003**  
**1-800-221-2760** (in N.Y.S.)  
**1-800-548-0009**



# PUZZLER

Mark Tuttle, Submissions Reviewer  
Kevin Mykytyn, Editorial Programmer

*Here's a game that tests your skill in pattern-matching and visualization. It runs on the Commodore 64; unexpanded VIC-20; Plus/4 and 16; IBM PC with color/graphics adapter and BASICA; PCjr with Cartridge BASIC; Apple II-series computers; TI-99/4A with Extended BASIC; and Atari 400/800, XL, and XE computers with at least 16K RAM for tape or 24K for disk. The Commodore 64 and Atari versions also require a joystick.*

How good are you at recognizing patterns? Many intelligence tests measure this important conceptual skill. "Puzzler" challenges your ability to find matching patterns in a background of similar shapes. It displays two puzzle grids composed of multicolored blocks (see photos). Both grids contain exactly the same blocks, but those in the left grid have been scrambled. Your job is to rearrange the blocks in the left grid until they match those on the right. You must solve the puzzle before time runs out.

Because all versions of Puzzler are similar, we've printed general game instructions followed by specific notes for each computer. Read the general instructions as well as the section for your machine, then type in the program listed for your computer. Don't forget to save a copy of the game before you run it.

## Puzzle Building

Puzzler begins by letting you choose the size of the puzzle grid. Enter values for the number of rows and columns in the grid. The maximum puzzle size differs among the various versions. Of course, larger puzzles are more difficult to solve than small ones. Next, enter the number of colors the puzzle will use. Two-color puzzles are the easiest. The maximum number of colors depends on which version you're playing. The more colors you choose, the harder your job becomes.

Puzzler then spends a short time building the two grids. Since the blocks are arranged at random, each new puzzle is different from the last. While you try to solve the puzzle, the computer keeps track of the time and alerts you when the puzzle is solved or time runs out. The time limit depends on the size of the puzzle.

Puzzler allows three different operations. You can move within the puzzle grid from one block to another, pick up a block and move it to a new position, or rotate a block in its current position. Use the cursor keys (or joystick in some versions) to move around in the grid. Your position is indicated by a colored cursor (or index arrows in some versions). To pick up a block, press RETURN (or the joystick but-

ton) once. The cursor or arrow changes color to show that you're carrying the piece. Then move to the position where you want to place the block, and press RETURN (or the button) once. The block in the current position trades positions with the block you're carrying.

Each block consists of four colored squares. To rotate a block in its current position, press RETURN (or the joystick button) twice. The block rotates 90 degrees. You may rotate a block as many times as you want.

Continue moving and rotating blocks until both puzzle grids match. Every block must match in color and be turned in the right direction.

## Commodore 64 Version

Plug a joystick into port 2. The puzzle may contain as many as seven rows and columns, and up to 16 different colors. The box-shaped cursor shows your position on the puzzle grid. Press the joystick button twice without moving the joystick to rotate the block under the cursor. Press the button once to pick up the piece under the cursor. The cursor changes color to show that you're carrying the block. Now you may move to any other place in the grid. When you find the spot

# SCENERY DISKS *for* FLIGHT SIMULATOR II



SubLOGIC Scenery Disks expand the potential flying environment of Flight Simulator II and Microsoft Flight Simulator.

Twelve separate Scenery Disks cover the entire continental United States. Each disk covers a geographical region of the country, and includes the major airports, radio-navaids, cities, highways, rivers, and lakes located in that region. Enough detail is available on each disk for either visual or instrument cross-country navigation.

A STAR Scenery Disk (available 4th quarter 1985) covers a smaller area with a relatively dense amount of scenery. STAR Scenery Disks are primarily intended for visual flight sight-seeing. They include buildings and landmarks, as well as detailed renditions of all major airports in the area.

Individual Scenery Disk price: \$19.95

Western U.S. (Disks 1-6): \$99.95

— Coming Soon —

Eastern U.S. (Disks 7-12): \$99.95

See Your Dealer . . .

or write or call for more information. For direct orders please specify which disk or disk-set you want. Enclose the correct amount plus \$2.00 for shipping (\$6.00 for the six-disk set) and specify UPS or first class mail delivery. Visa, MasterCard, American Express, and Diners Club cards accepted.

Commodore 64 is a trademark of Commodore Electronics Ltd.

IBM is a registered trademark of International Business Machines Corp.

**For the Commodore 64™ and IBM PC®**



**subLOGIC**  
Corporation  
713 Edgebrook Drive  
Champaign IL 61820  
(217) 359-8482 Telex: 206995

Order Line: (800) 637-4983  
(except in Illinois, Alaska, and Hawaii)



you want, press the button again to set down the block. It changes places with the block in that position.

## VIC-20 Version

VIC-20 Puzzler is played with the cursor keys. The maximum puzzle size is four columns by six rows, with up to six colors. Your position in the grid is shown by two index arrows, normally colored black. Press RETURN twice to rotate a block. Press RETURN once to pick up a block, then move it with the cursor keys and press RETURN to put it down. The arrows turn blue when RETURN is pressed once, and red when it is pressed a second time.

## Plus/4 And 16 Version

Puzzler for the Commodore Plus/4 and 16 permits up to seven rows and columns and seven different colors. It is played exactly like the VIC-20 version.

## Atari Version

Play a joystick into port 1. Atari Puzzler lets you build puzzles with as many as eight rows and columns and up to four different colors. Manipulate the joystick as explained in the Commodore 64 instructions.

## IBM Version

IBM Puzzler allows grids as large as seven rows and columns with up to seven different colors. Index arrows indicate your position in the grid, as explained in the VIC-20 instructions. Use the cursor keys to move within the grid. Press Enter to move or rotate a block.

## TI-99/4A Version

You have the option of playing with either a joystick or keyboard controls. Puzzles can be as large as six rows and six columns with as many as six different colors. The box-shaped cursor shows your position in the puzzle grid and changes colors to indicate when you're carrying a block. When using the keyboard, make sure the Alpha Lock key is down. Move the cursor with the arrow keys and press Enter to rotate or move a block.

## Apple Version

Puzzler runs on any Apple II-series computer with either DOS 3.3 or ProDOS. Press the space bar to

move or rotate a block, and press I, J, K, and L to move up, left, down, and right, respectively. Your position in the grid is indicated by small white highlights in the corners of the block.

## Program 1: Commodore 64 Puzzler

Version by John Krause, Assistant Technical Editor

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

```

100 GOSUB460          :rem 171
110 IFT<TI/60THENPOKE53269,0:G
OTO790              :rem 185
120 A=INT(T-TI/60+.5):B=INT(A/
60)                 :rem 89
130 PRINT"[HOME]{3 DOWN}"SPC(1
7)B:"[LEFT]:"      :rem 226
140 Z$=STR$(A-60*B):Z$=RIGHT$(
Z$,LEN(Z$)-1):IFLEN(Z$)=1T
HENPRINT"0"        :rem 236
150 PRINTZ$          :rem 161
160 A=NOTPEEK(56320) :rem 124
170 R=R+SGN((AAND2)-(AAND1))
:rem 55
180 C=C+SGN((AAND8)-(AAND4))
:rem 35
190 IFR<0THENR=0     :rem 213
200 IFR>R3THENR=R3-1 :rem 20
210 IFC<0THENC=0     :rem 176
220 IFC>C3THENC=C3-1 :rem 218
230 POKE53248,CS+16*C:POKE5324
9,RS+16*R           :rem 218
240 IF(AAND16)=0THENI10:rem 31
250 IF(0THENF=1:POKE53287,I10
:rem 108
RR=R+CC=C:WAIT56320,16:GOTO
I10                 :rem 115
260 F=0:IFRR=RANDCC=CTHENGOSUB
300:GOTO280         :rem 111
270 GOSUB330         :rem 175
280 POKE53287,15:WAIT56320,16:
IFAS<>B$THENI10    :rem 53
290 GOTO800         :rem 108
300 B=C1+80*R+C+C+41:GOSUB420
:rem 81
310 POKEB,PEEK(A):POKEB+1,PEEK
(A+1)               :rem 46
320 POKEB+40,PEEK(A+NC):POKEB+
41,PEEK(A+NC+1):RETURN
:rem 132
330 GOSUB360:B=C1+80*R+2*C+41:
GOSUB310           :rem 147
340 B=C1+80*R+2*C+41:A=AA:GO
TO310              :rem 201
350 REM *** MOVE    :rem 49
360 A=SS+2*NC*RR+2*CC:A=SS+2*
NC*RR+C+C         :rem 191
370 D=PEEK(A):POKEA,PEEK(AA):P
OKEAA,D             :rem 251
380 D=PEEK(A+1):POKEA+1,PEEK(A
A+1):POKEAA+1,D    :rem 108
390 D=PEEK(A+NC):POKEA+NC,PEEK
(AA+NC):POKEAA+NC,D :rem 237
400 D=PEEK(A+NC+1):POKEA+NC+1,
PEEK(AA+NC+1):POKEAA+NC+1,
D:RETURN          :rem 111
410 REM *** ROTATE  :rem 198
420 A=SS+2*NC*RR+C+C :rem 42
430 D=PEEK(A):POKEA,PEEK(A+NC)
:rem 24
440 POKEA+NC,PEEK(A+NC+1)
:rem 191
450 POKEA+NC+1,PEEK(A+1):POKEA

```

```

+1,D:RETURN        :rem 240
460 POKE53269,0:A$="" :POKE5328
0,6:POKE53281,6 :rem 233
470 PRINT"[CLR]"CHR$(14)SPC(16
)"[2 DOWN]"WHTPUZZLER":PR
INT$PC(16)"$7 T$ :rem 153
480 FOR=5427TO54295:POKET,0:
NEXT:POKE54296,15 :rem 91
490 INPUT"[HOME]{7 DOWN}NUMBE
R OF ROWS (2-7)":R3:rem 283
500 IFR3<2ORR3>7THEN490
:rem 126
510 INPUT"[HOME]{10 DOWN}NUMBE
R OF COLUMNS (2-7)":C3
:rem 190
520 IFC3<2ORC3>7THEN510:rem 91
530 INPUT"[HOME]{13 DOWN}NUMBE
R OF COLORS (2-14)":CO
:rem 238
540 IFCO<2ORCO>14THEN530
:rem 197
550 PRINT"[2 DOWN]PLEASE WAIT
[SPACE]..."      :rem 134
560 S1=1473-40*R3-C3:C1=S1+542
72:S2=S1+20:C2=C1+20:NR=2*
R3:NC=2*C3         :rem 120
570 FORA=1TONR:NC=A$+CHR$(R
ND(1)*CO):NEXT:B$=A$
:rem 203
580 A=256*PEEK(46)+PEEK(45)
:rem 204
590 SS=256*PEEK(A+4)+PEEK(A+3)
:rem 158
600 FORR=0TOR3-1:FORC=0TOC3-1:
8=INT(RND(1)*4) :rem 195
610 IFBTHENGOSUB420:B=B-1:GOTO
610                 :rem 16
620 NEXT:NEXT       :rem 80
630 FORR=0TOR3-1:FORC=0TOC3-1
:rem 13
640 RR=INT(RND(1)*R3):CC=INT(R
ND(1)*C3):GOSUB360:NEXT:NE
XT                  :rem 80
650 PRINT"[CLR]"SPC(17)"[DOWN]
PUZZLER            :rem 141
660 FORA=1TONR:FORB=1TONC:POKE
C1+40*A+B,PEEK(SS+E)
:rem 118
670 POKE$1+40*A+B,160:E=E+1:NE
XT:NEXT            :rem 201
680 FORA=1TONR:FORB=1TONC:POKE
C2+40*A+B,ASC(MID$(B$,G+1)
)                  :rem 153
690 POKE$2+40*A+B,160:G=G+1:NE
XT:NEXT            :rem 208
700 POKE2040,14:POKE53287,15:P
OKE53277,1:POKE53271,1
:rem 183
710 FORA=896TO924:READB:POKEA,
B:NEXT             :rem 15
720 FORA=925TO958:POKEA,0:NEXT
:rem 102
730 RS=144-4*NR:CS=102-4*NC:R
=0:C=0             :rem 223
740 T=NR*NC*3:POKE53269,1:IT$=
"000000":RETURN :rem 105
750 DATA255,192,0,128,64,0,128
,64,0              :rem 232
760 DATA128,64,0,128,64,0,128,
64,0               :rem 182
770 DATA128,64,0,128,64,0,128,
64,0               :rem 183
780 DATA255,192   :rem 29
790 Z1=0:Z2=10:Z3=-2:GOSUB830
:PRINT"[HOME]"SPC(13)
)"[YEL]TIME'S UP":GOTO820
:rem 114
800 Z1=10:Z2=50:Z3=2:GOSUB830
:rem 180
810 PRINT"[HOME]{DOWN}"SPC(13)
)"[YEL]YOU SOLVED IT!"
:rem 19

```





Photo by: Bobbi  
Grenada, California

\*Trademark of Commodore Business Machines

## Give your 1541\* Disk Drive a brain transplant!

Simply plug the **STARDOS** ROM Chip into the drive unit and insert the **STARDOS** cartridge. That's all you need to do to complete a transplant procedure that will give your Disk Drive and Computer higher intelligence.

Other Quick Loaders and Fast Loaders try to 'Patch' the DOS of the Disk Drive. This does not significantly speed up much of today's Software and sometimes it fails to load altogether.

But, **STARDOS** electronically replaces the entire DOS and KERNAL. This means **STARDOS** will speed-up finding records in your Database, any changes you wish to make to your Spreadsheet and playing your favorite adventure or other Disk Intensive work with your C-64\*.

The **STARDOS** transplant offers:

- Speed**..... for 'All Types' of Disk Access at an incredible 600%-1000% faster!
- Reliability**..... end overheating and "SAVE @O:" woes!
- Convenience**.. with single key load, SAVE, and Directory Etc. Built in File and Disk Copiers!
- Power**..... full Word Processor, M.L. Monitor and Sector Editor, Screen Dumps to Printer and lots more!

**Compatibility.** **STARDOS** works with virtually all C-64\* Software and Hardware!

**Guarantee**..... 120 day repair or replacement warranty. Your satisfaction guaranteed or your money is refunded!

The power of a Computer is a terrible thing to waste. Help your C-64\* live up to its full potential...Transplant with the very best!...Transplant with **STARDOS**!

Personalize your C-64\* for a \$10 (non-refundable) charge. We will include a 21 character power-on message with your favorite screen, border and text colors. **Example:**

☐ MIKE'S COMMODORE-64 ☐  
 Background BLACK Border GREEN Text RED

**Write or phone for additional information.**

### STARPOINT SOFTWARE

Star Route 10 Gazelle, California 96034 (916) 435-2371

**When ordering by mail:**  
 \$64.95 + 3.00 shipping  
 \$64.95 + 4.00 COD orders  
 Shipping out of USA \$6.00  
 California residents add 6% sales tax  
 VISA or Mastercard accepted

Please allow 46 weeks for delivery


```

820 PRINTTAB(8)"[DOWN]FIRE BUT
TON TO PLAY AGAIN[HOME]" :W
AIT56320,16,16:RUN:rem 23B
830 A=15:D=107:POKE5248+21,0:
POKE54277,A:POKE54284,A:PO
KE54291,A:POKE5427B,D
:rem 165
840 POKE54285,D:POKE54292,D:PO
KE54286,50:POKE54287,40:PO
KE54276,33 :rem 43
B50 POKE54283,33:POKE54290,33
FORF1=Z1TOZ2STEPZ3:POKE542
73,F1:POKE54287,F1:rem 226
860 FORF2=30TO1STEP-5:POKE5428
0,F2:POKE532B0,F2:NEXTF2,F
1 :rem 194
870 POKE54276,32:POKE542B3,32:
POKE54290,32:RETURN
:rem 127
880 POKE54277,26:POKE54276,23:
POKE54273,30:RETURN
:rem 133

```



"Commodore 64 Puzzler" permits large puzzles with up to 16 different colors.



Index arrows indicate your position in "VIC-20 Puzzler."

## Program 2: VIC-20 Puzzler

Version by Kevin Mykytyn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing in Programs" published bimonthly in COMPUTE!.

```

10 X$="[RVS]" : [OFF] : CO(0)=0:CO
(1)=6:CO(2)=2:DN$="[HOME]"
[22 DOWN] : rem 53
20 PRINT"[RED]{CLR}[4 DOWN]"SP
C(B)"PUZZLER":PRINT
[4 DOWN]{BLK}[4 SPACES]ENTE
R GRID SIZE" :LN=2:HN=4
:rem 87
30 PRINT"[2 DOWN]{4 SPACES}COL
UMNS? (2-4)":GOSUB370:COL=A
:HN=6 :rem 199

```

```

40 PRINT"[2 DOWN]{4 SPACES}ROW
SZ{4 SPACES}(2-6)":GOSUB370
:ROW=A :rem 203
50 PRINT"[2 DOWN]HOW MANY COLO
RS? (2-6)":GOSUB370:CR=A
:rem 19
70 PRINT"[CLR]{BLK} CONSTRUCT
ING PUZZLE":PRINTDN$SPC(5)"
[BLU]PLEASE WAIT[BLK]":
:rem 23B
B0 PRINTLEFT$(DN$,11-ROW):GOSU
B390 :rem 84
90 FORI=1TOROW*2:PRINTLEFT$(DN
$,I+1-ROW):PRINTSPC(5-COL
X$):PRINTSPC(COL*2)X$:
:rem 98
95 PRINTSPC(9-2*COL)X$:PRINTS
PC(2*COL)X$:NEXT:IFCOL>4T
HENPRINT :rem 2
100 GOSUB390:A$="" :FORA=1TOROW
*COL*4:A$=A$+CHR$(INT(RND(
1)*CR)+2):NEXTA:B$=A$
:rem 22
110 FORA=1TOROW*COL:Q=(A-1)*4+
1:Q2=INT(RND(1)*ROW*COL)*4
+1:GOSUB400:NEXT :rem 132
120 FORA=1TOROW*COL:R=RND(1)*4
:Q=(A-1)*4+1:GOSUB410:NEXT
:IPA$=B$THEN110 :rem 37
130 FORA=1TOROW*COL:Q=(A-1)*4+
1:T$=B$:XBAS=17-COL:YBAS=1
3-ROW:GOSUB440:XBAS=6-COL
:rem 19
135 T$=A$:GOSUB440:NEXT
:rem 126
140 PRINT"[HOME]" : [OFF]
[21 SPACES] : PRINTDN$
[BLK]{8 SPACES}TIME
[4 SPACES] : rem 198
150 A=1:PB=1:OA=1:FL=0:TM=ROW*
COL*2+5+30 :rem 85
160 1FLP=1THENQ2=(OA-1)*4+1:FL
=2 :rem 7
170 ZZ=A:OA=GOSUB460:A=ZZ:XP
=XBAS-2:YP=YBAS+Y1*2:GOSUB
600:PRINT " : rem 116
175 YP=YBAS-2:XP=XBAS+X1*2:GOS
UB600:PRINT " : GOSUB460
:rem 88
180 POKE646,CO(FL):YP=YBAS+Y1*
2:XP=XBAS-2:GOSUB600:PRINT
":XP=XBAS+X1*2:YP=YBAS-
2 :rem 244
190 GOSUB600:POKE646,CO(FL):PR
INT"V":OA=A:MAX=ROW*COL:G
ETK$="[UP]" : THENA=A-COL:GOT
O240 : rem 36
200 IFK$="[UP]" : THENA=A-COL:GOT
O240 : rem 164
210 IFK$="[LEFT]" : THENA=A-1:GOT
O240 : rem 4
220 IFK$="[RIGHT]" : THENA=A+1:GO
TO240 : rem 131
230 IFK$="[DOWN]" : THENA=A+COL:G
OTO240 : rem 37
235 GOTO250 : rem 106
240 IFA*MAXORA<1THENA=OA
:rem 22
250 IFK$=OK$THEN290 : rem 90
260 OK$=K$:IFK$=CHR$(13)ANDFL=
0THENFL=1:GOTO290 : rem 60
270 IFK$=CHR$(13)ANDFL=1THENQ=
(A-1)*4+1:R=1:GOSUB410:T$=
A$:GOSUB440:FL=0:GOTO290
:rem 250
280 IFK$=CHR$(13)ANDFL=2THENQ=
SUB470:FL=0 : rem 226
290 PRINTDN$SPC(12)INT(TM)"
[LEFT] " : TM=TM-0B
:rem 237
300 IFTM<0THENPRINTDN$"[BLU]
[OFF]{7 SPACES}TIME'S UP
[3 SPACES]":Z1=255:Z2=150

```

```

:GOTO330 : rem 95
310 IPA$=B$THENPRINTDN$"[BLU]
[OFF]{3 SPACES}YOU SOLVED
[SPACE]IT{3 SPACES}":Z1=1
50:Z2=255:GOTO330 : rem 116
320 IPA<>ATHEN160 : rem 53
322 IFK$=CHR$(13)THEN170
:rem 79
325 GOTO190 : rem 109
330 GOSUB360:PRINTDN$"
[4 SPACES]PRESS ANY KEY":
:rem 9
340 POKE190,0:WAIT190,1:RUN
:rem 97
360 POKE3687B,15:FORA=Z1TOZ2ST
EP2*SGN(Z2-Z1):POKE36875,A
:POKE36874,A-5 : rem 255
365 POKE36879,(PEEK(36879)AND2
48)ORRND(1)*8:NEXTA:FOR1=1
5TO0STEP-1:POKE36878,T:NEX
T : rem 109
367 POKE36879,27:RETURN
:rem 143
370 Z=RND(1):GETK$:A=VAL(K$):I
FA<LNORA<HNTHEN370 : rem 218
380 RETURN : rem 123
390 PRINTSPC(5-COL):FORI=1TO(C
OL+1)*2:PRINTX$:NEXT:PRI
NTSPC(9-2*COL):
395 FORI=1TO(COL+1)*2:PRINTX$:
NEXT:RETURN : rem 218
400 T$=A$:GOSUB500:FORZ=0TO3:P
=PEEK(Q+Z+BP):POKEQ+Z+BP,T
EEK(Q2+Z+BP) : rem 242
405 POKEQ2+Z+BP,T:NEXTA:T$=T$:R
ETURN : rem 244
410 IPR=0THENRETURN : rem 242
420 T$=A$:GOSUB500:FORX=1TOR:
T=PEEK(BP+Q):POKEBP+Q,PEEK(
BP+Q+2):POKEBP+Q+2,PEEK(BP
+Q+3) : rem 144
430 POKEBP+Q+3,PEEK(BP+Q+1):PO
KEBP+Q+1,T:NEXTA:T$=T$:RETU
RN : rem 120
440 GOSUB460:XP=XBAS+X1*2:YP=Y
BAS+Y1*2:GOSUB600:FORZ=0TO
3:IFT=2THENYP=YP+1:GOSUB60
0 : rem 109
450 POKE646,ASC(MID$(T$,Q+T,1
)):PRINTX$:NEXT:RETURN
: rem 237
460 Z=A-1:Y1=INT(Z/COL):X1=Z-Y
1*COL:RETURN : rem 167
470 Q=(A-1)*4+1:GOSUB400:T$=A$
:GOSUB440:ZZ=A:AA=Q:Q=Q2:A=
(Q2-1)/4+1:T$=A$:GOSUB440
:A=ZZ : rem 131
480 Q=AA:RETURN : rem 198
500 T$=T$:BP=PEEK(51)+256*PEEK
(52)-1:RETURN : rem 23B
600 PRINTLEFT$(DN$,YP)SPC(XP)
:RETURN : rem 130

```

## Program 3: Puzzler For Commodore Plus/4 And 16

Version by Patrick Parrish, Programming Supervisor

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing in Programs" published bimonthly in COMPUTE!.

```

10 X$="[RVS]" : [OFF] : CO(0)=1:CO
(1)=7:CO(2)=3:DN$="[HOME]"
[22 DOWN] : rem 2
20 PRINT"[E7]{CLR}[6 DOWN]"SPC(
16)"PUZZLER":PRINT"[3 DOWN]

```



# THE SHADOW KNOWS

## 99.9%

### EFFECTIVE

Shadow is a new and revolutionary way to back up your most protected software. It encompasses all the latest advances in software, as well as a highly sophisticated piece of hardware. This is absolutely **the best** utility available today. You may not even need updates, but if you do, the Shadow's unique design allows for updates to be available for a nominal fee.

By the time you place your order we expect the Shadow to back up 100% — that's right, 100% — of all software available for the C-64.

Order by phone 24 hrs./7 days or send cashier's check/money order payable to MegaSoft. Visa, MasterCard include card # and exp. date. Add \$3.50 shipping/handling for continental U.S., \$5.50 for UPS air. CODs add \$7.50, Canada add \$10.00 Other foreign orders add \$15.00 and remit certified U.S. funds only. Distributors invited and supported.

# MegaSoft

LTD.

INTRODUCTORY  
OFFER  
**\$89.95**

P.O. Box 1080 Battle Ground, Washington 98604  
Phone (206) 687-5116 • BBS 687-5205 After-Hours ComputerId-Computer Ordering





## ATARI

800XL	CALL
130XE (NEW)	CALL
520ST (NEW)	CALL
1050 Drive	165
1020 Recorder	42
1020 Printer	55
1050 Printer	165
1027 Printer	179
850 Interface	109

## ATARI SOFTWARE (NEW)

Codewriter	35.75
Filewriter	20.75
Reportwriter	20.75
Menuwriter	20.75
Home Integrator	11.75
Small Bus Inventory	11.75
Salesman Expenses	11.75
Adventure Writer	18.75
Star Voyager	11.75

## SSI (Atari)

Colonial Conquest	24.75
Field of Fire	24.75
Kampfgruppe	36.75
Objective Kursk	24.75
Market Garden	24.75
Six Gun Shootout	24.75
War in Russia	49.75
Computer Baseball	24.75
Computer Quarterback	24.75
Gemstone Warrior	22.75
50 Mission Crush	24.75
Queston	24.75

## SPINNAKER

Delta Drawing Room	19.95
Cosmic Life Room	19.95
Up for Grabs Room	19.95

## PERSONAL PERIPHERALS

Super Sketch C-64	29.95
Printer Utility C-64	14.99
Super Sketch Atari	25.95
Super Sketch Apple/IBM	55.00

## SUB LOGIC (Atari)

Flight Simulator II	32.75
Night Mission Pinball	20.75

## ATARI

850 Interface	109
---------------	-----

## CONTINENTAL

Home Accountant	14.75
1985 Book of Atari Software	16.95

## TRONIX

S.A.M. - Atari	38.50
S.A.M. - C-64	38.50

## ADVENTURE INT'L (Atari)

Diskey	32.75
Ultrasambler	32.75
Maxi Golf	18.75
Rally Speedway	16.75
Whomper Stomper	18.75
Adventures 1-12 each	14.50
Adv. Hint Book	5.50

## MICROPROSE (Atari)

Kennedy Approach	51.75
Crusade in Europe	24.75
Decision in Desert	24.75
Solo Flight	20.75
Nato Commander	20.75
Spitfire Ace	18.75
F-15 Strike Eagle	20.75
Hellicat Ace	18.75

## SYNAPSE (Atari)

SynFile	33.75
SynCalc (AT/C-64)	33.75
SynComm	26.75
SynTrend	26.75
SynChron	26.75
SynStock	26.75

## BRODERBUND (Atari)

The Print Shop	28.95
Graphics Library	18.95
Graphics Library II	18.95
Bank St. Writer	42.75
Whisper's Brother	18.95
Spunker	18.95
SeaLife	18.95
Serpent's Star	24.95
Mask of the Sun	24.95

## SCARBOROUGH (Atari)

NET WORTH (AT/C-64)	48.75
MasterType	22.75
Improved MasterType	22.75
MasterType Filer	22.75

## US ROBOTICS

Password 1200M	229
Password 1200P	229
Password 300M	139
Password 300P	139
Autodial 212A	359
CMOS	319
PCME4	319
PCME5	769
S-100	379
Courier	469
Microlink	469
Telpac Ms-DOS	79

## RACAL-VADIC

2400PC	549
2400PA	799
2400C	549
1200PC	529
300V	205
300PC	199
George Software	69

## SCARBOROUGH (Apple)

NET WORTH	48.75
Improved MasterType	22.75
MasterType Filer	22.75

## BRODERBUND (Apple)

The Print Shop	31.50
Graphics Library	18.50
Graphics Library II	18.95
Bank St. Writer	41.50
Bank St. Writer 128K	42.75
Bank St. Filer	42.75
Bank St. Mailer	42.75
Bank St. Speller	42.75
Carmen Sandiego	22.75
Karaoke	22.75
Captain Goodnight	22.75
Muppet Cruise	25.75

## SUB LOGIC (Apple)

Flight Simulator II	32.75
Night Mission Pinball	20.75

## MICROPROSE (Apple)

Crusade in Europe	25.75
Decision in Desert	25.75
F-15 Strike Eagle	21.75
Nato Commander	21.75

## SSI (Apple)

Meach Brigade	36.75
Norway 1985	22.75
Market Garden	24.75
Six Gun Shootout	24.75
50 Mission Crush	24.75
Phantasia	24.75

## Spinnaker

Alphabet	\$18.75
Story Machine	\$19.75
Kids on Keys	\$18.75
Grandma	\$19.75
Snooper Troop	\$22.75

## MODEMS

SMARTMODEM 300	139
SMARTMODEM 1200	379
SMARTMODEM 1200B	349
SMARTMODEM 2400	599
MICROMODEM IIE	135

## TELE LEARNING

Total Telecommunications (C-64)	29.95
AP-250 (300 baud Apple)	29.95
IB-250 (300 baud IBM)	39.95

## MICROBITS

1064 Modem	57
------------	----

## COMMODORE

C-128 NEW	CALL
1571 Drive	CALL
1572 Drive	CALL
1902 Monitor	CALL
1670 Modem	CALL
C-64 Computer	CALL
1541 Drive	189
MPS801 Printer	LOW
1702 Monitor	199
Simon's Basic	24.75
Assembler 64	24.75
Super Expander	22.75
Logo 64	49.75
Pilot 64	38.75
Easy Calc	34.75
Easy Script	38.75

## CARDCO

Digitalizer Camera	189.95
32K Printer Buffer	59.95
Numeric Keypad	34.95
CB/5 5-slot Board(64)	54.00
15/2 2-slot Board(64)	25.00
S-More Basic Rom	49.95
Write Now-64	35.00
Mail Now-64	29.00
Spell Now-64	29.00
File Now-64	29.00
Paint Now-64	29.00
Calc Now-64	29.00
Text Survival	29.00
Super Printer Utility	27.95
Write Now-Vic-20	29.95

## SPINNAKER (C-64ROM)

Cosmic Life ROM	19.75
Just Print It	19.75
Alphabet Zoo	17.75
All in Color Caves	19.75
Up to Grabs Room	19.75
Delta Drawing	19.75
Kids on Keys	19.75
Kindercomp	14.75
Facemaker	17.75
Fraction Fever	17.75

## ANCHOR

Volksmodem	55
Volksmodem 12	186
Mark 12	229

## NOVATION

IBM-300/1200 MS-DOS ext	319
IBM-300/1200 CPM-86 ext	319
IBM 300/1200/2400 ext	529
IBM 300/1200/2400 MS-DOS	579
IBM MS-DOS int	325
IBM CPM-86 int	325
Macmodem 300/1200	315
Macmodem 300/1200/2400	565
Apple Call II	219
Upgrade Apple Call II	225
C-64 ASCII Card	59
J-Cal RS232	69

WESTRIDGE MODEM (C-64)	59
MITEY MO MODEM (C-64)	69
Compuverse	19.85

## BATTERIES INCLUDED

Paper Clip	59.95
Spill Kit	59.95
Consultant	59.95
Paper Clip	75.95
W/Spill Pak	34.95
Home Pak	129.95
Bus Card	129.95
80 Column Board	109.95

## BRODERBUND

The Print Shop	28.75
Graphics Library	18.75
Graphics Library II	18.95
Graphics Library III	19.95
Karaoke	19.75
Castles Dr. Creep	32.75
Bank St. Writer	32.75
Loderunner	20.75
Mask of the Sun	24.75
Spunker	24.75
Serpent's Star	24.75
Whisper's Brother	18.75
Raid Bungeing Bay	18.75

## HES

HES Games 84	22.95
Microsoft Multiplan	55.00
Type N Write	19.95
Turtle Graphics II	23.95
Civil Defense	22.95
Paint Brush	12.95
Tri Math	22.95
Graphics Basic	27.95
HES Kit	29.95
Millionaire	23.95
HES Writer 64	24.95

## SCARBOROUGH (C-64)

Build A Book	24.75
Improved MasterType	23.75
NET WORTH	48.75
MasterType Filer	22.75
Boston 64 Diet	27.75

## MICROPROSE (C-64)

Kennedy Approach	21.75
Crusade in Europe	24.75
Decision in Desert	24.75
Solo Flight	20.75
Nato Commander	20.75
Spitfire Ace	18.75
F-15 Strike Eagle	20.75
Hellicat Ace	18.75

## PERSONAL PERIPHERALS

Super Sketch 64	32.75
Printer Utility	18.75

## SUB LOGIC (C-64)

Flight Simulator II	32.75
Night Mission Pinball	20.75

## QR & D

Copy Q	27.95
GPC Printer Interface	65.00

# MONITORS

## AMDEK

300 Green	118
300 Amber	128
310 Amber IBM	165
Color 300 Audio	234
Color 300 Composite	369
Color 600	317
Color 700	495
Color 710	569

## TEKNIKA

MJ-10 Composite	179
MJ-22 RGB	255

## NEC

JB-1260 Green	95
JB-1261 Green	135
JC-1215 Color	165
JC-1216 RGB	375
JC-1460 Color	255
JB-1205 Amber	379

## PRINCETON GRAPHICS

MAX-12 Amber	185
HX-12 RGB	465
SR-12 RGB	595

## SAKATA

SG1000 12" Green	99
SA1000 12" Amber	109
SG1500 12" Green TIL	119
SA1500 12" Amber TIL	129
SC100 13" Color Comp	209
SC200 13" RGB Comp	389

## PANASONIC

DT 1300 RGB composite	247
-----------------------	-----

## ZENITH

ZVM 122A Amber	75
ZVM 123G Green	75
ZVM 124 Amber IBM	115
ZVM 131 Color	275
ZVM 131 RGB	285
ZVM 132 RGB	389
ZVM 136 Hi Res Color	589

## X-TRON

Colorcolor 1 Composite Green	177
------------------------------	-----

## TAXAN

115 12" Green Composite	CALL
116 12" Amber Composite	CALL
121 12" Green TIL	135
122 12" Amber TIL	145
220 14" RGB Composite	259
410 12" RGB Hi Res IBM	329
420 12" RGB Super Hi IBM	409
420 12" RGB Ultra Hi Res	555
Til 51and	35

## AMERICA'S MAIL ORDER HEADQUARTERS LYCO COMPUTER

## WORLD'S LEADER IN SALES & SERVICE

TO ORDER  
CALL TOLL FREE  
800-233-8760  
In PA 1 717-327-1824

Lyco Computer  
P.O. Box 5088  
Jersey Shore, PA 17740

# LycO Computer Marketing & Consultants



SG-10 ..... \$212.00

## SAVE ON THESE IN STOCK PRINTERS



1091 ..... \$233.00

<b>AXIOM</b>	
GP550AT (Atari)	222
GP550CD (C-64)	222
GP700AT (Atari)	439
GP700AT (Apple)	439
ELITE5CD (C-64)	229

<b>C. ITOH</b>	
8510AP+	299
1550P	437
1550BP	437
1550EP	437
1550BCD	469
F10-40	859
F10-55	1039
750AP	204
750AR	244

<b>TOSHIBA</b>	
P1340	557
P351	1286

<b>CARDCO</b>	
32K BUFFER (C-64)	59

<b>CORONA</b>	
LP300 Laser Printer	2686
200361 Toner Cartridge	89

<b>EPSON</b>	
FX85 (New)	333
LX80	212
FX185 (New)	464
LX80 (New)	226
SQ2000 (New)	1555
JX80	467
HomeWriter 10	193
CR-20-Atari	153
CR-220-C64	153
DX-10 (New)	207
DX-20 (New)	297
HS-80 (New)	288
LO1500P	975
LO1500S	1039
RX-100	356
FX-100+	CALL

<b>CITIZEN</b>	
MSP-10	287
MSP-15	447
MSP-20	447
MSP-25	563
Sheetfed (10/20)	199
Sheetfed (15/25)	199

<b>OKIDATA</b>	
Okimate 10	CALL
Okimate 20	192
182	214
192	348
363	348
349	349
93P	565
94P	565
92 Imagewriter	349
IBM versions also	

<b>BROTHER</b>	
HR-15XL-P	359
HR-15XL-S	359
HR-35P	839
HR-35P	839
P-35	999
2024LP	949
M1009P	189

<b>JUKI</b>	
Julie 6100	347
RS232C Serial Board	55
6100 Tractor	119
6100 Sheet Feeder	209
Julie 6300	757

<b>LEGEND</b>	
880	196
1080	102
1380	262
1385	262

<b>DIABLO</b>	
D25	549
630API	1589
630ECS	1759
DB01	2395
P300-C	999
P38	1749
C150	999

<b>DIGITAL DEVICES</b>	
16K BUFFER	75
32K BUFFER	89
64K BUFFER	125

<b>SILVER REED</b>	
EXP400	249
EXP500	295
EXP550	399
EXP770	749

<b>STAR MICRONICS</b>	
SG-10	212
SG-15	373
SD-10	342
SD-15	442
SR-10	483
SR-15	483
PowerType	303
SB-10	CALL
SG-10C-64 (NEW)	CALL

### ★ PRINTER ★ INTERFACING

### PRINTING PAPER

### DISKETTES

### IBM-PC COMPATIBLE

<b>AXIOM</b>	
ATB46 (Atari)	65
Peralax (C-64)	65

<b>MICROBITS</b>	
MPP-1150 (Atari)	54
MPP-150XL (Atari)	59
MicroPrint (Atari)	59
64K RAM Board (600x1)	65

<b>DIGITAL DEVICES</b>	
ApeFace XL-P (Atari)	49
ApeFace 12XLP (1200x)	49
U-Print A (Atari)	49
U-Print C (C-64)	49
U-Print A16K Buffer	74
U-Print A64K Buffer	99
U-Print AP16K (Apple)	99
U-Print AP64K (Apple)	139
U-CALL RS232C (Atari)	37

<b>MICROTEK</b>	
Dumping GX (Apple)	59
Dumping 16K (Apple)	59
RV-511C (Apple)	49

<b>TYMAC</b>	
Connection (C-64)	55
Tracker (Apple)	49
PPC-100 (Apple)	39

<b>ORANGE MICRO</b>	
GRAPPLER+ (Apple)	85
Grappier 16K (Apple)	149
ORANGE (Apple)	59
Grappier CD (C-64)	79

<b>CARDCO</b>	
G-Wiz (C-64)	54
C7+ 2 (C-64)	54
C7PS (C-64)	49
C7B (C-64)	49
C7AT (Atari)	49
C7AP (Apple)	49
C7IBM (IBM)	29

<b>3000 SHEETS</b>	
FANFOLD	\$42.75
<b>1000 SHEETS</b>	
FANFOLD	\$19.75
1000 SHEET LETTER	\$21.95
200 SHEETS LETTER	\$8.99
150 RAG STATIONARY	\$10.99
MAILING LABELS (1in.)	\$9.95
14 x 11 1000	
FANFOLD	\$24.75

<b>WICO Joysticks</b>	
15-9714 Bat Handle	16.75
50-2030 Boss	11.99
50-2002 Super 3-Way	19.99
50-0110 IBM-Analog	29.95
50-1030 Apple Analog	29.95
RS23245 Trackball	29.95

<b>INNOVATIVE CONCEPTS</b>	
Flip-n-File 10	3.50
Flip-n-File 15	5.25
Flip-n-File 25 Lock	17.95
Flip-n-File 50	17.25
Flip-n-File 50 Lock	22.95
Flip-n-File Rom	17.25

### DRIVES

<b>INDUS</b>	
GT ATARI	199
GT COMMODORE	199

<b>MSD</b>	
SD1 Drive (C-64)	229
SD2 Drive (C-64)	469

<b>SKC (Box 10)</b>	
(Qty) 10	100 500
5% SSDD	13.75 12.99 11.99
5% OSDD	15.75 14.99 14.25

<b>ELEPHANT (Box 10)</b>	
5% SSDD	13.50 12.99 11.99
5% SSDD	14.99 13.99 12.99
5% DSDD	16.99 15.99 14.99
Premium SSDD	15.95 14.95 13.95
Premium OSDD	17.95 16.95 15.95

<b>MAXELL (Box 10)</b>	
5% MD 1	16.75 15.75 14.75
5% MD 2	22.99 21.99 20.99

<b>VERBATIM (DataLife) (Box 10)</b>	
5% SSDD	19.99 18.99 17.99
5% DSDD	24.99 23.99 22.99

<b>NO LABEL DISKETTES</b>	
NL 5 1/4" SSDD	10.99 (Box 10)
NL 5 1/4" DSDD	15.99 (Box 10)
*Free Diskette Writer Pen!	
*Free Storage Case!	
*Lifetime Warranty!	

### IBM-PC SOFT-WARE

<b>*ASHTON-TATE</b>	
Framework	385.00
d Base II	265.00
d Base III	385.00
d Base II upgrade	135.00

<b>PARADISE</b>	
Multi-Display Card	289
Modular Graphics Card	275
Five-Ofk	155

<b>*LOTUS</b>	
Lotus 1-2-3	309.00
Symphony	439.00

### LEADING EDGE PC Compatible ..... Call

<b>ZENITH</b>	
Z-150	Call

<b>TECHMAR</b>	
First Mate-64K	249
Captain-64K	209
Second Mate	209
Captain JR-128K	309
Graphics Master	465

<b>OMEGA</b>	
10 Meg Bernoulli Box (IBM)	1899
5 Meg Bernoulli Box (MAC)	1699

<b>TALLGRASS TECHNOLOGIES</b>	
25mb drive	CALL
35mb drive	CALL
50mb drive	CALL
80mb drive	CALL

<b>AST</b>	
Six Pack Plus 64K	CALL
Mega Plus II 64K	259
Memory 128K (Mega)	199
Memory 256K (Mega)	335
Mono-Graph Plus	339
Advantage-AT-128K	399

<b>*QUADRAM</b>	
Quad Jr. Exp. Chassis	51.00
Quad Jr. Exp. Memory	209.00
Quad Memory Jr.	209.00

<b>*LEADING EDGE</b>	
Nutshell	89.95
LEWP Basic	65.00
LEWP Merge Print	99.00
LE Spell Correction	169.00

**TOLL FREE 1-800-233-8760**



**TO ORDER**



or send order to  
**LycO Computer**  
P.O. Box 5088  
Jersey Shore, PA  
17740

**CALL TOLL FREE**  
**800-233-8760**  
Customer Service 1-717-327-1825

### RISK FREE POLICY

In-stock items shipped within 24 hours of order. No deposit on C.O.D. orders. Free shipping on prepaid cash orders within the continental U.S. Volume discounts available. PA residents add sales tax. APQ, FPO, and international orders add \$5.00 plus 3% for priority mail service. Advertised prices include 4% discount for cash, add 4% for MasterCard or Visa. Personal checks require 4 weeks' clearance before shipping. Ask about UPS Blue and Red label shipping. All merchandise carried under manufacturer's warranty. Free catalog with order. All items subject to change without notice.



```

{BLK}"SPC(12)"ENTER GRID SI
ZE";LN=2;HN=7
30 PRINT"{DOWN}"SPC(12)"COLUMN
S?"(2-7)";GOSUB430;COL=A
40 PRINT"{DOWN}"SPC(12)"ROWS?
[4 SPACES]"(2-7)";GOSUB430;R
OW=A
50 PRINT"{DOWN}"SPC(10)"HOW MA
NY COLORS? (2-7)";GOSUB430;
CR=A
60 PRINT"{CLR}"SPC(10)"CONSTRU
CTING PUZZLE";PRINTDN$SPC(1
4)"[7]PLEASE WAIT{BLK}";
70 PRINTLEFT$(DN$,11-ROW);GOSU
B450
80 FORI=1TOROW*2:PRINTLEFT$(DN
$,I+12-ROW);:PRINTSPC(9-COL
)$X$;:PRINTSPC(COL*2)$X$;
90 PRINTSPC(17-2*COL)$X$;:PRINT
SPC(2*COL)$X$;:NEXTI:PRINT
100 GOSUB450;A$="";FORA=1TOROW
*COL*2;A$=A$+CHR$(INT(RND(0
)*CR)+1);NEXTA;B$=A$
110 FORA=1TOROW*COL;Q=(A-1)*4+
1;Q2=INT(RND(1)*ROW*COL)*4+
1;GOSUB470;NEXT
120 FORA=1TOROW*COL;R=RND(1)*4
+Q*(A-1)*4+1;GOSUB490;NEXT
IFA$=B$THENI10
130 FORA=1TOROW*COL;Q=(A-1)*4+
1;T$=B$;XBAS=29-COL-YBAS=1
3-ROW;GOSUB520;XBAS=10-COL
T$=A$;GOSUB520;NEXT
150 PRINT"[HOME]"OFF"SPC(10)"
[19 SPACES]";PRINTDN$SPC(1
4)"[2 SPACES][7]TIME
[6 SPACES]";
160 A1=PB=1;OA=1;FL=0;TM=ROW*
COL*3+30
170 IFPL=1THENQ2=(OA-1)*4+1;FL
=2
180 ZZ=A=A+OA;GOSUB540;A=ZZ;XP
=XBAS-2;YP=YBAS+Y1*2;GOSUB
580;PRINT";
190 YP=YBAS-2;XP=XBAS+X1*2;GOS
UB580;PRINT";:GOSUB540
200 COLOR1,CO(FL),4;YP=YBAS+Y1
*2;XP=XBAS-2;GOSUB580;PRIN
T""";:XP=XBAS+X1*2;YP=YBAS
-2
210 GOSUB580;COLOR1,CO(FL),4;P
RINT""V";:OA=A;MAX=ROW*COL;
GETK$
220 IFK$="{UP}"THENA=A-COL;GOT
O270
230 IFK$="{LEFT}"THENA=A-1;GOT
O270
240 IFK$="{RIGHT}"THENA=A+1;GO
TO270
250 IFK$="{DOWN}"THENA=A+COL;G
OTO270
260 GOTO280
270 IFA>MAXORA<1THENA=OA
280 IFK$=OK$THEN320
290 OK$=K$;IFK$=CHR$(13)ANDFL=
0THENFL=1;GOTO320
300 IFK$=CHR$(13)ANDFL=1THENQ=
(A-1)*4+1;R=1;GOSUB490;T$=
A$;GOSUB520;FL=0;GOTO320
310 IFK$=CHR$(13)ANDFL=2THENGO
SUB550;FL=0
320 PRINTDN$"{BLK}"SPC(20)INT(
TM)"{LEFT}";:TM=TM-.08
330 IFTM<0THENPRINTDN$SPC(10)"
[73]OFF[5 SPACES]TIME$YOU
S U P[3 SPACES]";:Z1=1023;Z2=0
;GOTO380
340 IFA$=B$THENPRINTDN$SPC(10)
"[73]OFF[3 SPACES]YOU SOL
VED IT[2 SPACES]";:Z1=0;Z2
=1023;GOTO380
350 IFA<>OATHENI70

```



"Puzzler" for the Commodore Plus/4 and 16 uses keyboard controls.

```

360 IFK$=CHR$(13)THENI80
370 GOTO210
380 GOSUB400;PRINTDN$SPC(10)"
[3 SPACES]PRESS ANY KEY";
390 POKE239,0;WAIT239,1;RUN
400 VOL 8;FORA=Z1TOZ2STEP10*SG
N(Z2-Z1):SOUND 1,2,2
410 COLOR0,RND(1)*15+1;NEXTA;F
ORT=8TO8STEP-1;VOL T;NEXT
420 COLOR0,2;COLOR4,2;RETURN
430 Z=RND(1);GETK$;A=VAL(K$);I
FA<LORA>HTHEN430
440 RETURN
450 PRINTSPC(9-COL);:FORI=1TO(
COL+1)*2:PRINTX$;:NEXT;PRI
NTSPC(17-2*COL);
460 FORI=1TO(COL+1)*2:PRINTX$;
:NEXT;RETURN
470 T$=A$;GOSUB570;FORZ=0TO3:T
=PEEK(Q+Z+BP);POKEQ+Z+BP,P
EEK(Q2+Z+BP)
480 POKEQ2+Z+BP,T;NEXTA$;S$;R
ETURN
490 IFR<0THENRETURN
500 T$=A$;GOSUB570;FORX=1TOR:T
=PEEK(BP+Q);POKEBP+Q,PEEK(
BP+Q+2);POKEBP+Q+2,PEEK(
BP+Q+3)
510 POKEBP+Q+3,PEEK(BP+Q+1);PO
KEBP+Q+1,T;NEXTA$;T$;RETU
RN
520 GOSUB540;XP=XBAS+X1*2;YP=Y
BAS+Y1*2;GOSUB580;PORT=0TO
3;IFPT=2THENYP=YP+1;GOSUB58
0
530 P=ASC(MID$(T$,Q+T,1));COLO
R1,P;(P=4)*2,P-1-(P=4)*4;P
RINTX$;:NEXT;RETURN
540 Z=A-1;Y1=INT(Z/COL);X1=Z-Y
1*COL;RETURN
550 Q=(A-1)*4+1;GOSUB470;T$=A$
;GOSUB520;ZZ=A;AA=0;Q=Q-A
=(Q2-1)/4+1;T$=A$;GOSUB520
;A=ZZ
560 Q=AA;RETURN
570 T$=T$;BP=PEEK(51)+256*PEEK
(52)-1;RETURN
580 PRINTLEFT$(DN$,YP)SPC(XP);
:RETURN

```

#### Program 4: Atari Puzzler

Version by Kevin Mykytyn, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTER'S Guide to Typing In Programs" published bimonthly in *COMPUTE!*

```

88 10 OPEN #1,4,12,"K";:POKE
106,PEEK(106)-B:GRAPH

```

```

ICS 0;CHBAS=PEEK(106)*
256;POKE 82,0;SOUND 0,
0,0
C120 POKE 752,1;POSITION 14
,11;PRINT "PLEASE WAIT
"
N30 FOR A=0 TO 1023:POKE C
HBAS+A,PEEK(57344+A);N
EXT A;FOR A=CHBAS+8 TO
CHBAS+39:READ B;POKE
A,B;NEXT A;GRAPHICS 0
N40 SPRBAS=PEEK(106)+4;POK
E 53277,3;POKE 623,1;P
OKE 704,0
N50 SPR=SPRBAS+256+512;OY=
SPR;FOR A=SPR TO SPR+1
27:POKE A,0;NEXT A;POK
E 53256,1
N60 OIM T$(256),A$(256),B$
(256),T2$(1),R(4),SP(B
);FOR A=1 TO 8:READ Z:
SP(A)=Z;NEXT A
F70 GRAPHICS 17;POSITION 7
,6;PRINT #6;"[7]TIME";
FOR A=1 TO 3;R(A)=32+A
;NEXT A;R(4)=161
E80 POSITION 3,10;PRINT #6
;"enter grid size";LN=
3;HN=B
N90 POSITION 3,14;PRINT #6
;"COLUMNS?"(3-B)";:GOS
UB 480;COL=A
U100 POSITION 3,14;PRINT #
6;"ROWS(3 SPACES)";:GO
SUB 480;ROW=A
N110 POSITION 3,10;PRINT #
6;"HOW MANY COLORS?"
;LN=2;HN=4
N120 POSITION 3,14;PRINT #
6;"(5 SPACES)"(2-4)
(6 SPACES)";:GOSUB 480
;COL=A
F130 GRAPHICS 0;OL=PEEK(56
0)+256*PEEK(561);POKE
0L+3,66;FOR I=0L+6 TO
OL+27:POKE I,4;NEXT
I
N140 POKE I,6;I=I+1;POKE I
,65;POKE I+1,0;POKE I
+2,0L/256;POKE 82,0
N150 POSITION 11,0;PRINT
"CONSTRUCTING PUZZLE";
POSITION 5,23;PRINT "
PLEASE WAIT";:POKE 75
6,CHBAS/256
N160 POKE 559,46;POKE 5427
9,SPRBAS;POSITION 0,1
2-ROW;GOSUB 520
IF 170 FOR I=1 TO ROW*2:PRIN
T "POKE 85,10-COL;PRIN
T "POKE 85,11-COL;PRIN
T "POKE 85,12-COL;PRIN
T "POKE 85,13-COL;PRIN
T "POKE 85,14-COL;PRIN
T "POKE 85,15-COL;PRIN
T "POKE 85,16-COL;PRIN
T "POKE 85,17-COL;PRIN
T "POKE 85,18-COL;PRIN
T "POKE 85,19-COL;PRIN
T "POKE 85,20-COL;PRIN
T "POKE 85,21-COL;PRIN
T "POKE 85,22-COL;PRIN
T "POKE 85,23-COL;PRIN
T "POKE 85,24-COL;PRIN
T "POKE 85,25-COL;PRIN
T "POKE 85,26-COL;PRIN
T "POKE 85,27-COL;PRIN
T "POKE 85,28-COL;PRIN
T "POKE 85,29-COL;PRIN
T "POKE 85,30-COL;PRIN
T "POKE 85,31-COL;PRIN
T "POKE 85,32-COL;PRIN
T "POKE 85,33-COL;PRIN
T "POKE 85,34-COL;PRIN
T "POKE 85,35-COL;PRIN
T "POKE 85,36-COL;PRIN
T "POKE 85,37-COL;PRIN
T "POKE 85,38-COL;PRIN
T "POKE 85,39-COL;PRIN
T "POKE 85,40-COL;PRIN
T "POKE 85,41-COL;PRIN
T "POKE 85,42-COL;PRIN
T "POKE 85,43-COL;PRIN
T "POKE 85,44-COL;PRIN
T "POKE 85,45-COL;PRIN
T "POKE 85,46-COL;PRIN
T "POKE 85,47-COL;PRIN
T "POKE 85,48-COL;PRIN
T "POKE 85,49-COL;PRIN
T "POKE 85,50-COL;PRIN
T "POKE 85,51-COL;PRIN
T "POKE 85,52-COL;PRIN
T "POKE 85,53-COL;PRIN
T "POKE 85,54-COL;PRIN
T "POKE 85,55-COL;PRIN
T "POKE 85,56-COL;PRIN
T "POKE 85,57-COL;PRIN
T "POKE 85,58-COL;PRIN
T "POKE 85,59-COL;PRIN
T "POKE 85,60-COL;PRIN
T "POKE 85,61-COL;PRIN
T "POKE 85,62-COL;PRIN
T "POKE 85,63-COL;PRIN
T "POKE 85,64-COL;PRIN
T "POKE 85,65-COL;PRIN
T "POKE 85,66-COL;PRIN
T "POKE 85,67-COL;PRIN
T "POKE 85,68-COL;PRIN
T "POKE 85,69-COL;PRIN
T "POKE 85,70-COL;PRIN
T "POKE 85,71-COL;PRIN
T "POKE 85,72-COL;PRIN
T "POKE 85,73-COL;PRIN
T "POKE 85,74-COL;PRIN
T "POKE 85,75-COL;PRIN
T "POKE 85,76-COL;PRIN
T "POKE 85,77-COL;PRIN
T "POKE 85,78-COL;PRIN
T "POKE 85,79-COL;PRIN
T "POKE 85,80-COL;PRIN
T "POKE 85,81-COL;PRIN
T "POKE 85,82-COL;PRIN
T "POKE 85,83-COL;PRIN
T "POKE 85,84-COL;PRIN
T "POKE 85,85-COL;PRIN
T "POKE 85,86-COL;PRIN
T "POKE 85,87-COL;PRIN
T "POKE 85,88-COL;PRIN
T "POKE 85,89-COL;PRIN
T "POKE 85,90-COL;PRIN
T "POKE 85,91-COL;PRIN
T "POKE 85,92-COL;PRIN
T "POKE 85,93-COL;PRIN
T "POKE 85,94-COL;PRIN
T "POKE 85,95-COL;PRIN
T "POKE 85,96-COL;PRIN
T "POKE 85,97-COL;PRIN
T "POKE 85,98-COL;PRIN
T "POKE 85,99-COL;PRIN
T "POKE 85,100-COL;PRIN
T "POKE 85,101-COL;PRIN
T "POKE 85,102-COL;PRIN
T "POKE 85,103-COL;PRIN
T "POKE 85,104-COL;PRIN
T "POKE 85,105-COL;PRIN
T "POKE 85,106-COL;PRIN
T "POKE 85,107-COL;PRIN
T "POKE 85,108-COL;PRIN
T "POKE 85,109-COL;PRIN
T "POKE 85,110-COL;PRIN
T "POKE 85,111-COL;PRIN
T "POKE 85,112-COL;PRIN
T "POKE 85,113-COL;PRIN
T "POKE 85,114-COL;PRIN
T "POKE 85,115-COL;PRIN
T "POKE 85,116-COL;PRIN
T "POKE 85,117-COL;PRIN
T "POKE 85,118-COL;PRIN
T "POKE 85,119-COL;PRIN
T "POKE 85,120-COL;PRIN
T "POKE 85,121-COL;PRIN
T "POKE 85,122-COL;PRIN
T "POKE 85,123-COL;PRIN
T "POKE 85,124-COL;PRIN
T "POKE 85,125-COL;PRIN
T "POKE 85,126-COL;PRIN
T "POKE 85,127-COL;PRIN
T "POKE 85,128-COL;PRIN
T "POKE 85,129-COL;PRIN
T "POKE 85,130-COL;PRIN
T "POKE 85,131-COL;PRIN
T "POKE 85,132-COL;PRIN
T "POKE 85,133-COL;PRIN
T "POKE 85,134-COL;PRIN
T "POKE 85,135-COL;PRIN
T "POKE 85,136-COL;PRIN
T "POKE 85,137-COL;PRIN
T "POKE 85,138-COL;PRIN
T "POKE 85,139-COL;PRIN
T "POKE 85,140-COL;PRIN
T "POKE 85,141-COL;PRIN
T "POKE 85,142-COL;PRIN
T "POKE 85,143-COL;PRIN
T "POKE 85,144-COL;PRIN
T "POKE 85,145-COL;PRIN
T "POKE 85,146-COL;PRIN
T "POKE 85,147-COL;PRIN
T "POKE 85,148-COL;PRIN
T "POKE 85,149-COL;PRIN
T "POKE 85,150-COL;PRIN
T "POKE 85,151-COL;PRIN
T "POKE 85,152-COL;PRIN
T "POKE 85,153-COL;PRIN
T "POKE 85,154-COL;PRIN
T "POKE 85,155-COL;PRIN
T "POKE 85,156-COL;PRIN
T "POKE 85,157-COL;PRIN
T "POKE 85,158-COL;PRIN
T "POKE 85,159-COL;PRIN
T "POKE 85,160-COL;PRIN
T "POKE 85,161-COL;PRIN
T "POKE 85,162-COL;PRIN
T "POKE 85,163-COL;PRIN
T "POKE 85,164-COL;PRIN
T "POKE 85,165-COL;PRIN
T "POKE 85,166-COL;PRIN
T "POKE 85,167-COL;PRIN
T "POKE 85,168-COL;PRIN
T "POKE 85,169-COL;PRIN
T "POKE 85,170-COL;PRIN
T "POKE 85,171-COL;PRIN
T "POKE 85,172-COL;PRIN
T "POKE 85,173-COL;PRIN
T "POKE 85,174-COL;PRIN
T "POKE 85,175-COL;PRIN
T "POKE 85,176-COL;PRIN
T "POKE 85,177-COL;PRIN
T "POKE 85,178-COL;PRIN
T "POKE 85,179-COL;PRIN
T "POKE 85,180-COL;PRIN
T "POKE 85,181-COL;PRIN
T "POKE 85,182-COL;PRIN
T "POKE 85,183-COL;PRIN
T "POKE 85,184-COL;PRIN
T "POKE 85,185-COL;PRIN
T "POKE 85,186-COL;PRIN
T "POKE 85,187-COL;PRIN
T "POKE 85,188-COL;PRIN
T "POKE 85,189-COL;PRIN
T "POKE 85,190-COL;PRIN
T "POKE 85,191-COL;PRIN
T "POKE 85,192-COL;PRIN
T "POKE 85,193-COL;PRIN
T "POKE 85,194-COL;PRIN
T "POKE 85,195-COL;PRIN
T "POKE 85,196-COL;PRIN
T "POKE 85,197-COL;PRIN
T "POKE 85,198-COL;PRIN
T "POKE 85,199-COL;PRIN
T "POKE 85,200-COL;PRIN
T "POKE 85,201-COL;PRIN
T "POKE 85,202-COL;PRIN
T "POKE 85,203-COL;PRIN
T "POKE 85,204-COL;PRIN
T "POKE 85,205-COL;PRIN
T "POKE 85,206-COL;PRIN
T "POKE 85,207-COL;PRIN
T "POKE 85,208-COL;PRIN
T "POKE 85,209-COL;PRIN
T "POKE 85,210-COL;PRIN
T "POKE 85,211-COL;PRIN
T "POKE 85,212-COL;PRIN
T "POKE 85,213-COL;PRIN
T "POKE 85,214-COL;PRIN
T "POKE 85,215-COL;PRIN
T "POKE 85,216-COL;PRIN
T "POKE 85,217-COL;PRIN
T "POKE 85,218-COL;PRIN
T "POKE 85,219-COL;PRIN
T "POKE 85,220-COL;PRIN
T "POKE 85,221-COL;PRIN
T "POKE 85,222-COL;PRIN
T "POKE 85,223-COL;PRIN
T "POKE 85,224-COL;PRIN
T "POKE 85,225-COL;PRIN
T "POKE 85,226-COL;PRIN
T "POKE 85,227-COL;PRIN
T "POKE 85,228-COL;PRIN
T "POKE 85,229-COL;PRIN
T "POKE 85,230-COL;PRIN
T "POKE 85,231-COL;PRIN
T "POKE 85,232-COL;PRIN
T "POKE 85,233-COL;PRIN
T "POKE 85,234-COL;PRIN
T "POKE 85,235-COL;PRIN
T "POKE 85,236-COL;PRIN
T "POKE 85,237-COL;PRIN
T "POKE 85,238-COL;PRIN
T "POKE 85,239-COL;PRIN
T "POKE 85,240-COL;PRIN
T "POKE 85,241-COL;PRIN
T "POKE 85,242-COL;PRIN
T "POKE 85,243-COL;PRIN
T "POKE 85,244-COL;PRIN
T "POKE 85,245-COL;PRIN
T "POKE 85,246-COL;PRIN
T "POKE 85,247-COL;PRIN
T "POKE 85,248-COL;PRIN
T "POKE 85,249-COL;PRIN
T "POKE 85,250-COL;PRIN
T "POKE 85,251-COL;PRIN
T "POKE 85,252-COL;PRIN
T "POKE 85,253-COL;PRIN
T "POKE 85,254-COL;PRIN
T "POKE 85,255-COL;PRIN
T "POKE 85,256-COL;PRIN
T "POKE 85,257-COL;PRIN
T "POKE 85,258-COL;PRIN
T "POKE 85,259-COL;PRIN
T "POKE 85,260-COL;PRIN
T "POKE 85,261-COL;PRIN
T "POKE 85,262-COL;PRIN
T "POKE 85,263-COL;PRIN
T "POKE 85,264-COL;PRIN
T "POKE 85,265-COL;PRIN
T "POKE 85,266-COL;PRIN
T "POKE 85,267-COL;PRIN
T "POKE 85,268-COL;PRIN
T "POKE 85,269-COL;PRIN
T "POKE 85,270-COL;PRIN
T "POKE 85,271-COL;PRIN
T "POKE 85,272-COL;PRIN
T "POKE 85,273-COL;PRIN
T "POKE 85,274-COL;PRIN
T "POKE 85,275-COL;PRIN
T "POKE 85,276-COL;PRIN
T "POKE 85,277-COL;PRIN
T "POKE 85,278-COL;PRIN
T "POKE 85,279-COL;PRIN
T "POKE 85,280-COL;PRIN
T "POKE 85,281-COL;PRIN
T "POKE 85,282-COL;PRIN
T "POKE 85,283-COL;PRIN
T "POKE 85,284-COL;PRIN
T "POKE 85,285-COL;PRIN
T "POKE 85,286-COL;PRIN
T "POKE 85,287-COL;PRIN
T "POKE 85,288-COL;PRIN
T "POKE 85,289-COL;PRIN
T "POKE 85,290-COL;PRIN
T "POKE 85,291-COL;PRIN
T "POKE 85,292-COL;PRIN
T "POKE 85,293-COL;PRIN
T "POKE 85,294-COL;PRIN
T "POKE 85,295-COL;PRIN
T "POKE 85,296-COL;PRIN
T "POKE 85,297-COL;PRIN
T "POKE 85,298-COL;PRIN
T "POKE 85,299-COL;PRIN
T "POKE 85,300-COL;PRIN
T "POKE 85,301-COL;PRIN
T "POKE 85,302-COL;PRIN
T "POKE 85,303-COL;PRIN
T "POKE 85,304-COL;PRIN
T "POKE 85,305-COL;PRIN
T "POKE 85,306-COL;PRIN
T "POKE 85,307-COL;PRIN
T "POKE 85,308-COL;PRIN
T "POKE 85,309-COL;PRIN
T "POKE 85,310-COL;PRIN
T "POKE 85,311-COL;PRIN
T "POKE 85,312-COL;PRIN
T "POKE 85,313-COL;PRIN
T "POKE 85,314-COL;PRIN
T "POKE 85,315-COL;PRIN
T "POKE 85,316-COL;PRIN
T "POKE 85,317-COL;PRIN
T "POKE 85,318-COL;PRIN
T "POKE 85,319-COL;PRIN
T "POKE 85,320-COL;PRIN
T "POKE 85,321-COL;PRIN
T "POKE 85,322-COL;PRIN
T "POKE 85,323-COL;PRIN
T "POKE 85,324-COL;PRIN
T "POKE 85,325-COL;PRIN
T "POKE 85,326-COL;PRIN
T "POKE 85,327-COL;PRIN
T "POKE 85,328-COL;PRIN
T "POKE 85,329-COL;PRIN
T "POKE 85,330-COL;PRIN
T "POKE 85,331-COL;PRIN
T "POKE 85,332-COL;PRIN
T "POKE 85,333-COL;PRIN
T "POKE 85,334-COL;PRIN
T "POKE 85,335-COL;PRIN
T "POKE 85,336-COL;PRIN
T "POKE 85,337-COL;PRIN
T "POKE 85,338-COL;PRIN
T "POKE 85,339-COL;PRIN
T "POKE 85,340-COL;PRIN
T "POKE 85,341-COL;PRIN
T "POKE 85,342-COL;PRIN
T "POKE 85,343-COL;PRIN
T "POKE 85,344-COL;PRIN
T "POKE 85,345-COL;PRIN
T "POKE 85,346-COL;PRIN
T "POKE 85,347-COL;PRIN
T "POKE 85,348-COL;PRIN
T "POKE 85,349-COL;PRIN
T "POKE 85,350-COL;PRIN
T "POKE 85,351-COL;PRIN
T "POKE 85,352-COL;PRIN
T "POKE 85,353-COL;PRIN
T "POKE 85,354-COL;PRIN
T "POKE 85,355-COL;PRIN
T "POKE 85,356-COL;PRIN
T "POKE 85,357-COL;PRIN
T "POKE 85,358-COL;PRIN
T "POKE 85,359-COL;PRIN
T "POKE 85,360-COL;PRIN
T "POKE 85,361-COL;PRIN
T "POKE 85,362-COL;PRIN
T "POKE 85,363-COL;PRIN
T "POKE 85,364-COL;PRIN
T "POKE 85,365-COL;PRIN
T "POKE 85,366-COL;PRIN
T "POKE 85,367-COL;PRIN
T "POKE 85,368-COL;PRIN
T "POKE 85,369-COL;PRIN
T "POKE 85,370-COL;PRIN
T "POKE 85,371-COL;PRIN
T "POKE 85,372-COL;PRIN
T "POKE 85,373-COL;PRIN
T "POKE 85,374-COL;PRIN
T "POKE 85,375-COL;PRIN
T "POKE 85,376-COL;PRIN
T "POKE 85,377-COL;PRIN
T "POKE 85,378-COL;PRIN
T "POKE 85,379-COL;PRIN
T "POKE 85,380-COL;PRIN
T "POKE 85,381-COL;PRIN
T "POKE 85,382-COL;PRIN
T "POKE 85,383-COL;PRIN
T "POKE 85,384-COL;PRIN
T "POKE 85,385-COL;PRIN
T "POKE 85,386-COL;PRIN
T "POKE 85,387-COL;PRIN
T "POKE 85,388-COL;PRIN
T "POKE 85,389-COL;PRIN
T "POKE 85,390-COL;PRIN
T "POKE 85,391-COL;PRIN
T "POKE 85,392-COL;PRIN
T "POKE 85,393-COL;PRIN
T "POKE 85,394-COL;PRIN
T "POKE 85,395-COL;PRIN
T "POKE 85,396-COL;PRIN
T "POKE 85,397-COL;PRIN
T "POKE 85,398-COL;PRIN
T "POKE 85,399-COL;PRIN
T "POKE 85,400-COL;PRIN
T "POKE 85,401-COL;PRIN
T "POKE 85,402-COL;PRIN
T "POKE 85,403-COL;PRIN
T "POKE 85,404-COL;PRIN
T "POKE 85,405-COL;PRIN
T "POKE 85,406-COL;PRIN
T "POKE 85,407-COL;PRIN
T "POKE 85,408-COL;PRIN
T "POKE 85,409-COL;PRIN
T "POKE 85,410-COL;PRIN
T "POKE 85,411-COL;PRIN
T "POKE 85,412-COL;PRIN
T "POKE 85,413-COL;PRIN
T "POKE 85,414-COL;PRIN
T "POKE 85,415-COL;PRIN
T "POKE 85,416-COL;PRIN
T "POKE 85,417-COL;PRIN
T "POKE 85,418-COL;PRIN
T "POKE 85,419-COL;PRIN
T "POKE 85,420-COL;PRIN
T "POKE 85,421-COL;PRIN
T "POKE 85,422-COL;PRIN
T "POKE 85,423-COL;PRIN
T "POKE 85,424-COL;PRIN
T "POKE 85,425-COL;PRIN
T "POKE 85,426-COL;PRIN
T "POKE 85,427-COL;PRIN
T "POKE 85,428-COL;PRIN
T "POKE 85,429-COL;PRIN
T "POKE 85,430-COL;PRIN
T "POKE 85,431-COL;PRIN
T "POKE 85,432-COL;PRIN
T "POKE 85,433-COL;PRIN
T "POKE 85,434-COL;PRIN
T "POKE 85,435-COL;PRIN
T "POKE 85,436-COL;PRIN
T "POKE 85,437-COL;PRIN
T "POKE 85,438-COL;PRIN
T "POKE 85,439-COL;PRIN
T "POKE 85,440-COL;PRIN
T "POKE 85,441-COL;PRIN
T "POKE 85,442-COL;PRIN
T "POKE 85,443-COL;PRIN
T "POKE 85,444-COL;PRIN
T "POKE 85,445-COL;PRIN
T "POKE 85,446-COL;PRIN
T "POKE 85,447-COL;PRIN
T "POKE 85,448-COL;PRIN
T "POKE 85,449-COL;PRIN
T "POKE 85,450-COL;PRIN
T "POKE 85,451-COL;PRIN
T "POKE 85,452-COL;PRIN
T "POKE 85,453-COL;PRIN
T "POKE 85,454-COL;PRIN
T "POKE 85,455-COL;PRIN
T "POKE 85,456-COL;PRIN
T "POKE 85,457-COL;PRIN
T "POKE 85,458-COL;PRIN
T "POKE 85,459-COL;PRIN
T "POKE 85,460-COL;PRIN
T "POKE 85,461-COL;PRIN
T "POKE 85,462-COL;PRIN
T "POKE 85,463-COL;PRIN
T "POKE 85,464-COL;PRIN
T "POKE 85,465-COL;PRIN
T "POKE 85,466-COL;PRIN
T "POKE 85,467-COL;PRIN
T "POKE 85,468-COL;PRIN
T "POKE 85,469-COL;PRIN
T "POKE 85,470-COL;PRIN
T "POKE 85,471-COL;PRIN
T "POKE 85,472-COL;PRIN
T "POKE 85,473-COL;PRIN
T "POKE 85,474-COL;PRIN
T "POKE 85,475-COL;PRIN
T "POKE 85,476-COL;PRIN
T "POKE 85,477-COL;PRIN
T "POKE 85,478-COL;PRIN
T "POKE 85,479-COL;PRIN
T "POKE 85,480-COL;PRIN
T "POKE 85,481-COL;PRIN
T "POKE 85,482-COL;PRIN
T "POKE 85,483-COL;PRIN
T "POKE 85,484-COL;PRIN
T "POKE 85,485-COL;PRIN
T "POKE 85,486-COL;PRIN
T "POKE 85,487-COL;PRIN
T "POKE 85,488-COL;PRIN
T "POKE 85,489-COL;PRIN
T "POKE 85,490-COL;PRIN
T "POKE 85,491-COL;PRIN
T "POKE 85,492-COL;PRIN
T "POKE 85,493-COL;PRIN
T "POKE 85,494-COL;PRIN
T "POKE 85,495-COL;PRIN
T "POKE 85,496-COL;PRIN
T "POKE 85,497-COL;PRIN
T "POKE 85,498-COL;PRIN
T "POKE 85,499-COL;PRIN
T "POKE 85,500-COL;PRIN
T "POKE 85,501-COL;PRIN
T "POKE 85,502-COL;PRIN
T "POKE 85,503-COL;PRIN
T "POKE 85,504-COL;PRIN
T "POKE 85,505-COL;PRIN
T "POKE 85,506-COL;PRIN
T "POKE 85,507-COL;PRIN
T "POKE 85,508-COL;PRIN
T "POKE 85,509-COL;PRIN
T "POKE 85,510-COL;PRIN
T "POKE 85,511-COL;PRIN
T "POKE 85,512-COL;PRIN
T "POKE 85,513-COL;PRIN
T "POKE 85,514-COL;PRIN
T "POKE 85,515-COL;PRIN
T "POKE 85,516-COL;PRIN
T "POKE 85,517-COL;PRIN
T "POKE 85,518-COL;PRIN
T "POKE 85,519-COL;PRIN
T "POKE 85,520-COL;PRIN
T "POKE 85,521-COL;PRIN
T "POKE 85,522-COL;PRIN
T "POKE 85,523-COL;PRIN
T "POKE 85,524-COL;PRIN
T "POKE 85,525-COL;PRIN
T "POKE 85,526-COL;PRIN
T "POKE 85,527-COL;PRIN
T "POKE 85,528-COL;PRIN
T "POKE 85,529-COL;PRIN
T "POKE 85,530-COL;PRIN
T "POKE 85,531-COL;PRIN
T "POKE 85,532-COL;PRIN
T "POKE 85,533-COL;PRIN
T "POKE 85,534-COL;PRIN
T "POKE 85,535-COL;PRIN
T "POKE 85,536-COL;PRIN
T "POKE 85,537-COL;PRIN
T "POKE 85,538-COL;PRIN
T "POKE 85,539-COL;PRIN
T "POKE 85,540-COL;PRIN
T "POKE 85,541-COL;PRIN
T "POKE 85,542-COL;PRIN
T "POKE 85,543-COL;PRIN
T "POKE 85,544-COL;PRIN
T "POKE 85,545-COL;PRIN
T "POKE 85,546-COL;PRIN
T "POKE 85,547-COL;PRIN
T "POKE 85,548-COL;PRIN
T "POKE 85,549-COL;PRIN
T "POKE 85,550-COL;PRIN
T "POKE 85,551-COL;PRIN
T "POKE 85,552-COL;PRIN
T "POKE 85,553-COL;PRIN
T
```



# SOLO FLIGHT

*"The only Flight Simulator that gives you the real feel and thrill of Primary Flight Training with the FUN, Ease of Use and challenge even for the best fighter pilot!"*



Major Bill  
3,000 Flying Hours



## NOW INCLUDES:

### MAIL PILOT MISSION

Brave the wind, weather, and mechanical failures in an exciting and increasingly challenging race to deliver the mail to 21 different airports from Kansas to Colorado!

### INSTRUCTOR PILOT OPTION

On screen guidance from a real instructor pilot to help you make your first Solo!

## CESSNA and MICRO PROSE

present the

Great American

### LEARN TO FLY A REAL AIRPLANE Contest

**\$30 OFF COUPON AND  
FREE FLYING LESSONS!!!**

You get a coupon worth up to \$30 towards a Cessna "Discovery Flight" in every flying simulation product box — Plus you can win a complete flight training course from Cessna. Details in every box, or see your local dealer.



## A Truly Unique Flying Experience —

Solo Flight is an exciting and sophisticated Primary Flight Training Simulator that makes learning to fly Fun and Easy! Designed by a real fighter pilot, who taught more than 200 Air Force Lieutenants how to fly, Solo Flight takes you from your first taxi to take-off, through your first solo, and all the way up to the challenge of the Mail Pilot Mission!

Solo Flight features full instrumentation, multiple air navigation maps, emergency procedure practice, the unique "in-the-slot" 3-Dimensional flight perspective, and fun and challenge for pilots of all ages!

## USA TODAY — SOLO FLIGHT

"... there's a revised pecking order in the air... easier to master (than another famous flight simulator) (Solo Flight) ... loses none of the subtlety of flight, even when you've logged dozens of hours."

Marc Randolph

## CREATIVE COMPUTING — SOLO FLIGHT

"... is a flight simulator designed with fun in mind... it's easier to fly than Sublogic's Flight Simulator and... it is more fun to play."

John Anderson

## COMPUTE!'S GAZETTE — SOLO FLIGHT

"... The word that best describes Solo Flight is Fun... it's (for those who) don't wish to spend a lot of time reading, but would rather be flying."

David Florance

## NEW & IMPROVED!

For Commodore, Atari & IBM

Introducing:

- New & Improved Cockpit
- New Navigation Maps
- Software Speech (C-64 only)



Experience the reality of these other great simulations from Micro Prose:



The Thrilling  
Submarine  
Simulation



Challenging and Exciting  
Air Combat from the  
Modern Electronic Cockpit!



You are in Command —  
D-Day to the  
Battle of the Bulge!

# MICRO PROSE

SIMULATION • SOFTWARE

1200 Lakefront Drive Hunt Valley, Maryland 21030 301-667-1151

COMMODORE 64, ATARI, APPLE and IBM are registered trademarks of Commodore Business Inc., Atari Inc., Apple Computer Inc., and International Business Machines Inc., respectively.



NEW  
FOR  
YOUR



## MacOffice: Using the Macintosh for Everything

Sharon Aker    Paul Freiberger    Arlan Levitan  
Selby Bateman    Vahé Guzelimian    Dan McNeill  
Charles Brannon

This newest release from COMPUTE! Books shows you how to get the most out of your Macintosh and software. Practical demonstrations teach you how to fully utilize several commercially available programs, such as Microsoft's *Word*, *Chart*, *File*, and *Multiplan*, Apple's *MacTerminal*, and others. You'll see how to:


- Create form letters with *Word*,
- Use *Multiplan* for your accounting,
- Share information between offices with *MacTerminal*.

Here are the ins and outs, hints and tips on how to use each program most efficiently, and previously undocumented techniques.


Extensively illustrated with actual Macintosh-created documents and graphics, *MacOffice* shows you how you can integrate programs, let them share information, making it even easier to manage your business with a computer. You'll also learn about networks—where computers, printers, and other devices are connected to create an office-wide working environment—with details on how to create a network, and what to look for in network software.

**\$18.95** ISBN 0-B7455-006-B

# personal computer



Look for these new titles at your local book or computer stores or order directly from **COMPUTE! Books**.



## COMPUTE!'s Second Book of Apple

Edited

With over 30 programs, this collection for Apple II+, IIe, and IIc owners contains arcade-style games, games of logic and education, applications, graphics generators, and programming utilities. Compiled from the most recent issues of *COMPUTE!* magazine and *COMPUTE!*'s *Apple Applications Issue*, these programs include dazzling graphics, high-speed game play, and valuable programming techniques. All the programs are ready to type in.

Applications calculate your financial situation and turn your computer into a remote terminal for accessing sophisticated databases. Action games put you in a jet fighter and in a bowling alley. Educational games range from a five-level chess game to a program which lets you write quizzes on any subject. Graphics and programming utilities help you design custom graphics or put a RAM disk in your IIc.

**\$12.95** ISBN 0-B7455-008-4

There is also a disk available which includes the programs in the book. You can order this disk directly from *COMPUTE!* for only \$12.95 plus \$2.00 shipping charges.

COMPUTE! Books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN 21 3UN England.

**COMPUTE! Publications, Inc.**   
One of the ABC Publishing Companies

To order, call toll-free 800-334-0868 (in NC 919-275-9809) or mail your payment (including \$2.00 shipping charges) to *COMPUTE!* Books, P.O. Box 5058, Greensboro, NC 27403.



```

OC 310 IF A$=B$ THEN LOCATE 25,1
      5:PRINT "You solved it!";
      Z1=100;Z2=500;GOTO 330
NF 320 IF A<0A THEN 160 ELSE IF
      J=-58 THEN 170 ELSE 190
PB 330 GOSUB 360;LOCATE 25,13;PR
      INT " Press any key "
EH 340 A$=INKEY$:IF A$="" THEN 3
      40
GH 350 RUN
PD 360 FOR A=Z1 TO Z2 STEP 20:SG
      N(Z2-Z1):SOUND A,2:COLOR
      0,0,RND(1)*6+1;FOR TO=1 T
      O 99:NEXT:TEXT:COLOR 15,0
      0:RETURN
LE 370 Z=RND(1):K$=INKEY$:A=VAL(
      K$):IF ACL R OR A>HN THEN
      370
NN 380 RETURN
QI 390 FOR I=1 TO (COL+1)*2:LOCA
      TE ,9-COL+1:PRINT X$:LOC
      AT ,28-COL+1:PRINT X$:N
      EXT 1:RETURN
EK 400 T$=MID$(A$,Q,4):MID$(A$,Q
      ,4):MID$(A$,Q2,4):MID$(A$
      ,Q2,4):T$=RETURN
BS 410 IF R=0 THEN RETURN
PK 420 T$=MID$(A$,Q,4):FOR X=1 T
      O R:T2=MID$(T$,1,1):MID$
      (T$,1,1)=MID$(T$,3,1):MID$
      (T$,3,1)=MID$(T$,4,1):MID$
      (T$,4,1)=MID$(T$,2,1):M
      ID$(T$,2,1)=T2$
OF 430 NEXT:MID$(A$,Q,4):T$=RETU
      RN
GC 440 GOSUB 460:LOCATE YBAS+Y1*
      2,XBAS+X1*2:COLOR ASC(MID$
      (T$,Q,4)):PRINT X$:COLOR
      R ASC(MID$(T$,Q+1,1)):PRI
      NT X$:LOCATE YBAS+Y1*2+1,
      XBAS+X1*2
DH 450 COLOR ASC(MID$(T$,Q+2,1)):
      PRINT X$:COLOR ASC(MID$
      (T$,Q+3,1)):PRINT X$:RET
      URN
EF 460 Z=A-1:Y1=INT(Z/COL):X1=Z-
      Y1*COL:RETURN
CP 470 Q=(A-1)*4+1:GOSUB 400:T$=
      A:GOSUB 440:Z2=A:AA=Q:Q=
      Q2:A=(Q2-1)/4+1:T$=A$:GOS
      UB 440:A=Z2:Q=AA:RETURN

```


## Program 6: TI-99/4A Puzzler

Version by Patrick Parrish,  
Programming Supervisor

```

100 RANDOMIZE :: CALL CLE
      AR :: GOSUB 380 :: CA
      LL MAGNIFY(3)
110 GOSUB 370 :: CALL SCR
      EEN(2) :: DISPLAY AT(7
      ,11):"PUZZLER !" :: D
      ISPLAY AT(12,4):"INPU
      T GRID SIZE (3-6)"
120 DISPLAY AT(14,11):"RO
      WS ?" :: ACCEPT AT(14
      ,18):R :: IF R<3 OR R
      >6 THEN 120
130 DISPLAY AT(16,10):"CO
      LUMNS ?" :: ACCEPT AT
      (16,20):C :: IF C<3 O
      R C>6 THEN 130
140 DISPLAY AT(18,3):"HOW
      MANY COLORS (2-6)?"
      :: ACCEPT AT(18,26):C
      OLS :: IF COLS<2 OR C
      OLS>6 THEN 140
150 CALL CLEAR :: FOR I=1
      TO 8 :: CALL COLOR(I

```



"Puzzler" for the TI-99/4A can be played with a joystick or the keyboard.

```

      ,2,1):: NEXT I :: CAL
      L SCREEN(15):: U=C*2+
      3 :: U=INT((19-U)/2):
      0=R*C*10
160 TE=12-R :: DISPLAY AT
      (2,5):"CONSTRUCTING P
      UZZLE" :: DISPLAY AT(
      23,9):"PLEASE WAIT"
170 MT=C*2+2 :: CALL HCHA
      R(TE,U,35,MT):: CALL
      HCHAR(TE,U+16,35,MT):
      A=R*2
180 CALL VCHAR(TE+1,U,35,
      A):: CALL VCHAR(TE+1,
      U+C*2+1,35,A):: CALL
      VCHAR(TE+1,U+16,35,A)
      :: CALL VCHAR(TE+1,U+
      C*2+17,35,A)
190 CALL HCHAR(A+TE+1,U,3
      5,MT):: CALL HCHAR(A+
      TE+1,U+16,35,MT):: Y=
      TE+1 :: X=U
200 A$="" :: FOR I=1 TO R
      *C4 :: RANDOMIZE ::
      A$=A$+CHR$(INT(RND*CO
      LS)*8+96):: NEXT I ::
      B$=A$ :: FOR I=1 TO R
      *C4
210 R1=INT(R*C*4RND)*4+1 ::
      R2=INT(R*C*4RND)*4+1
      :: IF R1=R2 THEN 210
220 TEM$=SEG$(A$,R1,4)::
      TEM2$=SEG$(A$,R2,4)::
      GOSUB 490 :: NEXT I
      :: FOR T=1 TO R*C*4-3
      STEP 4
230 TEM$=SEG$(A$,T,4):: R
      1=INT(RND*4):: FOR J=
      1 TO R1 :: GOSUB 520
      :: NEXT J :: GOSUB 53
      0 :: NEXT T :: IF A$=
      B$ THEN 200
240 FOR I=0 TO R-1 :: FOR
      J=0 TO C-1 :: GOSUB
      420
250 DISPLAY AT(Y+2*I,X+2*
      J+15):SEG$(B$,J*4+1+I
      NT((2*I+1)/2)*C*4,2):
      :: DISPLAY AT(Y+2*I+1
      ,X+2*J+15):SEG$(B$,J*
      4+3+INT((2*I+1)/2)*C*
      4,2);
260 NEXT J :: NEXT I :: C
      ALL HCHAR(2,7,32,19):
      CALL HCHAR(23,11,32
      ,11):: SC=2 :: LY=TE$
      8+1 :: LX=U*B*1 :: SY
      =LY :: SX=LX :: Q=1 ::
      F,I,J=0
270 DISPLAY AT(2,10):"TIM
      E :: 0
280 CALL SPRITE(#1,100,CS
      (F),SY,SX):: D=0-.25

```

```

      :: DISPLAY AT(2,16):I
      NT(0):: IF INT(0)=0 T
      HEN GOTO 340
290 CALL KEY(0,K,ST):: CA
      LL KEY(1,K,K,ST):: IF
      ST=0 THEN CALL JOYST(
      1,H,V):: H=SGN(H):: V
      =SGN(-V)ELSE H=(K<83)
      -(K<68):: V=(K<69)-(K
      =88)
300 J=J+H :: I=I+V :: J=J
      +(J<0-1)*C-(J<0)*C ::
      I=I+(I>R-1)*R-(I<0)*
      R :: SX=LX+J*16 :: SY
      =LY+I*16 :: IF KK=18
      OR K=32 THEN GOSUB440
310 IF (O<>SX OR OY<>SY)
      AND F=1 THEN F=2 :: G
      OSUB 470
320 IF A$<0% THEN 280
330 FOR I=1 TO 30 STEP 3
      :: CALL SOUND(75,220+
      20*I,4):: CALL SCREEN
      (INT(I/2)+1):: NEXT I
      :: REM WIN GAME
340 FOR I=30 TO 1 STEP -3
      :: CALL SOUND(75,220-
      20*INT(I/2)+1):: NEXT
      I :: CALL SCREEN(15)
350 DISPLAY AT(23,6):"PLA
      Y AGAIN (Y/N)?" :: AC
      CEPT AT(23,24)BEEP VA
      LIDATE("Ynyn"):A$ ::
      IF A$="N" OR A$="n" T
      HEN STOP
360 CALL DELSPRITE(#1)::
      GOTO 110
370 CALL CLEAR :: FOR I=1
      TO 8 :: CALL COLOR(I
      ,16,1):: NEXT I :: RE
      TURN
380 CALL CHAR(100,"FFB080
      0B0B08080B08080B0808
      0B08FF0F010101010101
      01010101010101FF")
390 FOR I=96 TO 136 STEP
      8 :: CALL CHAR(I,"FFF
      FFFFFFFF"):NEXT
      T I
400 FOR I=9 TO 14 :: READ
      A :: CALL COLOR(I,A,
      1):: NEXT I :: CALL C
      HAR(35,RPT$("F",16)):
      1 FOR F=0 TO 2 :: REA
      D CS(F):: NEXT F :: R
      ETURN
410 DATA 3,5,7,8,11,14,2,
      16,10
420 DISPLAY AT(Y+2*I,X+2*
      J+1):SEG$(A$,J*4+1+IN
      T((I+1)/2)*C*4,2)::
      1 DISPLAY AT(Y+2*I+1,
      X+2*J+1):SEG$(A$,J*4+
      3+INT((2*I+1)/2)*C*4,
      2);
430 RETURN
440 IF F=0 THEN OX=SX ::
      OY=SY :: GOSUB 510 ::
      R1=T :: F=1 :: GOSUB
      470 :: OJ=J :: OI=I
      :: RETURN
450 IF F=1 THEN GOSUB 510
      :: TEM$=SEG$(A$,T,4)
      :: GOSUB 520 :: GOSUB
      530 :: GOSUB 470 ::
      F=0 :: GOSUB 470 :: R
      ETURN
460 GOSUB 510 :: R2=T ::
      GOSUB 480 :: GOSUB 42
      0 :: TJ=J :: TI=I ::
      IOI :: JOJ :: GOSUB


```

# A SPECIAL OFFER from COMPUTE! Books



for Owners and Users of Commodore Computers

Buy any 2 of these books and receive a **15% Discount**. You pay \$22.00 and save \$3.90!  
Buy all 3 books and get a **25% Discount**. You pay only \$29.00, a savings of \$9.85!

An excellent resource for users of the 64, with something for everyone: BASIC programming techniques, a memory map, a machine language monitor, and information about writing games and using peripherals. This 264-page, spiral-bound book includes many ready-to-type-in programs and games. **\$12.95**



Continues in the tradition of the *First Book of Commodore 64* in presenting some of the best programs and articles from COMPUTE! Publications, many revised or never before published. There's something for almost any Commodore 64 user in this 289-page book: arcade and text adventure games in BASIC and machine language, a commercial software-quality word processor, a program which adds 41 new commands to BASIC, an electronic spreadsheet, tutorials about programming sound and graphics, and utilities for saving, copying, and retrieving files. **\$12.95**



A collection of outstanding games, applications, tutorials, and utilities from the most recent issues of *COMPUTE!* magazine and *COMPUTE!'s Gazette*, including several programs never before published. Commodore 64 users of all ages and experience will find this book informative, entertaining, and educational. Create an 80-column display, play educational and arcade-quality games, compose music, move sprites easily and quickly, and see how to program more efficiently and effectively. **\$12.95**

**Buy Now—This Offer Expires December 15, 1985.**

Yes! I want to save money while I enjoy COMPUTE! Books.

- ☐ COMPUTE!'s First Book of Commodore 64, \$12.95  
☐ COMPUTE!'s Second Book of Commodore 64, \$12.95  
☐ COMPUTE!'s Third Book of Commodore 64, \$12.95

All Orders Must Be Prepaid

- ☐ Payment Enclosed (check or money order)  
☐ Charge ☐ MasterCard ☐ VISA ☐ American Express

Acct. No. \_\_\_\_\_ Exp. Date \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

To Order Call Toll Free **800-334-0868**  
(In NC call **919-275-9809**)

or mail this coupon with your payment to:  
COMPUTE! Books, P.O. Box 5406,  
Greensboro, NC 27403

Please send me:

- ☐ 1 Book for \$12.95  
☐ 2 Books for \$22.00  
☐ 3 Books for \$29.00

NC residents add 4.5% sales tax \_\_\_\_\_

Add \$2.00 per book for shipping \_\_\_\_\_

Total Paid \_\_\_\_\_


Please allow 4-6 weeks for delivery.

75D1121

```

420 :: F=0 :: GOSUB
470 :: J=TJ :: I=TI ::
: RETURN
470 CALL CDOLOR(1,CS(F))::
: RETURN
480 IF R1=R2 THEN RETURN
: REM TRANSPOSE
490 IF R2>R1 THEN A=R1 ::
: B=R2 ELSE A=R2 :: B=
R1
500 AS=SEG$(A$,1,A-1)&SEG
$(A$,B,4)&SEG$(A$,A+4
,B-A-4)&SEG$(A$,A,4)&
SEG$(A$,B+4,LEN(A$)-B
+5):: RETURN
510 T=J+1+INT((I+2+1)/2
)*C#4 :: RETURN :: RE
M CALC STRING POINTER
520 TEM$=SEG$(TEM$,3,1)&S
EG$(TEM$,1,1)&SEG$(TE
M$,4,1)&SEG$(TEM$,2,1
):: RETURN :: REM ROT
ATE
530 A$=SEG$(A$,1,T-1)&TEM
$&SEG$(A$,T+4,LEN(A$)
-T-3):: RETURN :: REM
SUBSTITUTE ROTATED S
UBSTRING

```



"Puzzler" runs on any Apple II-series computer.

## Program 7: Apple Puzzler

Version by Kevin Martin, Editorial Programmer

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

```

29 100 A$ = "": IF PEEK (24576)
= 162 THEN 140
55 110 FDR I = 24576 TO 24872
82 120 READ A: PDKE I,A
FE 130 NEXT
CS 140 HIMEM: 24576
58 150 GDSUB 550
59 160 IF T = 0 THEN VTAB 21: PR
INT TAB (14) "DUT DF TIME"
: GDTD 380
08 170 HTAB 17: VTAB 23: PRINT T
: " "
47 180 T = T - 1
28 190 IF PEEK ( - 16384) < 128
THEN 160
96 200 GET C$: IF (C$ < "I" OR C
$ > "L") AND C$ < > " " T
HEN 160
81 210 R = R - (C$ = "I") + (C$
= "K")
59 220 C = C - (C$ = "J") + (C$
= "L")
7E 230 IF R < 0 THEN R = 0
9E 240 IF R > = R3 THEN R = R3 -
1
8F 250 IF C < 0 THEN C = 0

```

```

DE 260 IF C > = C3 THEN C = C3 -
1
61 270 POKE 773,X1 + C # 2 - 1:
POKE 772,Y1 + R # 2 - 1:
CALL 24671
04 280 IF C$ < > " " THEN 160
46 290 IF F = 0 THEN 440
8A 300 F = 0: IF RR = R AND CC =
C THEN GOSUB 510: GOTO 3
20
48 310 GOSUB 460
02 320 CALL 24691
04 330 PDKE 768,X1: PDKE 769,Y1:
CALL 24576
88 340 POKE 773,X1 + C # 2 - 1:
POKE 772,Y1 + R # 2 - 1:
POKE 774,255: CALL 24753
C3 350 IF A$ < > 8$ THEN 160
74 360 CALL 24691
DA 370 HOME : PRINT TAB (16); "CD
RECT!"
59 380 HTAB 13: VTAB 22: PRINT "
PRESS ANY KEY."
1C 390 HTAB 17: VTAB 23: PRINT T
0F 400 PDKE - 16368,0
8F 410 IF PEEK ( - 16384) < 128
THEN 410
D4 420 GET A$
AC 430 RUN
2C 440 F = 1:RR = R:CC = C: POKE
773,X1 + C # 2 - 1: PDKE
772,Y1 + R # 2 - 1: PDKE
774,119: CALL 24671
9D 450 GOTO 160
8D 460 AA = SS + 2 * NC * RR + 2
* CC:A = SS + 2 * NC * R
+ C # 2
84 470 O = PEEK (A): PDKE A, PEE
K (A): PDKE AA,O
0F 480 O = PEEK (A + 1): PDKE A
+ 1, PEEK (AA + 1): PDKE
AA + 1,O
9B 490 D = PEEK (A + NC): PDKE A
+ NC, PEEK (AA + NC): PD
KE AA + NC,D
84 500 O = PEEK (A + NC + 1): PD
KE A + NC + 1, PEEK (AA +
NC + 1): PDKE AA + NC +
1,D: RETURN
4E 510 A = SS + 2 * NC * R + C #
2
48 520 D = PEEK (A): PDKE A, PEE
K (A + NC)
4E 530 PDKE A + NC, PEEK (A + NC
+ 1)
6F 540 PDKE A + NC + 1, PEEK (A
+ 1): PDKE A + 1,O: RETUR
N
62 550 TEXT : HOME
09 560 PRINT TAB (16); "PUZZLER"
F2 570 INPUT "NUMBER DF RDWS (2-
7):"R3
9B 580 IF R3 < 2 DR R3 > 7 THEN
570
77 590 INPUT "NUMBER DF COLUMNS
(2-7):"C3
6F 600 IF C3 < 2 DR C3 > 7 THEN
590
8C 610 INPUT "NUMBER DF COLDERS (
2-15):"CD
FD 620 IF CD < 2 DR CD > 15 THEN
610
8D 630 PRINT "PLEASE WAIT..."
FE 640 NR = 2 * R3:NC = 2 * C3
7E 650 FDR A = 1 TO NR * NC:8 =
INT ( RND (1) * CD + 1):A =
A$ + CHR$( 8 + C # 16
): NEXT 8$ = A$
A2 660 A = PEEK (105) + PEEK (10
6) * 256
CF 670 SS = PEEK (A + 3) + PEEK
(A + 4) * 256
54 680 X1 = 10 - C3:Y1 = 9 - R3:
X2 = X1 + 20
58 690 PDKE 24600, PEEK (A + 3):

```

```

POKE 24601, PEEK (A + 4)
% 700 PDKE 768,X2: POKE 769,Y1:
POKE 770,NC: POKE 771,NR
+ Y1
49 710 GR
74 720 CALL 24576
ED 730 FOR R = 0 TO R3 - 1: FOR
C = 0 TO C3 - 1:8 = INT (
RND (1) * 4)
48 740 IF B THEN GOSUB 510:8 = B
- 1: GOTO 740
CA 750 NEXT : NEXT
42 760 FOR R = 0 TO R3 - 1: FOR
C = 0 TO C3 - 1
84 770 RR = INT ( RND (1) * R3):
CC = INT ( RND (1) * C3):
GOSUB 460: NEXT : NEXT
02 780 PDKE 768,X1: PDKE 769,Y1:
CALL 24576
5E 790 HOME : PRINT TAB (16); "PU
ZZLER"
28 800 POKE 772,Y1 - 1: PDKE 773
,X1 - 1: POKE 774,255: CA
LL 24753
83 810 R = 0:C = 0:T = NR * NC *
75: RETURN
8E 820 DATA 162,0,172,1,3,185
C9 830 DATA 47,96,24,109,0,3
83 840 DATA 133,251,185,71,96,10
5
72 850 DATA 0,133,252,160,0,189
88 860 DATA 140,89,145,251,232,2
80
8F 870 DATA 204,2,3,208,244,238
78 880 DATA 1,3,173,1,3,205
00 890 DATA 3,3,208,212,96,0
7E 900 DATA 128,0,128,0,128,0
39 910 DATA 128,40,168,40,168,40
95 920 DATA 168,40,168,80,208,80
85 930 DATA 208,80,208,80,208,4
4A 940 DATA 4,5,5,6,6,7
21 950 DATA 7,4,4,5,5,6
1E 960 DATA 6,7,7,4,4,5
9E 970 DATA 5,6,6,7,7,32
CA 980 DATA 115,96,76,177,96,24
E3 990 DATA 121,47,96,133,251,18
5
4C 1000 DATA 71,96,105,0,133,252
8B 1010 DATA 96,172,7,3,173,8
FA 1020 DATA 3,32,101,96,160,0
67 1030 DATA 162,0,189,9,3,145
01 1040 DATA 251,232,208,208,208
,189
85 1050 DATA 9,3,145,251,232,173
8C 1060 DATA 7,3,24,185,3,141
31 1070 DATA 7,3,168,173,8,3
72 1080 DATA 32,101,96,160,0,189
8C 1090 DATA 9,3,145,251,232,208
02 1100 DATA 208,208,189,9,3,145
80 1110 DATA 251,232,96,172,4,3
CA 1120 DATA 140,7,3,173,5,3
89 1130 DATA 141,8,3,32,181,96
27 1140 DATA 160,0,162,0,177,251
67 1150 DATA 157,9,3,232,41,15
80 1160 DATA 145,251,173,6,3,4
51 1170 DATA 240,17,251,145,251,
200
1F 1180 DATA 200,200,177,251,157
,9
FE 1190 DATA 3,232,41,15,145,251
11 1200 DATA 173,6,3,41,240,17
3A 1210 DATA 251,145,251,173,4,3
FB 1220 DATA 24,105,3,141,4,3
8F 1230 DATA 168,173,5,3,32,101
2F 1240 DATA 96,160,0,177,251,15
7
DF 1250 DATA 9,3,232,41,240,145
31 1260 DATA 251,173,6,3,41,15
8F 1270 DATA 17,251,145,251,200,
200
EE 1280 DATA 200,177,251,157,9,3
9E 1290 DATA 232,41,240,145,251,
173
C8 1300 DATA 6,3,41,15,17,251
23 1310 DATA 145,251,96

```



"If you know BASIC and want to learn machine language, this is the place to start . . . Building on your experience as a BASIC programmer, Mansfield very gently takes you through the fundamentals of machine language."

—Whole Earth Software Catalog

## COMPUTE! Books' Best-selling Machine Language Books


"Understandable"—**The New York Times**

"Presents the machine language novice with a very good tutorial in simple, understandable terms."

—**Antic**

"I highly recommend *Machine Language for Beginners* as your first introduction to the world of machine language."

—**Commodore Power/Play**



### Machine Language for Beginners

Richard Mansfield


Most commercial software is written in machine language because it's far faster and more versatile than BASIC. *Machine Language for Beginners* is a step-by-step introduction. Includes a simple assembler, a disassembler, and utilities, to help beginners write programs more quickly and easily.

**\$14.95**

ISBN 0-942386-11-6

### The LADS Disk

LADS, the assembler used in *The Second Book of Machine Language*, is available on disk for only \$12.95. This is a great accompaniment to the book, saving you hours of typing time by providing the complete source and object programs for all versions of the assembler, and more. And LADS disks are specific to your Apple, Atari, or Commodore computers.



### The Second Book of Machine Language

Richard Mansfield

The follow-up to the best-selling *Machine Language for Beginners*, this book leads the programmer deeper into the most powerful and efficient programming techniques available for personal computers. Fully tutorial, with easy step-by-step explanations, the book shows how to construct significant, effective machine language programs. Included is a high-speed, professional-quality, label-based assembler. Everything that's needed for optimized programming on the Commodore 64, Apple, Atari, VIC-20, and PET/CBM computers.

**\$14.95**

ISBN 0-942386-53-1

*Machine Language for Beginners* and *The Second Book of Machine Language*: everything you need to learn machine language programming on your Apple, Atari, and Commodore personal computers.

To Order: Call Toll Free **800-334-0868** (in NC **919-275-9809**) or mail this coupon with your payment to COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403.

\_\_\_\_\_ *The Second Book of Machine Language*, **\$14.95**

\_\_\_\_\_ *Machine Language for Beginners*, **\$14.95**

\_\_\_\_\_ *LADS Disk* (Apple) **\$12.95**

\_\_\_\_\_ *LADS Disk* (Atari) **\$12.95**

\_\_\_\_\_ *LADS Disk* (Commodore), **\$12.95**

☐ Payment Enclosed (check or money order)

☐ Charge ☐ MasterCard ☐ Visa ☐ American Express

Acct. No. \_\_\_\_\_

Signature \_\_\_\_\_

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

\_\_\_\_\_ 1 Book for \$14.95

\_\_\_\_\_ 2 Books for \$25.00

\_\_\_\_\_ *LADS Disk* for \$12.95

NC residents add  
4.5% sales tax \$\_\_\_\_\_

Shipping and handling  
(\$2.00 per book  
\$1.00 per disk) \$\_\_\_\_\_

Total Paid \$\_\_\_\_\_

All orders must be prepaid  
Please allow 4-6 weeks for delivery.

**COMPUTE! Publications, Inc.** abc  
One of the ABC Publishing Companies

75D1111

## HOTWARE: Software Best Sellers

Software Best Sellers					Systems				
This Month	Last Month	Title	Publisher	Remarks	Apple	Atari	Commodore	IBM	Macintosh
<b>Entertainment</b>									
1.	2.	<i>F-15 Strike Eagle</i>	MicroProse	Air combat simulation	•	•	•	•	
2.	3.	<i>Flight Simulator II</i>	Sublogic	Aircraft simulation	•	•	•	•	
3.		<i>Gato</i>	Spectrum	Submarine simulation	•			•	
			Holobyte						
4.	5.	<i>Koroteka</i>	Brøderbund	Action karate game	•		•		
5.	4.	<i>Flight Simulator</i>	Microsoft	Aircraft simulation				•	
<b>Education</b>									
1.	2.	<i>Typing Tutor III</i>	Simon & Schuster	Typing instruction program	•		•	•	•
2.	3.	<i>Math Blaster!</i>	Davidson	introductory math program, ages 6-12	•	•	•	•	
3.	1.	<i>New Improved MasterType</i>	Scorborough	Typing instruction program	•	•	•	•	•
4.		<i>Charlie Brown's ABC's</i>	Random House	Letter and word introduction, ages 3-4	•	•		•	
5.	5.	<i>Music Construction Set</i>	Electronic Arts	Music composition program	•	•	•		
<b>Home Management</b>									
1.	1.	<i>Print Shop</i>	Brøderbund	Do-it-yourself print shop	•	•	•		
2.	4.	<i>The Newsroom</i>	Springboard	Do-it-yourself newspaper	•	•	•	•	
3.	2.	<i>Print Shop Graphics Library</i>	Brøderbund	100 additional graphics	•	•	•		
4.		<i>Print Master</i>	Unison World	At-home print shop				•	
5.		<i>Bank Street Writer</i>	Brøderbund	Word processor	•	•	•	•	

Copyright 1985 by Billboard Publications, Inc. Compiled by the Billboard Research Department and reprinted by permission. Data as of 8/31/85.

## THE ULTIMATE DISK UTILITIES FOR YOUR 64 & 1541 DRIVE!



ILITIES FOR YOUR 64

*Traker*

**TrackIt**

WORLD'S FASTEST & LATEST CODECRUNCHERS!

with  
**FAT-Track**

with  
**FAT-Track**

**WORLD'S FASTEST DATA COPIER** actually backs-up unprotected disks in just ONE MINUTE!!! Removes errors while copying to recover lost data. SUPER-FAST (8 second) format to track 40. SUPER-QUICK Scan for errors & Half-Tracks. FAT-TRACK™. EVOLVING™ CONKIT with State-of-the-Art FAT-TRACK™. EVOLVING™ allows most 1541's to put on new "wide-protection" & "wide-tracks" on EVOLVING™ "wide-track" protected products. Also editor from 1-40. Also delete & Half-Track. Involves a "wide-track" header & synch & data blocks of any length. Also ACCI & GCR bytes. Use with Diskdsk™ to make a tough product. Package also includes a 5.25" 5.14" D Drive. Also MSD loader, sample program, disk, & a hell

ONLY  
**\$39.95**

To Order CALL **805-687-1541 ext. 94**  
Technical line 805-682-4000 ext. 55



463 State St. • Santa Barbara • CA 93105

Order by phone 212-697-8000 or send cash - check/money order payable to Jax, Visa, MasterCard and American Express. Add \$3.50 shipping and handling charge per cord and exp. date. CA residents add 6% tax. Allow 1 week for clearance of orders. Add \$15.00 shipping and handling charge per cord and \$15.00 for U.S. air COD's shipped to 48 states only, add \$4.00 AK HI, Alaska and \$25.00 CANADA and MEXICO. Other Foreign orders add North America Dealer & Distributor Surcharges. Ship

# MORE FANTASTIC

This fall COMPUTE! Books brings you the best in games, utilities, graphics, music generators, applications, and programming tutorials for your Commodore, Atari, Apple, and IBM PC personal computers.

## FALL TITLES from COMPUTE! BOOKS

### COMPUTE!'s Atari Collection, Vol. 2

Edited

More than 30 never before published programs and articles make *COMPUTE!'s Atari Collection, Vol. 2* an outstanding value and an excellent addition to any software library. Packed full of games like "Speedway," "Electronic Football," "Termite," and "Granite Cracker," applications such as "Personal Net Worth Statements," and numerous tutorials and utilities, this book brings you the variety and value you've come to expect from COMPUTE! Publications. A disk is also available for \$12.95 which includes programs in the book.

\$14.95 ISBN 0-87455-029-7

### 40 Great Flight Simulator Adventures

Charles Gullik

Forty exciting, customized flight simulator scenarios put you in the pilot's seat as you fly under bridges, around skyscrapers, and land at mysterious airports. *Flight Simulator* (IBM PC) and *Flight Simulator II* (Apple II, Commodore 64, Atari 800 XL) are two of the most popular games/simulations for personal computers. With this book, you can experience flight adventures from the moment you load the program. Parameters set up each flight and a running commentary describes what you'll see (and where to look to see it). You'll land in San Clemente without engine power, sightsee over the Hudson River, practice night flying, and put your aircraft through its aerobatic paces. Ranging from the simple and straightforward to the advanced and even mystical, these 40 flights will open a new dimension to an already outstanding program.

\$9.95 ISBN 0-87455-022-X

### Advanced Macintosh BASIC Programming

Philip Calippe

The Macintosh is an exciting machine—and Microsoft BASIC 2.0 lets you put it to work for you. This tutorial and reference guide to Microsoft BASIC 2.0 shows you how to use the computer's advanced features to create impressive programs of your own. You'll quickly learn how to access everything from keyboard input and graphics to the Macintosh's sophisticated ROM routines. Sample programs are built one piece at a time, and individual subroutines will easily find their way into your own programs. Macintosh-specific features, like creating pull-down menus, windows, and dialog boxes, are explained. You'll build a set of software tools, which will aid in developing such working applications, as a mailing list and business graphics. You'll even write an arcade-style game on the Macintosh. Everything you need to become a proficient Macintosh programmer is here, ready for you to explore.

\$16.95 ISBN 0-87455-030-0

### The Elementary Atari ST

William B. Sanders

This friendly, easy-to-use guide to the Atari ST will step you through the process of connecting your computer, loading programs, creating graphics and music, and writing your own programs. Written by the author of the bestselling *The Elementary Commodore 64*, *The Elementary Atari ST* contains lots of helpful information for both the novice computer user and the seasoned programmer.

\$16.95 ISBN 0-87455-024-6

Order any of COMPUTE!'s new books today.

Call toll free 800-334-0868 (in North Carolina 919-275-9809).

Or write COMPUTE! Books, P.O. Box 5058, Greensboro, NC 27403.

(Please add \$2.00 per item for shipping and handling in the U.S. or surface mail; add \$5.00 per item air mail.)

**COMPUTE!** Publications, Inc. 

One of the ABC Publishing Companies  
324 W. Wendover Avenue, Suite 200, Greensboro, NC 27408 919-275-9809  
Publishers of COMPUTE!, COMPUTE!'s Gazette, COMPUTE!'s Gazette Disk, COMPUTE! Books, and COMPUTE!'s Apple Applications

COMPUTE! books are available in the U.K., Europe, the Middle East, and Africa from Holt Saunders, Ltd., 1 St. Anne's Road, Eastbourne, East Sussex BN21 3UN, England.



# Skyscape

Robert M. Simons

*This unique program, written by a planetarium director, presents the sky as it can be viewed at any date and time from the year 1977 onward—including zodiac constellations and all the visible planets. It also calculates planet tables, positions of the sun, and phases of the moon for any date and time from 1977 into the future. As an extra (and timely) bonus, it can even display Halley's Comet, due to become visible in late 1985 and early 1986. "Skyscape" is both educational and entertaining. The original version is for the Commodore 64, and we've written additional versions for Apple II-series computers with DOS 3.3 or ProDOS; the TI-99/4A with Extended BASIC; the IBM PC with color/graphics adapter; the PCjr with Cartridge BASIC; and Atari 400/800, XL, and XE computers with at least 24K RAM for tape or 32K for disk.*

For thousands of years the sun, moon, and planets in our solar system have excited human imagination. In ancient times they were regarded as gods whose distant motions influenced the course of earthly events. Though we now understand more about the true nature of celestial objects, many facts remain unknown, and a brilliant nighttime sky still presents an inspiring spectacle.

Whether you're seriously interested in the sky or just casually curious, "Skyscape" is a convenient tool for extending your knowledge. It opens a movable window on the heavens, displaying the position of our sun, moon, and neighboring planets from almost any location on Earth, at any point in time from 1977 into the distant future. Since it performs all the necessary calculations, you can enjoy and learn from this program even if you're not an expert in astronomy. In addition to providing data about the position of celestial objects, it draws a sky map on the screen, showing each object as it would appear to you at the chosen location and time.

To get started, type in the appropriate version of Skyscape for your computer and save a copy before running it.

## **Past, Present, Or Future**

Skyscape begins by asking you to answer several questions. Enter the year, choosing any year from 1977 forward. In some ways this is the most important input of all, since objects in our solar system move significantly from one year to the next. After you choose the year, Skyscape allows you to enter the month and day.

Next you must enter the latitude (north/south position on Earth) from which you wish to view

the sky. Latitude 0 places you, the observer, at the equator. Latitudes 1-90 place you in the northern hemisphere (north of the equator). To choose a southern latitude (south of the equator), enter a negative number from -1 to -90. Skyscape generally represents southerly locations with negative values.

Whenever Skyscape asks for information, it checks your entry to make sure it's in the acceptable range. If you enter an illegal value, the program displays an error message and gives you another chance.

## **The Sun And Moon**

Though very different in size and composition, the sun and moon are alike in being the largest celestial objects visible from Earth. After you enter the date and latitude, Skyscape displays a table of data for the sun and moon. In addition to the date, day of the year, and latitude north or south, you'll see the following information:

- Sun's geocentric angle. This figure represents the sun's position as a number of degrees relative to the vernal equinox. The vernal equinox is where the sun is located when spring begins in the northern hemisphere (the same time that autumn begins in the southern hemisphere).

# FEEL WHAT IT'S LIKE TO BE IN THE FIELD OF FIRE.

When you play **FIELD OF FIRE™**, you'll lead one of the finest fighting forces of World War II — Easy Company of the First Infantry Division — into eight historical battles.

Dividing your company into fireteam units of six men, you'll engage in such exciting combat as a night raid in North Africa, the storming of Omaha Beach on D-Day, or a defensive delaying action in the Battle of the Bulge — all against German forces controlled by your cunning computer.

Special attention has been paid to the Hi-Res graphics and lively sound effects. Realistic rules cover every aspect of the fighting: Line-of-sight, hidden movement, weapons ratings. Even your soldiers' abilities will improve through time.

To experience the heart-pounding thrill of commanding these heroic men, run to your nearest game or computer/software store today!

If there are no convenient stores near you, VISA and M/C holders can order this \$39.95 game direct by calling 800-227-1617, ext. 335 (toll free). In California, call 800-772-3545, ext. 335. Please specify computer format and add \$2.00 for shipping and handling.

To order by mail, send your check to: STRATEGIC SIMULATIONS, INC., 883 Stierlin Road, Bldg. A-200, Mountain View, CA 94043. (California residents, add 7% sales tax.) All our games carry a "14-day satisfaction or your money back" guarantee.

**WRITE FOR A FREE COLOR CATALOG  
OF ALL OUR GAMES.**

On diskette for  
**COMMODORE 64™** and  
**48K ATARI®** home computers.  
**APPLE®** version coming in fall '85.



STRATEGIC SIMULATIONS, INC.

©1985 by Strategic Simulations, Inc.

COMMODORE 64, ATARI, and APPLE are trademarks of Commodore Electronics, Ltd., Atari, Inc., and Apple Computer, Inc., respectively.

THE #1 BACKUP COPY SYSTEM  
IS NOW BETTER THAN EVER!

# DiskMaker

Version 3.3

with

Masterkey  
Modules

NEW!  
MODULAR  
SYSTEM

## THE AUTOMATIC DISK BACKUP SYSTEM FOR COMMODORE 64 SOFTWARE

- The LATEST breakthrough in copy technology!
- Copies NEW custom G.C.R. code protection
- Accesses & copies NEW no-sync data blocks!
- Now includes NEW long data-block logic
- Copies normal & PROTECTED data up to track 40
- 3 New IMPROVED copiers! Includes FAST Copier, VARI-SECTOR Copier, and AUTO-LOGIC Nibbler
- Actually copies a FULL disk in only 2.75 minutes!

- Includes one FREE Masterkey Module!
- Inexpensive MODULE releases keep you up-to-date
- MODULES available individually or by subscription
- Works with DiskMaker TOOLKIT and FAT-TRACK Kit
- Requires standard 1541 disk drive or SX-64
- Special version available for INDUS GT drive!
- PRODUCT SUPPORT tel. # & future module updates
- You've tried the rest, now get the BEST!!

THE FASTEST NIBBLE COPIER YOU CAN BUY!

ONLY  
**\$49.95**  
for copier system

To order CALL **805-687-1541 ext. 94**  
Technical line 805-682-4000 ext. 55



Cash by phone 24 hrs. // days around cashier's check/money order payable to BASIX. Visa, MasterCard & American Express include card # and exp. date. CA residents add 6% tax. Allow 2 weeks for issuance of personal and co. checks. Add \$3.50 shipping/handling for continental U.S. \$5.50 for UPS int. COD's shipped to 48 states only, add \$4.00 AK, HI, APG, FPO, add \$7.50 CANADA add \$10.00. Other Foreign orders add \$15.00, and remit certified U.S. funds only. No credit card orders from outside North America. Dealers & Distributors invited & supported.

**DISKMAKER...THE ONLY COPY SYSTEM YOU'LL EVER NEED!**



©1985

3463 State Street • Suite 1541F • Santa Barbara • CA 93105



• Sun's declination. The number of degrees north or south of the equator. Negative values indicate a southerly location.

• Sun's altitude at noon. The location of the sun in degrees from the northern or southern horizon at noon.

• Sun's right ascension. Just as longitude and latitude indicate locations on the Earth, right ascension and declination are used to pinpoint locations in the sky. For this purpose the sky is visualized as a gigantic sphere surrounding the Earth. Declination locates a point vertically in the celestial sphere and right ascension locates it horizontally. Right ascension values are given in *hours* and *minutes* in the range 0:00–23:59. Right ascension 0:00 is exactly at the vernal equinox. Larger right ascension values lie to the east of smaller ones.

• Right ascension at 9 p.m. The right ascension which would be on the meridian at 9 p.m. This coordinate system would be found on star charts. By comparing this number with those charts, you can tell what stars and constellations would be visible at that time.

• Moon's age. The number of days since the last new moon.

• Moon's elongation. The location of the moon in degrees east or west of the sun.

• Moon's phase. The phase of the moon on this particular day.

## The Planet Table

After viewing the sun and moon display, press P to continue to the next display screen, which contains the planet table. (Press D if you wish to enter a new date.) The planet table shows vital information about the visible planets (through Uranus, which is at the limit of our visibility). The table shows the position of each planet in right ascension and degrees east or west of the sun. It also shows the distance of each planet from Earth in millions of miles.

If you'd rather see the distance in kilometers, modify the program to change the value of ES=93 to ES=149.6 (the program line which defines the value of ES varies with the version of Skyscape: Commodore 64—line 220; Atari—line 190; IBM—line 130; Apple—line 80;

TI—line 150).

Some planets have an asterisk to the left of the right ascension figure. This signifies that they are visible at 9 o'clock this evening. For reference, the planet table also includes the sun's present right ascension and its right ascension at 9 p.m. Press D to input a new date or S to view a graphics display of the sky at any time in the current day.

## The Visible Skyscape

After selecting the sky display, you must enter the hour when you wish to view the sky. The hour value should be a whole number from 0–23 (enter 22 for 10 p.m., etc.). You'll also need to enter the minutes (0–59). Skyscape then displays the time and offers you a chance to enter different values. Press RETURN or Enter when you're satisfied with the time.

Skyscape now displays the sky as it would appear at the chosen latitude, date, and time. Since the sky looks very different from different places on Earth, the latitude affects the display considerably. If your latitude is in the range 24–90 degrees north or south, the sky shows a dashed line representing the position of the celestial equator, along with symbols representing the sun, moon, and planets visible at that time. If your latitude is in the tropical region—from 23½ degrees north to 23½ degrees south—the dashed line indicates a position directly overhead.

If you're viewing in the northern hemisphere, north is above the dashed line and south is below it. In the southern hemisphere these directions are reversed. Below the sky display is a key that interprets the symbols used to represent celestial objects. If more than one object is positioned at the same spot, the symbols are displayed above each other.

At the bottom of the sky you may see two-letter abbreviations. These represent zodiac constellations that would be visible from your chosen vantage point. Skyscape uses the abbreviations AR (Aries), PI (Pisces), AQ (Aquarius), CP (Capricorn), SA (Sagittarius), SC (Scorpio), LI (Libra), VI (Virgo), LE (Leo), CA (Cancer), GE (Gemini) and TA (Taurus). Each constellation is located above the spot where its

abbreviation appears. In northern latitudes, the border of each constellation's zone begins at its abbreviation and extends left. In southern latitudes, the constellation extends right from the position of its abbreviation.

Daytime skies are shown in blue and nighttime skies in black. Skyscape does not calculate the actual rising or setting time of the sun. Average rising and setting times of 6 a.m. and 6 p.m. are used in every case. You may obtain exact rising and setting times from local newspapers. However, keep in mind that there is usually about an hour of twilight before sunrise and after sunset.

## Halley's Comet

In addition to permanent objects, Skyscape's graphics display includes Halley's Comet, which should be visible during late 1985 and early 1986. If you choose a date from November 1, 1985 to May 29, 1986, Skyscape calculates the position of Halley's Comet and includes it in the graphics display (if it would be visible at the place and time you select). The comet's position is based on the best predictions available at the time of this writing (summer 1985). These positions may differ slightly from the comet's actual position when it finally makes its appearance.

While Skyscape is generally accurate, it bases most position calculations on circular orbits. This introduces a certain element of error, since no object in our solar system has a perfectly circular orbit. The position error is most pronounced for Mercury and Mars (whose orbits are quite elliptical), but does not significantly affect other objects. I've found Skyscape accurate enough for my own purposes, which include planning astronomy classes and planetarium displays.

For instructions on entering these listings, please refer to "COMPUTE!'s Guide to Typing in Programs" published bimonthly in COMPUTE!.

## Program 1: Commodore 64 Skyscape

```
100 POKE56,56:POKE55,0:CLR:FOR
I=8287099:READA:X=X+A:POK
EI,A:NEXTI:PRINTCHR$(8)
:rem 246
110 IFX<>9923THENPRINT"ERROR I
N DATA STATEMENTS.":STOP
:rem 187
```



Halley's Comet blazes across the sky in the graphics display of "Skyscape" for the Commodore 64.

```

120 DATA 173,14,220,41,254,141
    ,14,220,173,24 :rem 93
130 DATA 208,41,14,10,10,133,1
    67,169,208,133 :rem 102
140 DATA 252,173,0,221,41,3,73
    ,3,10,10,10,10 :rem 69
150 DATA 10,10,5,167,133,254,1
    65,1,41,251 :rem 205
160 DATA 133,1,169,0,133,251,1
    33,253,168,162 :rem 109
170 DATA 8,177,251,145,253,208
    ,208,249,230 :rem 21
180 DATA 252,230,254,202,208,2
    42,165,1,9 :rem 168
190 DATA 4,133,1,173,14,220,9
    ,1,141,14,220,96 :rem 144
200 POKE53281,1:POKE646,0:GOSU
    82210 :rem 5
210 DS="000031059090120151812
    12243273304334":KI=1440:DI
    MHC(22):MM$="041081040" :rem 225
220 M$="2863173450110410721021
    33164194225255":D$(1)="S":
    D$(2)="M":ES=93 :rem 28
230 AS="JANFEBMARAPRMAJUNJULA
    UGSEPOCTNOVDEC":OO$="
    [DOWN]OUT OF RANGE!![DOWN]
    " :rem 232
240 MD$="312831303130313130313
    031":D9=I/180:READDE:READM
    9:DIMP(6,6) :rem 66
250 DEFNR(X)=INT(X*100+.5)/10
    0 :rem 207
260 DEFNS(X)=INT(X*10+.5)/10
    :rem 113
270 FORY=1TO2:FORX=1TO6:READP(
    X,Y):NEXT:NEXT:Y=0:rem 162
280 FORX=1TO6:READPS(X,P(X,3)
    ):NEXT:FORX=1TO6:READA:POKE
    14335=X,A:NEXT :rem 187
290 FORX=15024TO15079:READA:PO
    KEX,A:NEXT:FORX=1TO7:PP(X)
    =X+85:NEXT :rem 228
300 JS$="SATSUMONTUEWEDTHURFI
    ":FORX=1TO12:READFS:rem 151
310 CC$=CC$+"{5 SPACES}"+"F$+NE
    XT:CC$=CC$+CC$:F$=RIGHT$(C
    C$,9):CC$=F$+CC$ :rem 133
320 FORX=1TO8:READPH$(X):NEXT
    :rem 81
330 FORX=1TO22:READHC(X):NEXT:
    POKE53281,7:GOTO920:rem 42
340 CC=MT-720:IFCC<0THENCC=CC+
    K1 :rem 155
350 CC=CC/120:CD=CC-INT(CC):CC
    =INT(CC):CD=INT(CD*7+.2):C
    =81-(CC*7+CD) :rem 255
360 GOSUB2000:PRINTCHR$(18):CD
    $:CHR$(146):I=I+1:GOTENGOS
    UB2590 :rem 242
370 FORX=55976TO56015:POKE2,
    1:GOTO2620 :rem 38

```

```


380 PRINT"[CLR][DOWN]"TAG(10)"
    ** DAYS SKY **":GOSUB1770:
    PRINT :rem 253
390 PRINT:PRINT"INPUT THE TIME
    ":PRINT"[15 Y$]":T1=0:T2=0
    :rem 43
400 PRINT:INPUT"5 SPACES]HOUR
    (0-23) ":T1:IFT1<0ORT1>23
    THENPRINTOO$:GOTO400
    :rem 72
410 PRINT:INPUT"3 SPACES]MINU
    TE (0-59) ":T2:IFT2<0ORT2>59
    THENPRINTOO$:GOTO400
    :rem 243
420 RS=STR$(T1):TS=STR$(T2):T$
    =RIGHT$(T$,LEN(T$)-1):IFLE
    N(T$)=1THENT$="0"+"$
    :rem 133
430 PRINT"[2 DOWN]TIME--":RS":
    "T$":rem 127
440 PRINT:GOSUB2230:IF$S$="N"TH
    EN380 :rem 134
450 PRINT"[CLR]":T3=T1*60+T2+A
    A=720:IFT3<0THENT3=T3+K1
    :rem 17
460 IFT3>K1THENT3=T3-K1
    :rem 141
470 MT=T3-360:IFMT<0THENTMT=MT+
    K1 :rem 241
480 PT=T3+360:IFPT>K1THENTPT=PT
    -K1 :rem 76
490 GOSUB1770:PRINTTAB(27)RS":
    "T$:rem 176
500 C$S$="{BLU}":TM=VAL(R$)+
    "T$":IFMT<60RTM=18THENC$S$="
    {BLK}" :rem 124
510 XK=7+LC:FORX=1TO14:IFX=XXT
    HEN530 :rem 56
520 PRINTC$S$+"{RVS}[40 SPACES]
    ":{BLK}":GOTO540:rem 155
530 PRINTC$S$+"{RVS}-----
    {SPACE}-----
    - - - - -[2 SPACES]":{BLK}
    :rem 231
540 NEXTX:GOSUB340:IFLL<0THEN5
    70 :rem 25
550 IFLL>24THENPRINT"[BLU]E"SP
    C(18)"$SPC(19)"W{BLK}":GO
    TO590 :rem 221
560 PRINT"[BLU]UP--{BLK}NORTH
    [5 SPACES]{BLU}----{BLK}OV
    ERHEAD[5 SPACES]{BLU]DOWN-
    {BLK}SOUTH":GOTO590 :rem 225
570 IFABS(LL)>24THENPRINT"
    [BLU]W"SPC(18)"N"SPC(19)"E
    {BLK}":GOTO590 :rem 187
580 PRINT"[BLU]UP--{BLK}SOUTH
    [5 SPACES]{BLU}----{BLK}OV
    ERHEAD[5 SPACES]{BLU]DOWN-
    {BLK}NORTH":rem 210
590 T4=AA:GOSUB800:Y8=888:IFY9
    =999THEN630 :rem 242
600 Y8=Y9:GOSUB2450:IFA1<0THEN
    630 :rem 234
610 IFPK>1703ORPK<1144THEN630
    :rem 212
620 POKEPK,170 :rem 38
630 T4=AA+M2*K1:IFT4>K1THENT4=
    T4-K1 :rem 96
640 GOSUB800:IFY9=999THEN680
    :rem 194
650 MM=INT(M1/9.83333)+1:GOSUB
    900:IFY9=999THEN680
    :rem 133
660 GOSUB2450:IFPK>1703ORPK<11
    44THEN680 :rem 99
670 POKEPK,MM+128:PRINTCHR$(14
    6):IFABS(Y8-Y9)<=.5STHENPOK
    EPK,81 :rem 81
680 FORX=1TO7:IFX=7THEN2350
    :rem 179

```

```

690 T4=P(X,6):GOSUB800:IFY9=99
    9THEN750 :rem 31
700 U9=SIN(P(X,6)*D9/4):U9=3*
    U9+.5:U9=INT(U9):U(X)=U9*4
    0 :rem 13
710 PK=1423-Y9+U(X)+LB:GOSUB24
    60 :rem 97
720 IFPK>1703ORPK<1144THEN750
    :rem 217
730 Z=PEEK(PK):IFZ<>160ANDZ<>1
    73THENPK=PK+SGN(LL)*40+(LL
    =0)*40:GOTO730 :rem 0
740 POKEPK,PP(X) :rem 218
750 NEXTX:PRINT"[HOME]
    [19 DOWN]" :rem 148
760 PRINT"[UP]VMERCURY
    [2 SPACES]VENUS[4 SPACES]
    XMARS[5 SPACES]JUPITER"
    :rem 187
770 PRINT"ZSATURN[4 SPACES]+UR
    ANUS[3 SPACES]{RVS}*{OFF}S
    UN[6 SPACES]{RVS}]{Q(OFF)M
    OON}" :rem 162
780 PRINT"[2 SPACES]NEW MOON
    [SPACE]+ SUN[2 SPACES]B$
    " :rem 235
790 PRINT:PRINT"NEW TIME,P-
    P-TABLE,D- DATE,L- LAT":G
    OTO1920 :rem 225
800 Y9=999:IFMT<PTTHEN850
    :rem 40
810 IFT4>=MT OR T4<=PTTHEN830
    :rem 220
820 RETURN :rem 122
830 IFT4>=MT AND T4<=K1THEN870
    :rem 236
840 T4=T4+K1:GOTO870 :rem 162
850 IFT4>=MT AND T4<=PT THEN87
    0 :rem 22
860 RETURN :rem 126
870 Y9=INT((T4-MT)/18+.5):IFY9
    =40THENY9=39 :rem 221
880 RETURN :rem 128
890 U9=SIN(T4/4+D9):U9=3*U9+.
    5:U9=INT(U9):U9=U9*40:RETR
    U9 :rem 238
900 MM=VAL(MID$(MM$,3*MM-2,3))
    :IFL<0ANDMM<>81THENMM=ABS
    (MM-81) :rem 122
910 RETURN :rem 122
920 PRINT"[CLR][DOWN]
    [6 SPACES]***** SKYSC
    APE *****:PRINT"
    [DOWN]DATE INPUT:S1=0
    :rem 176
930 PRINT"[10 Y$]IFY<>0THENGOS
    SUB1770:PRINT:PRINT
    :rem 187
940 INPUT"YEAR[2 SPACES]":Y:IF
    Y<1977THENPRINT"MULT BE GR
    EATER THAN 1977":GOTO940
    :rem 89
950 GOSUB1820:PRINT:INPUT"MONTH
    H(1-12)":M:IFM<1ORM>12TH
    ENPRINTOO$:GOTO950:rem 127
960 DI=VAL(MID$(M$,2,M-1,2)):
    DI=DI-(M-2)*LY:DI$=STR$(DI
    )DI$=RIGHT$(DI$,2) :rem 25
970 PRINT"[DOWN]DAY(1-25)
    [SPACE]":INPUTDI:IFDI<1ORDI>
    25THENPRINTOO$:GOTO970
    :rem 8
980 H$=MID$(AS,M*3-2,3):PRINT:
    PRINT"LATITUDE (-90 TO 90)
    ":INPUTLL :rem 80
990 GOSUB2480 :rem 240
1000 IFABS(LL)>90THENPRINTOO$:
    GOTO980 :rem 72
1010 PRINT:PRINT"[2 DOWN]
    [4 RIGHT]"H$D"(LEFT)"Y:
    PRINT:GOSUB2230:IF Z$="N"
    THEN920 :rem 105

```

A black and white photograph of a person's hand wearing a dark wristwatch, typing on a computer keyboard. The hand is positioned in the lower right of the frame, with fingers pressing keys. The background is dark and out of focus, showing parts of a computer monitor and keyboard.

**It's easy to make a copy.  
It's quick.  
It's illegal.  
It's wrong.**

It's hard to believe.

People who wouldn't think of shoplifting a software product on their lunch hour don't think twice about going back to the office and making several illegal copies of the same software.

Making unauthorized copies of software is a violation of U.S. Copyright Law. Yet, the problem has reached epidemic proportions because many people are unaware, or simply choose to ignore the law. The software industry is urging decision-makers and software users to take steps to stop software piracy in their organizations. In the meantime, the industry has been forced to prosecute willful copyright violators.

There are legal, moral and economic imperatives forbidding theft of copyrighted software.

There is a free pamphlet on the subject. Call or write for a copy. A copy. A copy. A copy for everyone you know. Please ask for Priscilla.



ADAPSO  
1300 North Seventeenth Street  
Arlington, Virginia 22209  
(703) 522-5055



```

1020 D2=VAL(M1D$(M$,M*3-2,3))+
D:GOSUB1860;1FM>2THEND1=D
1+LY;Y1=Y1+LY :rem 253
1030 D3=D2-185;1FM=3ANDD<20THE
ND2=D2+LY;D3=D3+LY;rem 81
1040 S0:=1FD3<0=THENA=180*D2/1
85;GOTO1060 :rem 91
1050 A=180*D3/(180+ZY)+180
:rem 57
1060 IFA<>180THENS=-23.43333333
*SIN(D9*D2*180/185)
:rem 167
1070 IFA>180THENS=-23.43333333
*SIN(D9*D3) :rem 10
1080 IFA>=360THENA=A-360
:rem 97
1090 A=FNR(A) :rem 192
1100 S=FNR(S);A1=(SGN(LL)-(LL=
0))*S+90-ABS(LL);A1=FNR(A
1);GOSUB1470;GOSUB1420
:rem 0
1110 W=1-(SGN(LL)<0);1FA1>90TH
ENAL=180-A1;W=ABS(W-3)
:rem 231
1120 PRINT"[CLR][DOWN]";GOSUB1
770;PRINT"832 Y3";I
S="["LEFT]0" :rem 121
1130 PRINT"PRINT'DAY OF THE YE
AR-----";D1:rem 114
1140 PRINT"SUN'S GEOCENTRIC AN
GLE-----";A1;S :rem 26
1150 PRINT"SUN'S DECLINATION--
-----";S;IS :rem 238
1160 PRINT"SUN'S ALTITUDE AT N
OON-----";A1;IS;D$(W)
:rem 121
1170 PRINT"SUN'S RIGHT ASCENS1
ON-----";A3$ :rem 208
1180 PRINT"R.A. AT 9:00PM-----
-----";A5$ :rem 113
1190 PRINT"MOON'S AGE-----
-----";M1;"DY" :rem 178
1200 PRINT"MOON'S ELONGATION--
-----";M8;["LEFT]0";L$;
IS="["LEFT]0" :rem 172
1210 PRINT"MOON'S PHASE - "PH$
(M3) :rem 115
1220 PRINT"[2 DOWN]-P- PLANET
[SPACE]TABLE , -D- NEW DA
TE";GOTO1920 :rem 159
1230 PRINT"[CLR][DOWN]";PRINTT
AB(7)** PLANET TABLE **
:GOSUB1770;PRINT:PRINT:81
=1 :rem 188
1240 PRINT"PLANET{3 SPACES}DIS
T.{2 SPACES}ANG. W/ SUN
{4 SPACES}R.A." :rem 255
1250 PRINT"838 Y3";PRINT
:rem 138
1260 FORK=1TO6:A2=Y1/P(X,2)-IN
T(Y1/P(X,2));Q3=1:rem 238
1270 A2=A2*360+P(X,1);1FA2>360
THENA2=180;rem 92
1280 E=180+A2;1FE>360THENE=E-36
0 :rem 243
1290 E1=ABS(E-A2);1FE1>180THE
N1=360-E1 :rem 191
1300 GOSUB1530;E1=E1D9;P5=180
(X,3);1FX>3THENGOSUB1980
:rem 125
1310 P(X,4)=SQR(1+P5/2-2*P5*CO
S(E1));XX=(P5/2-1-P(X,4))/
2/(-2/P(X,4)) :rem 90
1320 P(X,5)=ATN(XX/SQR(-XX*XX
+1))+2/P(X,4);INT(P(X,4)
*E5+.5) :rem 55
1330 P(X,5)=P(X,5)/D9;P(X,5)=P
NS(P(X,5));Q1$=STR$(P(X,4)
);Q2$=STR$(P(X,5)) :rem 145
1340 Q1=LEN(Q1$);Q2=LEN(Q2$);G
OSUB1630 :rem 178
1350 PRINTP$(X);TAB(14-Q1);Q1$
;TAB(22-Q2);Q2$;1FQ3=-1T
HENPRINT"0W"; :rem 25
1360 1FQ3=1THENPRINT"0E"; :rem 11
1370 GOSUB1680;Q4$=STR$(Q4);Q5
$=STR$(Q5);1FQ5=10THENQ5$
="0"+RIGHT$(Q5$,1) :rem 221
1380 Q5$=RIGHT$(Q5$,2);Q4$=Q4$
+"":Q5$=Z=LEN(Q4$)
:rem 159
1390 PRINTTAB(26)Q4$TAB(34-Q2)Q
4$;NEXT:PRINT"[2 DOWN]"-
VIS18LE AT 9 P.M." :rem 65
1400 PRINT"[2 DOWN]SUN'S R.A.
[SPACE]-----"SPC(Q8);A3$
:PRINT"R.A. AT 9:00PM ---
"SPC(Q9);A5$ :rem 139
1410 PRINT"[DOWN]-S- FOR DAYS
[SPACE]SKY -D- FOR NEW DA
TE";GOTO1920 :rem 48
1420 A2=K1*A/360;1FA2>K1THENA2=
A2-K1 :rem 23
1430 A3=INT(A2/60);A4=A2-A3*60
;A5=A3+9;1FA5>23THENA5=A5
-24 :rem 223
1440 A4=INT(A2-A3*60+.5);1FA4=
60THENA4=0;A3=A3+1
:rem 150
1450 1FA3=24THENA3=0 :rem 128
1460 AA=A3*60+A4;GOTO1780
:rem 113
1470 M1=(Y1/M9-INT(Y1/M9))*M9+
10;1FM1>M9THENM1=M1-M9
:rem 33
1480 GOSUB2260;M8=360*M2;1FM8>
180THENL$="W" :rem 241
1490 1FM8<180THENL$="E"
:rem 89
1500 1FM8>180THENM8=360-M8
:rem 237
1510 M1=FNR(M1);M8=FNR(M8);YY=
INT(7*(Y1/7-INT(Y1/7))+.2
);1FYF=0THENYY=7 :rem 23
1520 K$=MID$(J$,YY*3-2,3);RETR
RN :rem 68
1530 Q3=0;Q1=E+180;1FQ1>360THE
N1570 :rem 218
1540 1FA2>EANDA2<Q1THEN1560
:rem 78
1550 Q3=1:RETURN :rem 215
1560 Q3=1:RETURN :rem 5
1570 Q1=Q1-360;1FA2<=360ANDA2>
ETHEN1560 :rem 230
1580 1FQ3<0THENRETURN:rem 154
1590 1FA2>0ANDA2<=Q1THEN1560
:rem 123
1600 1FQ3<0THENRETURN:rem 147
1610 1FA2>Q1THEN1550 :rem 132
1620 RETURN :rem 169
1630 Q5=Q3*P(X,5)*4-AA;1FQ5<0T
HENQ5=Q5+K1 :rem 122
1640 1FQ5>K1THENQ5=Q5-K1
:rem 187
1650 P(X,6)=Q5;Q4=INT(Q5/60);Q
5=INT(Q5-Q4*60+.5);1FQ5=6
0THENQ5=0;Q4=Q4+1:rem 189
1660 1FQ4>24THENQ4=0 :rem 165
1670 RETURN :rem 174
1680 SU=A5*60+A4;PS=SU+360;MS=
SU-360;1FPS>K1THENPS=PS-K
1 :rem 230
1690 1FMS<0THENMS=MS+K1
:rem 190
1700 IF MS>PSTHEN1730 :rem 210
1710 1FP(X,6)<PSANDP(X,6)>MSTH
EN1760 :rem 155
1720 Q3$="":RETURN :rem 43
1730 IF P(X,6)<K1ANDP(X,6)>MST
HEN1760 :rem 118
1740 1FP(X,6)<PSTHEN1760 :rem 146
1750 GOTO1720 :rem 208
1760 Q3$="":RETURN :rem 89
1770 PRINT:PRINT K$--- "H$";D
[LEFT];"Y";TAB(20)ABS(LL);L
L$;:RETURN :rem 22
1780 A3$=STR$(A3);A3$=RIGHT$(A
3$,2);A4$=STR$(A4);A4$=R1
GHT$(A4$,2) :rem 108
1790 1FA4<10THENA4$="0"+RIGHT$
(IPA$(A4$,1) :rem 255
1800 A3$=A3$+"":+RIGHT$(A4$,2)
;A5$=STR$(A5);A5$=RIGHT$(
A5$,2)+"":+A4$ :rem 82
1810 Q8=7-LEN(A3$);Q9=7-LEN(A5
$);:RETURN :rem 5
1820 LY=0;1FY/4=INT(Y/4)THENLY
=1 :rem 217
1830 1FY/100=INT(Y/100)ANDY/4
0<INT(Y/400)THENLY=0
:rem 8
1840 1FY/1000=INT(Y/1000)ANDY/
4000=INT(Y/4000)THENLY=0
:rem 174
1850 RETURN :rem 140
1860 Y9=Y+1;1FY9/4=INT(Y9/4)TH
ENZY=1 :rem 207
1870 1FY9/100=INT(Y9/100)ANDY9
/400<INT(Y9/400)THENZY=0
:rem 254
1880 1FY9/1000=INT(Y9/1000)AND
Y9/4000=INT(Y9/4000)THENZY
=0 :rem 130
1890 Y1=Y-1977;Y1=Y1*365+INT(Y
1/4)+D1;1FY>2000THEN1910
:rem 88
1900 Y1=Y1-INT((Y-2001)/100)+1
NT((Y-2001)/400)-INT((Y-1
)/4000) :rem 6
1910 RETURN :rem 171
1920 GETI$;1FI$="":THEN1920
:rem 203
1930 1FI$="D"THEN920 :rem 88
1940 IF(1I$="S"OR1I$="T")ANDS1=1
THEN380 :rem 97
1950 1FI$="P"THEN1230 :rem 145
1960 1FI$="L"ANDS1=1THEN2530
:rem 87
1970 GOTO1920 :rem 214
1980 P5=1.376344086;K5=A2*4
:rem 148
1990 K5=ABS(K5-1233.73)*90/K1;
K5=K5*D9;K5=SIN(K5)*.3225
81224;P5=P5+K5;RETURN
:rem 62
2000 1FCC<=1THENCC=CC+84
:rem 144
2010 CD$=MID$(CC$,CC-1,42)
:rem 70
2020 1FMIDS(CD$,2,1)<>"ANDM1
D$(CD$,3,1)"="THENCDS=M1
D$(CD$,1,40);GOTO2050
:rem 8
2030 1FMIDS(CD$,41,1)<>"ANDM
IDS(CD$,40,1)"="THENCDS=
MIDS(CD$,3,42);GOTO2050
:rem 113
2040 CD$=MID$(CD$,2,40)
:rem 150
2050 CD$="["YEL]"+CD$+"["BLK]";R
ETURN :rem 128
2060 DATA365.26,29.53059,59.81
8184,42.719626,262.364294
,52.916763 :rem 23
2070 DATA134.69697,218.79464,8
7.97,224.7,686.98 :rem 146
2080 DATA4332.79813,10759.7195
,30686.5884 :rem 90
2090 DATA"MERCUY",.3871,"VENU
S",.7233,"MARS",1.5237,"J
UPITER",5.2028 :rem 148

```

```


2100 DATA "SATURN", 9.5308, "URAN
US", 19.182 :rem 14
2110 DATA 56, 68, 68, 68, 56, 0, 0,
255, 239, 199, 131, 131, 199, 2
39, 255 :rem 6
2120 DATA 195, 129, 153, 153, 195, 2
31, 129, 231, 252, 249, 195, 5
3, 153, 153, 199, 255 :rem 40
2130 DATA 255, 195, 189, 129, 129, 1
89, 195, 255, 252, 193, 145, 13
7, 153, 131, 63, 127 :rem 2
2140 DATA 255, 153, 153, 153, 219, 2
31, 255, 255 :rem 230
2150 DATA 245, 234, 213, 202, 213, 1
39, 7, 31 :rem 66
2160 DATA "SA", "SC", "LI", "VI",
"LE", "CA", "GE", "TA", "AR",
"PI", "AQ", "CP" :rem 220
2170 DATA "NEW", "WAXING CRESCEN
T", "1ST QUARTER", "WAXING
[SPACE] GIBBOUS", "FULL"
:rem 255
2180 DATA "WANING GIBBOUS", "3RD
QUARTER", "WANING CRESCEN
T" :rem 224
2190 DATA 1770, 1719, 1620, 1500, 1
418, 1365, 1335, 1310, 1290, 1
275, 1260 :rem 96
2200 DATA 1238, 1220, 1200, 1178, 1
115, 915, 720, 660, 640, 625, 6
10 :rem 39
2210 PRINT "[CLR][11 DOWN]" SPC(
11) "***** SKYSCAPE *****"
:rem 116
2220 POKE 53272, (PEEK(53272) AND
240) OR 14: SYS 828: POKE 53280,
7: RETURN :rem 32
2230 PRINT "-N- TO RE-INPUT OR
[SPACE] RETURN TO CONTINUE"
:rem 192
2240 GET Z$: IF Z$ = "N" THEN 2240
:rem 229
2250 RETURN :rem 169
2260 M2=M1/M9: IF M1<10RM1>28.5T
HEN M3=1 :rem 180
2270 IF M1>=1AND M1<6.9 THEN M3=2
:rem 204
2280 IF M1<=8.0AND M1>=6.9 THEN M3=
3 :rem 112
2290 IF M1>8.0AND M1<14.2 THEN M3=4
:rem 32
2300 IF M1>=14.2AND M1<=15.2 THEN
M3=5 :rem 195
2310 IF M1>15.2AND M1<21.6 THEN M3=
6 :rem 77
2320 IF M1>=21.6AND M1<=22.6 THEN
M3=7 :rem 203
2330 IF M1>22.6AND M1<=28.5 THEN M3=
8 :rem 150
2340 RETURN :rem 169
2350 B$="": IF Y<1985AND Y<1986
THEN 750 :rem 109
2360 IF (Y=1985AND D1<305) OR (Y=1
986AND D1<149) THEN 750
:rem 131
2370 HD=D1+365: IF HD>516 THEN HD=
HD-365 :rem 81
2380 H1=(HD-295)/10: HD=INT(H1)
+H1-H1 :rem 151
2390 T4=HC(HD)-HC(HD+1)+T4=HC(
HD)-H1*T4: IF T4>K1 THEN T4=T4-
4-K1 :rem 219
2400 GOSUB 800: IF Y=999 THEN 750
:rem 236
2410 GOSUB 890: IF T4<1115AND T4<4
120 THEN U9=U9+40 :rem 176
2420 IF T4>1290 THEN U9=U9-40
:rem 2
2430 IF T4>615AND T4<1115 THEN U9=
U9+80 :rem 113
2440 U7=U9: S$="E-J" HALLEY'S C
OMET": GOTO 710 :rem 43

```

```

2450 GOSUB 890: PK=1423-Y9+U9+LB
:rem 249
2460 IF LL<0 THEN PK=2247+80*XX-P
K :rem 106
2470 RETURN :rem 173
2480 LL$="[LEFT]0N": IF LL<0 THEN
LL$="[LEFT]8S" :rem 159
2490 LL=ABS(LL): IF ABS(LL)<24TH
ENL1=40 :rem 191
2500 LC=INT((LL-40)/7+.5): LB=L
C*40:D1=VAL(MID$(D$,M*3-2
,3))+D :rem 30
2510 IF ABS(LL)<24 THEN LB=40*INT
(ABS(LL)/7+.5) :rem 47
2520 RETURN :rem 169
2530 PRINT "[CLR][DOWN]"
[6 SPACES] ***** SKYS
CAPE ***** :PRINT"
[DOWN] LATITUDE CHANGE"
:rem 8
2540 PRINT "[E15 Y3]": GOSUB 1770
:rem 222
2550 PRINT "{3 DOWN}": INPUT "INP
UT NEW LATITUDE": LL:PRINT
:PRINT :rem 21
2560 IF ABS(LL)>90 THEN PRINT
[SPACE] OOS: GOTO 2550
:rem 127
2570 GOSUB 2230: IF Z$="N" THEN 248
0 :rem 140
2580 GOSUB 2480: I$="S": GOTO 1940
:rem 217
2590 FOR X=1704 TO 1723: U1=PEEK(X
): U2=PEEK(3447-X): POKE X, U
2: POKE(3447-X), U1: NEXT
:rem 206
2600 FOR X=1704 TO 1742: IF PEEK(X)
=160 THEN 2620 :rem 229
2610 U1=PEEK(X): U2=PEEK(X+1): P
OKEX, U2: POKE X+1, U1: X=X+1
:rem 72
2620 NEXT: RETURN :rem 35

```



A view of the night sky in the Atari version of "Skyscape."

## Program 2: Atari Skyscape

Version by Kevin Mykytyn, Editorial Programmer

```

CG 100 POKE 106, PEEK(106) - 5:
GRAPHICS 0: OPEN #1, 4,
B, "K."
CG 110 DIM D$(36), M$(9), M$(
36), A$(36), O$(16), MD
$(24), Z$(200), P$(43),
J$(21), F$(200), CC$(20
0), SPC$(30), Q$(11)
CG 120 DIM PH$(120), HC(22), R
$(10), T$(10), Q1$(10),
Q2$(10), Q3$(10), O4$(1
0), Q5$(10), L$(10), O0$(
10), A1$(10), A2$(10),
A4$(10)

```

```

CH 130 DIM A$(10), I$(2), CD$(
50), PP(B), D1$(3), H$(
5), LL$(3), DIR$(2), Z$(
1), K$(21), A$(10), U(1
0), P(6, 6), B$(15)
K1 140 FOR A=1 TO 6: FOR B=1
TO 6: P(A, B)=0: U(A)=0:
NEXT B: NEXT A
CG 150 POKE B2, 0: P1=3.1415: S
CREEN=PEEK(BB)+256*PE
EK(B9): FOR X=1 TO 30:
SPC$(X, X)=": NEXT X
CG 160 P$="": P$(43)=P$: P$(2
)=P$: PH$="": PH$(120)
=PH$: PH$(2)=PH$
CG 170 GOSUB 2220
CG 180 D$="00003105909012015
11B1212243273304334":
K1=1440: MM$="00090B400
B"
CG 190 M$="2B63173450104107
2102133164194225255":
DIR$(1, 1)="S": DIR$(2,
2)="N": ES=93
CG 200 A$="JANFEBMARAPR MAYJU
NUL AUGSEP OCT NOV DEC":
O0$=" (DOWN) OUT OF RAN
GE! (DOWN)"
CG 210 MD$="3128313031303131
30313031": D9$=3.141592
65/180: READ EE: READ M
9: GOTO 240
CG 220 Z2=INT(Z2*100+0.5)/10
0: RETURN
CG 230 Z2=INT(Z2*10+0.5)/10:
RETURN
CG 240 FOR Y=1 TO 2: FOR X=1
TO 6: READ Z2: P(X, Y)=Z
2: NEXT Y: NEXT X: Y=0
CG 250 FOR X=1 TO 6: READ Z2:
P$(X-1)*7+1, X*7)=Z2:
: READ Z2: P(X, 3)=Z2: I
EXT X: FOR X=1 TO B: RE
AD A
CG 260 POKE CHBAS+256+X, A: NE
XT X
CG 270 FOR X=CHBAS+60B TO CH
BAS+663: READ A: POKE X,
255-A: POKE X+1024, A:
NEXT X: FOR X=1 TO 7: P
(X)=X+75: NEXT X
CG 280 J$="SAT SUN MON TUE WED TH
UR FRI": FOR X=1 TO 12: R
EAD F$
CG 290 CC$(X-1)*7+1, (X-1)*7
+5)="C5 222222": CC$(
(X-1)*7+6, X*7)=F$: NEX
T X: CC$(LEN(CC$)+1, 2$
LEN(CC$))=CC$
CG 300 F$=CC$(LEN(CC$)-B, LEN
(CC$)): F$(LEN(F$)+1, L
EN(F$)+LEN(CC$))=CC$:
CC$=F$
CG 310 FOR X=1 TO B: READ Z2:
PH$(X-1)*15+1, X*15)=
Z2$: NEXT X
CG 320 FOR X=1 TO 22: READ Z2:
HC(X)=Z2: NEXT X: FOR
X=CHBAS+60B TO CHBAS+
667: READ B: POKE X, B: N
EXT X: GOTO 920
CG 330 CC=M-720: IF CC<0 THE
N CC=CC+1
CG 340 CC=CC/120: CD=CC-INT(C
C): CC=INT(CC): CD=INT(C
D)+7+0.2: CC=B1-(CC*7
+CD)
CG 350 GOSUB 2010: PRINT CD$:
IF LL<0 THEN GOSUB 2
620
CG 360 RETURN
JA 370 PRINT "[CLEAR]": POSIT
ION 10, 1: PRINT " ** DA
YS SKY **": GOSUB 1770
:PRINT

```

```

67 380 R$="":T$="":Z$="":PR
INT:PRINT "INPUT THE
TIME:PRINT "{15 U}
":T1=0:T2=0
67 390 PRINT:PRINT "
{5 SPACES}HOUR (0-23)
":INPUT T1:IF T1<0
OR T1>23 THEN PRINT 0
0$:GOTO 390
67 400 PRINT:PRINT "
{3 SPACES}MINUTE (0-5
9)":PRINT T2:IF T2<
0 OR T2>59 THEN PRINT
00$:GOTO 410
67 410 R$=STR$(T1):T$=STR$(T
2):IF LEN(T$)=1 THEN
Z$="0":Z$=(2,LEN(T$)
+1):T$=T$:Z$=Z$
67 420 PRINT "{2 DOWN}TIME--
":R$;";":T$
67 430 PRINT:GOSUB 2260:IF
Z$="N" THEN PRINT 370
67 440 PRINT "CLEAR":T3=T1
$60+T2+AA-720:IF T3<0
THEN T3=T3+K1
67 450 IF T3>K1 THEN T3=T3-K
1
67 460 MT=T3-360:IF MT<0 THE
N MT=MT+K1
67 470 PT=T3-360:IF PT>K1 TH
EN PT=PT-K1
67 480 GOSUB 1770:PRINT SPC$(
1,3);R$;":":T$
67 490 RF=128:Z$=R$:Z$=(LEN
(Z$)+1,LEN(Z$)+1)="$
":Z$=(LEN(Z$)+1,LEN
(Z$)+1,LEN(T$)):T$=TM
VAL(Z$)
67 500 IF TM<6 OR TM>18 THEN
RF=0
67 510 XX=7+LC:FOR X=1 TO 14
:IF X=XX THEN 530
67 520 FOR A=1 TO 40:PRINT C
HR$(RF+32):NEXT A:GO
TO 540
67 530 FOR Z=1 TO 40:PRINT
CHR$(45+RF):NEXT Z
67 540 NEXT X:GOSUB 330:IF L
L<0 THEN 570
67 550 IF LL>24 THEN PRINT "
E{18 SPACES}S
{19 SPACES}W":GOTO 590
67 560 PRINT "UP-NORTH
{5 SPACES}----OVERHEA
{5 SPACES}00WN-SOUTH
":GOTO 590
67 570 IF ABS(LL)>24 THEN PR
INT "W{18 SPACES}N
{19 SPACES}E":GOTO 590
67 580 PRINT "UP-SOUTH
{5 SPACES}----OVERHEA
{5 SPACES}00WN-NORTH
"
67 590 T4=AA:GOSUB 800:Y8=88
8:IF Y9=999 THEN 630
67 600 Y8=Y9:GOSUB 2480:IF A
1<0 THEN 630
67 610 IF PK<SCREEN+679 OR P
K<SCREEN+120 THEN 630
67 620 POKE PK,10+RF
67 630 T4=AA+M2*K1:IF T4>K1
THEN T4=T4-K1
67 640 GOSUB 800:Y9=999 T
HEN 680
67 650 MM=INT(M1/9.833333)+1:
GOSUB 900:IF Y9=999 T
HEN 680
67 660 GOSUB 2480:IF PK<SCRE
EN+679 OR PK<SCREEN+1
20 THEN 680
67 670 POKE PK,MM+RF:IF ABS(
Y8-Y9)<=0.5 THEN POKE
PK,84
67 680 FOR X=1 TO 7:IF X=7 T

```

```

HEN 2380
67 690 T4=P(X,6):GOSUB 800:I
F Y9=999 THEN 750
67 700 U9=SIN(P(X,6)/4*09):U
9=-3+U9+0.5:U9=INT(U9
):U(X)=U9*40
67 710 PK=SCREEN+399-Y9+U(X)
+18:GOSUB 2490
67 720 IF PK>SCREEN+679 OR P
K<SCREEN+120 THEN 750
67 730 Z=PEEK(PK):IF Z<0RF A
NO Z<0:13+RF THEN PK=P
K+SGN(LL)*40-(LL<0)*4
0:PRINT "A":GOTO 730
67 740 POKE PK,PP(X)+RF
67 750 NEXT X:POSITION 0,19
67 760 PRINT "{MERCURY
{2}VENUS{4 SPACES}
{2}MARS{5 SPACES}{2}J
UPITER"
67 770 PRINT "{SATURN
{4 SPACES}{2}URANUS
{3 SPACES}{2}SUN
{6 SPACES}{2}MOON"
67 780 PRINT "{NEW MOON
+ SUN
":8$
67 790 PRINT:PRINT "T- NEW
TIME,P- P.TABLE,0- OA
TE,L- LAT":GOTO 1930
67 800 Y9=999:IF MT<PT THEN
650
67 810 IF T4>=MT OR T4<=PT T
HEN 830
67 820 IF T4>=MT AND T4<=K1
THEN 870
67 830 T4=T4+K1:GOTO 870
67 840 IF T4>=MT AND T4<=PT
THEN 870
67 850 RETURN
67 860 RETURN
67 870 Y9=INT((T4-MT)/18+0.5
):IF Y9=40 THEN Y9=39
67 880 RETURN
67 890 U9=SIN(T4/4/(1/09)):U
9=-3+U9+0.5:U9=INT(U9
):U9=U9*40:RETURN
67 900 MM=VAL(MM$(3*MM-2,3*
M)):IF LL<0 AND MM<8
1 THEN MM=ABS(MM-17)
67 910 RETURN
67 920 PRINT "CLEAR{DOWN}
{5 SPACES}*****
SKYSCAPE *****
":PRINT "{DOWN}DATE IN
PUT:S1=0
67 930 PRINT "{10 U}":IF Y<
0 THEN GOSUB 1770:PRI
NT:PRINT
67 940 PRINT "YEAR":INPUT
Y:IF Y<1977 THEN PRI
NT "MUST BE GREATER T
HAN 1977":GOTO 940
67 950 GOSUB 1830:PRINT:PRI
NT "MONTH (1-12)":I
NPUT M:IF M<1 OR M>12
THEN PRINT 00$:GOTO
950
67 960 OI=VAL(M0$(2*M-1,2*M
)):OI=OI+(M=2)*1:O1$=
STR$(OI)
67 970 PRINT "{DOWN}DAY (1-
):O1$="":INPUT O:IF
O<1 OR O>31 THEN PRI
NT 00$:GOTO 970
67 980 H$=A$(M*3-2,M*3):PRIN
T:PRINT "LATITUDE (-
90 TO 90)":INPUT L
67 990 GOSUB 2510
67 1000 IF ABS(LL)>90 THEN P
RINT 00$:GOTO 780
67 1010 PRINT:PRINT "
{2 DOWN}{4 RIGHT}:"H
$;":O1$="":Y:PRINT
:GOSUB 2260:IF Z$="N
" THEN 920

```

```

67 1020 O2=VAL(M$(M*3-2,M*
3))+0:GOSUB 1870:IF
M>2 THEN O1=O1+LY:Y1
=Y1+LY
67 1030 O3=02-185:IF M=3 AND
O<20 THEN O2=O1+LY:
O3=O3+LY
67 1040 S=0:IF O3<=0 THEN A=
18002/185:GOTO 1060
67 1050 A=(18003/(180+Y2))+
180
67 1060 IF A<180 THEN S=23.
43333333SIN(O9*02*180
/185)
67 1070 IF A>180 THEN S=-23.
43333333SIN(O9*03)
67 1080 IF A>=360 THEN A=A-3
60
67 1090 Z$=A:GOSUB 220:A=Z
Z$=S:GOSUB 220:S=Z
67 1100 A1=(SGN(LL)+(LL=0))*
S+90-ABS(LL):Z$=A1:G
OSUB 220:A1=Z$:GOSUB
1470:GOSUB 1420
67 1110 W=1+(SGN(LL)<0):IF A
1>90 THEN A1=180-A2:
W=ABS(W-3)
67 1120 PRINT "CLEAR{DOWN}
":GOSUB 1770:PRINT:
PRINT "{32 U}":T$="0
"
67 1130 PRINT:PRINT "DAY OF
THE YEAR-----
",O1
67 1140 PRINT "SUN'S GEOCENT
RIC ANGLE-----",A1$
67 1150 PRINT "SUN'S DECLINA
TION-----",S1$
67 1160 PRINT "SUN'S ALTITU
DE AT NOON-----",A1$;
":O1$(W,W)
67 1170 PRINT "SUN'S RIGHT A
SCENSION-----",A3$
67 1180 PRINT "R.A. AT 9:00P
M-----",A5$
67 1190 PRINT "MOON'S AGE---
-----",M1$;
":OY"
67 1200 PRINT "MOON'S ELONGA
TION-----",M8;1$
":L$1$="
67 1210 PRINT "MOON'S PHASE
-":PH$(M3-1)*15+1,
M3*15)
67 1220 PRINT "{2 DOWN}-P- P
PLANET TABLE, -O- NE
W DATE:GOTO 1930
67 1230 PRINT "{CLEAR{DOWN}
":PRINT "{7 SPACES}*
* PLANET TABLE **":G
OSUB 1770:PRINT:PRI
NT:S1=1
67 1240 PRINT "PLANET
{3 SPACES}DIST. ANG
. W/ SUN{4 SPACES}R.
A"
67 1250 PRINT "{38 U}":PRINT
67 1260 FOR X=1 TO 6:A2=Y1/P
(X,2)-INT(Y1/P(X,2))
:Q3=1
67 1270 A2=A2+360+P(X,1):IF
A2>360 THEN A2=A2-36
0
67 1280 E=180+A:IF E>360 THE
N E=E-360
67 1290 E1=ABS(E-A2):IF E1>
80 THEN E1=360-E1
67 1300 GOSUB 1530:E1=E1*09:
P$=P(X,3):IF X=3 THE
N GOSUB 1990
67 1310 P(X,4)=SGR((1+P$*2-2)*
P$*05(E1)):XX=P$*2
-1-P(X,4)/2/(-2*P(X
,4))

```



```

NI 1320 P(X,5)=-ATN(XX/SQR(-
      XXXX+1))+PI/2:P(X,4)
      =INT(P(X,4)*ES+0.5)
      P(X,5)=P(X,5)/Q
LA 1330 ZZ=P(X,5):GDSUB 230:
      P(X,5)=ZZ:Q1%=STR$(P
      (X,4)):Q2%=STR$(P(X,
      5))
LC 1340 Q1=LEN(Q1%):Q2=LEN(Q
      2%):GDSUB 1630
DE 1350 PRINT P(X,4)*17+1,X
      *7):PDKE 85,14-01,P
      RINT Q1%:PDKE 85,22-
      02:PRINT Q2%:IF Q3
      =-1 THEN PRINT "0W"
AL 1360 IF Q3=-1 THEN PRINT "
      0E"
LN 1370 GDSUB 1680:Q4%=STR$(
      Q4):Q5%=STR$(Q5):IF
      Q5<10 THEN ZZ="0":Z
      Z%=(2,LEN(Q5%)+1)=Q5%
      :Q5%=ZZ%
BL 1380 Q4=(LEN(Q4%)+1,LEN(Q
      4%)+1)="":Q4=(LEN(Q
      4%)+1,LEN(Q4%)+LEN(Q
      5%))=Q5%:Z=LEN(Q4%)
AO 1390 PRINT :PDKE 85,26:P
      RINT QQ%:PDKE 85,34-
      Z:PRINT Q4%:NEXT X:
      PRINT " (2 ODWN)X - V
      IS18LE AT 9:00 P.M."
JB 1400 PRINT " (2 ODWN)SUN'S
      R.A. -----15PC$(
      1,08):A3%:PRINT "R.A.
      AT 9:00PM ----":5PC
      $(1,09):A5%
DN 1410 PRINT " (ODWN)-S- FDR
      QAYS SKY -0- FQR NE
      W QATE":GDTD 1930
BN 1420 A2=K1A/360:IF A2>K1
      THEN A2=A2-K1
NP 1430 A3=INT(A2/60):A4=A2-
      A3*60:A5=A3+9:IF A5>
      23 THEN A5=A5-24
NS 1440 A4=INT(A2-A3*60+0.5)
      :IF A4=60 THEN A4=0:
      A3=A3+1
JA 1450 IF A3=24 THEN A3=0
HB 1460 AA=A3*60+A4:GDTD 178
      0
CB 1470 M1=(Y1/M9-INT(Y1/M9)
      )+M9+10:IF M1>M9 THE
      N M1=M1-M9
PE 1480 GDSUB 2290:M8=360*M2
      :IF M8>180 THEN L%="
      W"
FJ 1490 IF M8<180 THEN L%="
      E"
DN 1500 IF M8>180 THEN M8=36
      0-M8
DO 1510 ZZ=M1:GDSUB 220:M1=Z
      Z:ZZ=M8:GDSUB 220:M8=
      ZZ:YY=INT(7*(Y1/7-I
      NT(Y1/7))+0.2):IF YY
      =0 THEN YY=7
PS 1520 K%=J$(YY*3-2,YY*3):R
      ETURN
ML 1530 Q3=0:Q1=E+180:IF Q1>
      360 THEN 1570
ED 1540 IF A2<E AND A2<Q1 TH
      EN 1560
NH 1550 Q3=1:RETURN
AF 1560 Q3=-1:RETURN
OG 1570 Q1=Q1-360:IF A2<360
      AND A2>E THEN 1560
JK 1580 IF A2<0 THEN RETURN
NL 1590 IF Q3<0 ANQ A2<Q1 T
      HEN 1560
JO 1600 IF Q3<0 THEN RETURN
IE 1610 IF A2<Q1 THEN 1550
KJ 1620 RETURN
HK 1630 Q5=Q3*P(X,5)+AA:IF
      Q5<0 THEN Q5=Q5+K1
LL 1640 IF Q5>K1 THEN Q5=Q5-
      K1
DN 1650 P(X,6)=Q5:Q4=INT(Q5/
      60):Q5=INT(Q5-Q4*60+
      0.5):IF Q5=60 THEN Q
      5=0:Q4=Q4+1
KF 1660 IF Q4=24 THEN Q4=0
LD 1670 RETURN
DB 1680 SU=A5*60+A4:P5=SU+36
      0:M5=SU-360:IF P5>K1
      THEN PS=P5-K1
LD 1690 IF M5<0 THEN MS=M5+K
      1
NC 1700 IF M5>P5 THEN 1730
JL 1710 IF P(X,6)<P5 ANQ P(X
      ,6)>M5 THEN 1760
CL 1720 QQ%="" :RETURN
EK 1730 IF P(X,6)<K1 ANQ P(X
      ,6)>M5 THEN 2000
JC 1740 IF P(X,6)<P5 THEN 17
      60
NA 1750 GDTD 1720
FJ 1760 QQ%="" :RETURN
MA 1770 PRINT "PRINT K%:--
      :H%:" :D%:" :Y%:PD
      KE 85,20:PRINT ABS(L
      L):LL%:RETURN
HK 1780 A3%=STR$(A3):A4%=STR
      $(A4)
NL 1790 IF A4<10 THEN ZZ%="0
      ":ZZ%=(2,2)=A4%:A4%=Z
      Z%
NL 1800 A3%=(LEN(A3%)+1,LEN(A
      3%)+1)="":A3%=(LEN(A
      3%)+1,LEN(A3%)+LEN(A
      4%))=A4%:A5%=STR$(A5
      )
PD 1810 A5%=(LEN(A5%)+1,LEN(A
      5%)+1)="":A5%=(LEN(A
      5%)+1,LEN(A5%)+LEN(A
      4%))=A4%
AG 1820 Q8=7-LEN(A3%):Q9=7-L
      EN(A5%):RETURN
NK 1830 LY=0:IF Y/4=INT(Y/4)
      THEN LY=1
AJ 1840 IF Y/100=INT(Y/100)
      AND Y/400<INT(Y/400)
      THEN LY=0
IK 1850 IF Y/1000=INT(Y/1000)
      ) AND Y/4000=INT(Y/4
      000) THEN LY=0
KF 1860 RETURN
MA 1870 Y9=Y+1:IF Y9/4=INT(Y
      9/4) THEN ZY=1
PP 1880 IF Y9/100=INT(Y9/100)
      ) ANQ Y9/400<INT(Y9
      /400) THEN ZY=0
ID 1890 IF Y9/1000=INT(Y9/10
      00) ANQ Y9/4000=INT(
      Y9/4000) THEN ZY=0
FB 1900 Y1=Y-1977:Y1=Y1*365+
      INT(Y1/4)+Q1:IF Y<20
      0 THEN 1920
AR 1910 Y1=Y1-INT((Y-2001)/1
      000)+INT((Y-2001)/400
      )-INT((Y-1)/4000)
KH 1920 RETURN
PB 1930 XX=VAL(STR$(0))+GET
      #1,I:Q%=CHR$(I)
GB 1940 IF Q%="D" THEN 920
HB 1950 IF Q%="S" DR Q%="T"
      ) AND S1=1 THEN 370
JK 1960 IF Q%="P" THEN 1230
OG 1970 IF Q%="L" AND S1=1 T
      HEN 2560
NI 1980 GDTD 1930
PP 1990 P5=1.37634408:K5=A2*
      9
FK 2000 K5=AB5(K5-1233.73)*9
      0/K1:K5=K5*Q9:K5=SIN
      (K5*0.322581224:P5=
      P5+K5:RETURN
JB 2010 IF CC<1 THEN THEN CC=CC+
      84
NK 2020 CD%=CC%(CC-1,CC+41)
NP 2030 IF CD%<(2,2)>"■" AND
      CQ%(3,3)=""■" THEN C
      Q%=CQ%(1,40):GQTQ 20
      60
JM 2040 IF CD%(41,41)<"■" A
      NQ CD%(40,40)=""■" TH
      EN CQ%=CD%(3,42):GQT
      D 2060
BO 2050 CD%=CD%(2,41)
KI 2060 RETURN
BI 2070 QATA 365.26,29.53059
      ,59.818184,42.719626
      ,262.364294,52.91676
      3
JB 2080 QATA 134.69697,218.7
      9464,87.97,224.7,686
      .98
FL 2090 QATA 4332.79813,1075
      9.7195,30686.5884
HM 2100 QATA MERCURY,.3871,V
      ENUS,.7233,MARS,1.52
      3,JUPITER,5.2028
IK 2110 QATA SATURN ,9.5308,
      URANUS,19.182
AK 2120 QATA 56,68,68,68,56,
      0,0,255,239,199,13
      1,131,199,239,255
CJ 2130 QATA 195,129,153,153
      ,195,231,129,231,252
      ,249,195,153,153,153
      ,199,255
AD 2140 QATA 255,195,189,129
      ,129,189,195,255,252
      ,193,145,137,153,131
      ,63,127
DN 2150 QATA 255,153,153,153
      ,219,231,255,255
ED 2160 QATA 245,234,213,202
      ,213,137,7,31
KN 2170 QATA SA,SC,LI,VI,LE,
      CA,GE,TA,AR,PI,AL,C
      P
KN 2180 DATA NEW,WAXING CRES
      CENT,1ST QUARTER,WAX
      ING GIBBOUS,FULL
BF 2190 QATA WANING GIBBOUS,
      3RD QUARTER,WANING C
      RESCENT
FI 2200 QATA 1770,1719,1620,
      1500,1418,1365,1335,
      1310,1290,1275,1260
DA 2210 QATA 1258,1220,1200,
      1178,1115,915,720,66
      0,640,625,610,255,25
      5,0,0,0,0,0,0
BF 2220 POKE 56,PEEK(106)+1
      :PRINT "CLEAR"
      (6 ODWN):(11
      * SKYSPACE * )
IK 2230 PRINT " (2 ODWN)
      (10 SPACES)REDEFINING
      CHARACTERS"
EE 2240 CHBAS=(PEEK(106)+1)*
      256:FDR I=0 TO 1023:
      POKE CHBAS+I,PEEK(57
      344+I):NEXT I
      RETURN
NJ 2250 PRINT "N- TO RE-INP
      UT DR RETURN TO CDNT
      INUE"
NK 2270 GET #1,ZZ:Z%=CHR$(ZZ)
      RETURN
KH 2280 M2=M1/M9:IF M1<1 QR
      M1>28.5 THEN M3=1
      IF M1=>1 ANQ M1<6.9
      THEN M3=2
      IF M1<8 AND M1>6.9
      THEN M3=3
      IF M1>8 AND M1<14.2
      THEN M3=4
      IF M1>14.2 ANQ M1<=
      15.2 THEN M3=5
      IF M1>15.2 AND M1<21
      .6 THEN M3=6
      IF M1>21.6 ANQ M1<=
      22.6 THEN M3=7

```

```

J 2360 IF M1>22.6 AND M1<=2
      8.5 THEN M3=8
K 2370 RETURN
H 2380 B$="":IF Y<>1985 AND
      Y<>1986 THEN 750
J 2390 IF (Y=1985 AND D1<30
      5) OR (Y=1986 AND O1
      >149) THEN 750
E 2400 HO=O1+365:IF HO>516
      THEN HO=HO-365
J 2410 H1=(HO-295)/10:HO=IN
      T(H1):H1=H1-HO
N 2420 T4=HC(HO)-HC(HO+1):T
      4=HC(HO)-H1*T4:IF T4
      >K1 THEN T4=T4-K1
O 2430 GOSUB 800:IF Y9=999
      THEN 750
L 2440 GOSUB 890:IF T4>1115
      AND T4<1200 THEN U9
      =U9+40
A 2450 IF T4>1290 THEN U9=U
      9-40
H 2460 IF T4>615 AND T4<=11
      15 THEN U9=U9+80
O 2470 U(7)=U9:8$="(2) HALLE
      Y'S COMET:GOTO 710
K 2480 GOSUB 890:PB=SCREEN+
      399-Y9+U9+L8
I 2490 IF LL<0 THEN PK=2*SC
      REEN+199+80*XX-PK
K 2500 RETURN
F 2510 LL$="0N":IF LL<0 THE
      N LL$="3S"
L 2520 L1=ABS(LL):IF ABS(LL
      )<24 THEN L1=40
O 2530 LC=INT((L1-40)/7+.05
      ):L8=LC*40:O1=VAL(O$
      ((M*3)-2,M*3))+D
C 2540 IF ABS(LL)<24 THEN L
      8=40*INT(ABS(LL)/7+.0
      5)
K 2550 RETURN
O 2560 PRINT " {CLEAR} {DOWN}
      {6 SPACES}*****
      * SKYSCAPE *****
      **":PRINT " {DOWN}LAT
      ITUDE CHANGE"
O 2570 PRINT " {15 U}":GOSUB
      1770
A 2580 PRINT " {3 DOWN}":PRI
      NT "INPUT NEW LATITU
      DE":INPUT LL:PRINT
      :PRINT
IF 2590 IF ABS(LL)>90 THEN P
      RINT OD$:GOTO 4560
P 2600 GOSUB 2260:IF Z$="N"
      THEN 2510
O 2610 GOSUB 2510:I$="S":GO
      TO 1950
O 2620 FOR X=SCREEN+680 TO
      SCREEN+699:U1=PEEK(X
      ):U2=PEEK(2*SCREEN+1
      399-X):POKE X,U2:POK
      E 2*SCREEN+1399-X,U1
      :NEXT X
O 2630 FOR X=SCREEN+680 TO
      SCREEN+710:IF PEEK(X
      )=120 THEN 2650
E 2640 U1=PEEK(X):U2=PEEK(X
      +1):POKE X,U2:POKE X
      +1,U1:X=X+1
O 2650 NEXT X:RETURN

```


### Program 3: IBM PC/PCjr Skyscape

Version by Tim Victor, Editorial  
Programmer

```

M 100 KEY OFF:WIDTH 80:COLOR 0,
      0,0:CLS
O 110 GOSUB 2210
F 120 O$="000031059090120151181

```



"Skyscape" on the IBM PC/PCjr.

```

212243273304334":K1=1440:
DIM HC(22):MH$="041079040
"
L 130 MH$="286317345011041072102
133164194225255":O$(1)="S
"+O$(2)="N":ES=93
O 140 A$="JANFEBMARAPRMAJUNJUL
AUGSEPCTNOVDEC":DO$="DUT
OF RANGE!":O6$=CHR$(248)
H 150 MD$="312831303130313031
3031":D9=ATN(1)/45:READ E
E:READ M9:DIM P(6,6)
M 160 DEF FNR(X)=INT(X*10+.5)/1
0
J 170 DEF FNS(X)=INT(X*100+.5)/1
00
A 180 FOR Y=1 TO 2:FOR X=1 TO 6
      :READ P(X,Y):NEXT Y:
      NEXT X
H 190 FOR X=1 TO 6:READ P$(X),P
      (X,3):NEXT
P 200 FOR X=1 TO 7:READ PP(X):N
      EXT
I 210 J$="SATSUMMONTUEWEDTHURFI
      ":DFR X=1 TO 12:READ F$
      :CC$=CC$+F$
      :F$=NEXT:C
      C$=CC$+CC$:F$=RIGHT$(CC$,
      9):CC$=F$+CC$
I 230 FOR X=1 TO 8:READ PH$(X):
      NEXT
J 240 FOR X=1 TO 22:READ HC(X):
      NEXT:GOTO 880
J 250 CC=MT-720:IF CC<0 THEN CC
      =CC+K1
M 260 CC=CC/120:CD=CC-INT(CC):C
      C=INT(CC):CD=INT(CD*7+.2)
      :CC=81-(CC*7+CD)
J 270 GOSUB 2060:IF LL<0 THEN G
      OSUB 2610
M 280 PRINT CD$:RETURN
L 290 LOCATE 24,20:PRINT SPC(40
      ):
E 300 LOCATE 4,SL:PRINT "*** DAY
      S SKY **":LOCATE 5,SL:PRI
      NT "-----"
L 310 LOCATE 7,SL:PRINT "INPUT
      THE TIME:":LOCATE 8,SL:PR
      INT "-----"
M 320 LOCATE 9,SL:PRINT "HOUR (
      0-23)":GOSUB 2450:IF I<=
      3" THEN TI=VAL(I$)
H 330 IF TI<0 OR TI>23 THEN LOC
      AT 10,SL:3:PRINT OD$:GOT
      O 320
P 340 LOCATE 11,SL:PRINT "MINUT
      E (0-59)":GOSUB 2450:IF
      I$<>" " THEN T2=VAL(I$)
M 350 IF T2<0 OR T2>59 THEN LOC
      AT 12,SL:PRINT OD$:GOTO
      340
I 360 R$=RIGHT$(STR$(T1),2):T$=
      RIGHT$(STR$(T2),2):IF T2<
      10 THEN T$="0"+RIGHT$(T$,
      1)
P 370 LOCATE 14,SL:PRINT "TIME-
      -R$":T$
O 380 LOCATE 24,20:GOSUB 2230:I

```

```

F I$="N" THEN 290
K 390 LOCATE 3,4:CLS:T3=T1*60+T2
      +AA-720:IF T3<0 THEN T3=T
      3+K1
L 400 IF T3>K1 THEN T3=T3-K1
J 410 MT=T3-360:IF MT<0 THEN MT
      =MT+K1
O 420 PT=T3+360:IF PT>K1 THEN P
      T=PT-K1
H 430 LOCATE 2,18:PRINT "DAY'S
      SKY--":GOSUB 1800:PRIN
      T " "R$":T$
J 440 LOCATE 3,18:PRINT "-----
      -----"
I 450 COLOR 7,1:TM=VAL(R$+."+T
      $):IF TM<6 DR TM>18 THEN
      COLOR 7,0
O 460 XX=7+LC:FOR X=1 TO 14:LOC
      AT 3+X,20:IF X=XX THEN 4
      80
E 470 PRINT SPC(40):GOTO 490
M 480 PRINT "-----"
      :
J 490 NEXT:LOCATE 18,20:COLOR 0
      ,6:GOSUB 250:LOCATE 19,20
      :COLOR 7,1:IF LL<0 THEN 5
      20
E 500 IF LL>24 THEN PRINT "E"SP
      C(18)"S"SPC(19)"W":GOTO 5
      40
F 510 PRINT "UP-NDRTH"----O
      VERHEAD DOWN-SOUTH":G
      OTD 540
O 520 IF LL<-24 THEN PRINT "E"SP
      C(18)"N"SPC(19)"W":GOTO
      540
G 530 PRINT "UP-SDUTH"----O
      VERHEAD DOWN-NORTH"
P 540 T4=AA:GOSUB 780:Y8=888
S 550 IF Y9=999 THEN 590
P 560 GOSUB 2460:Y8=Y9:IF A1<0
      THEN 590
E 570 IF U9>17 OR U9<4 THEN 590
O 580 COLOR 7,1:LOCATE U9,59-Y9
      :PRINT CHR$(42)
O 590 T4=AA+2*K1:IF T4>K1 THEN
      T4=T4-K1
E 600 COLOR 7,1:IF TM<6 DR TM>1
      8 THEN COLOR 7,0
O 610 GOSUB 780:IF Y9=999 THEN
      650
M 620 MH=INT(M1/9.83333)+1:GOSU
      B 860
M 630 GOSUB 2460:IF U9>17 OR U9
      <4 THEN 650
O 640 LOCATE U9,59-Y9:PRINT CHR
      $(MM):IF ABS(Y8-Y9)<=.5 T
      HEN COLOR 17,Y8:LOCATE U9
      5-Y9:PRINT CHR$(79):COLOR
      7,1
A 650 FOR X=1 TO 7:IF X=7 THEN
      2350
J 660 T4=P(X,6):GOSUB 780:IF Y9
      =999 THEN 730
I 670 U9=SIN((P(X,6)/4)/(1/D9))
      :U9=-3*U9+.5
O 680 GOSUB 2470
K 690 IF U9<4 OR U9>17 THEN 730
O 700 Z=SCREEN(U9,59-Y9)
B 710 IF Z<>52 AND Z<>45 THEN U
      9=U9+SGN(LL)+(LL=0):GOTO
      700
O 720 LOCATE U9,59-Y9:PRINT CHR
      $(PP(X)):
O 730 NEXT
E 740 LOCATE 21,14:COLOR 3,4:FO
      R X=1 TO 6:PRINT CHR$(PP(
      X)):P$(X):
      :NEXT
J 750 LOCATE 22,14:PRINT "X$UN
      )O(MOON NEW MOON +
      SUN "":8$
P 760 LOCATE 22,33:COLOR 4,3:PR
      INT "O":COLOR 3,4
H 770 LOCATE 24,20:PRINT "T- NE

```

```

W TIME,P- P. TABLE,D- DAT
E,L- LAT";S:L=62:GOTO 198
NH 780 Y9=999:IF MT<PT THEN 820
NH 790 IF T4<MT AND T4>PT THEN R
RETURN
FK 800 IF T4<MT DR T4>K1 THEN T4
=T4+K1
NH 810 GOTO 830
LB 820 IF T4<MT OR T4>PT THEN R
TURN
FA 830 Y9=INT((T4-MT)/18+.5):IF
Y9=40 THEN Y9=39
NK 840 RETURN
FC 850 Y9=SIN(T4/4)/(1/09):Y9=
INT(-38U9+.5):RETURN
FL 860 MM=VAL(MID$(MM$,3,MM-2,3)
):IF L<0 AND MM<>81 THEN
MM=ABS(MM-81)
NA 870 RETURN
DN 880 COLDR 0,3:CLS:LDCATE 2,20
:PRINT "***** SK
YSCAPE *****:LDC
ATE 4,10:PRINT "DATE INP
UT":S1=0
CA 890 LDCATE 5,10:PRINT "-----
":IF Y<0 THEN LDCATE
4,40:GDSUB 1800
LI 900 LDCATE 7,4:PRINT "YEAR":IF
GDSUB 2450:IF I$(>) THEN
Y=VAL(I$)
MC 910 IF Y<1977 THEN PRINT "MUS
T BE AFTER 1977:GOTO 900
DJ 920 GDSUB 1800:LDCATE 9,4:PRI
NT "MONTH (1-12)":GDSUB
2450:IF I$(>) THEN M=VAL
(I$)
NB 930 IF M<1 OR M>12 THEN PRINT
D$:GOTO 920
DJ 940 D1=VAL(MID$(M0$,2,M1-1,2)
):D1=D1-(M-2)*LY:D1$=STR$(
D1)
IO 950 LDCATE 11,4:PRINT"DAY (1-
"D1$)":GDSUB 2450:IF I$
(>) THEN D=VAL(I$)
FE 960 IF D<1 OR D>31 THEN PRINT
D$:GOTO 950
LB 970 H$=MID$(A$, (M3-2)-3):LDC
ATE 13,4:PRINT "LATITUDE
(0-90)":GDSUB 2450:IF I
$(>) THEN LL=VAL(I$)
CH 980 GDSUB 2500
FR 990 IF ABS(LL)>90 THEN PRINT
D$:GOTO 970
QP 1000 D1=VAL(MID$(D$, (M3-2),3)
)+0:GDSUB 1920:IF M>2
THEN D1=D1+LY:Y1=Y1+LY
NA 1010 S=0:GDSUB 1540:LDCATE 4,
40:GDSUB 1800:LDCATE 5,4
0:PRINT "-----"
NH 1020 LDCATE 24,20:GDSUB 2230:
IF I$="" THEN 880
BB 1030 LDCATE 24,20:PRINT SPC(4
0)
FN 1040 D2=VAL(MID$(M$, (M3-2)-3)
)+0:GDSUB 1920:IF M>
2 THEN D1=D1+LY:Y1=Y1+
LY
AO 1050 D3=D2-185:IF M=3 AND D<2
0 THEN D2=D2+LY:D3=D3
+LY
DN 1060 IF D3<0 THEN A=180:D2/1
85:GOTO 1080
II 1070 A=(180+D3/(180+ZY))+180
LC 1080 IF A<180 THEN S=23.43333
3*SIN(D9D2/180/180)
LD 1090 IF A>180 THEN S=-23.4333
33*SIN(D9D2/180/180)
ND 1100 IF A>360 THEN A=A-360
LC 1110 A=FNR(A)
KA 1120 S=FNR(S):A1=(SGN(LL)-(LL
=0))$+90-ABS(LL):A1=FNR
(A1):GDSUB 1490:GDSUB 14
40
AF 1130 W=1-(LL<0):IF A1>90 THEN
A1=180-A1:W=3-W
PE 1140 LDCATE 7,36:PRINT "DAY O
F THE YEAR-----
":D1
JO 1150 LDCATE 8,36:PRINT "SUN'S
GEOCENTRIC ANGLE----
":STR$(A1):DG$
JM 1160 LDCATE 9,36:PRINT "SUN'S
DECLINATION-----
":STR$(S1):DG$
QA 1170 LDCATE 10,36:PRINT "SUN"
S ALTITUDE AT NOON----
":STR$(A1):DG$(D$(W)
NM 1180 LDCATE 11,36:PRINT "SUN"
S RIGHT ASCENSION----
":A3$
HF 1190 LDCATE 12,36:PRINT "R.A.
AT 9:00PM-----
":A5$
BC 1200 LDCATE 13,36:PRINT "MODN
'S AGE-----
":STR$(M1):"DY"
HN 1210 LDCATE 14,36:PRINT "MODN
'S ELONGATION-----
":STR$(M0):DG$:L$
EN 1220 LDCATE 15,36:PRINT "MODN
'S PHASE - PH$(M3)
LD 1230 LDCATE 24,20:PRINT "P-
PLANET TABLE, -0- NEW DA
TE":GOTO 1980
JK 1240 COLDR 7,5:CLS:LDCATE 2,2
0:PRINT "SKYSCAPE-
":GDSUB 1800:S1=1
NF 1250 LDCATE 4,12:PRINT"PLA
NET TABLE":LDCATE 5,1
2:PRINT "-----"
PD 1260 LDCATE 7,4:PRINT "PLANET
DIST. ANG. W/ SUN
R.A."
NH 1270 LDCATE 8,4:PRINT "-----
-----"
PO 1280 FDR X=1 TD 6:A2=Y1/P(X,2)
)-INT(Y1/P(X,2)):Q3=1
SE 1290 A2=(A2*360)+X(X,1):IF A2
>360 THEN A2=A2-360
NK 1300 E=180+A:IF E>360 THEN E=E
-360
JL 1310 E1=ABS(E-A2):IF E1>180 T
HEN E1=360-E1
NF 1320 GDSUB 1500:E1=E1D9:P5=P
(X,3):IF X=3 THEN GDSUB
2840
KI 1330 P(X,4)=SDR(1+P5*2-2*P5*C
DS(E1)):X=(P5*2-1-P(X,
4))/2)-(-2*P(X,4))
NE 1340 P(X,5)=ATN(X/X/SDR(-X/X$
X+1))+ATN(1)*2:P(X,4)=IN
T(P(X,4)*93+.5):P(X,5)=P
(X,5)/D9
JM 1350 P(X,5)=FNS(P(X,5)):Q1$=S
TR$(P(X,4)):Q2$=STR$(P(X
,5))
QI 1360 Q1=LEN(Q1$):Q2=LEN(Q2$)
:GDSUB 1660
FM 1370 LDCATE X+8,4:PRINT P$(X)
:TAB(18-Q1):Q1$:TAB(28-Q
2):Q2$:IF Q3=-1 THEN PR
INT DG$W";
BE 1380 IF Q3=1 THEN PRINT DG$E
";
KN 1390 GDSUB 1710:Q4$=STR$(Q4)
:Q5$=STR$(Q5):IF Q5<10 TH
EN Q5$="0"+RIGHT$(Q5$,1)
BN 1400 Q5$=RIGHT$(Q5$,2):Q4$=Q4
$+Q5$:Q5$=Z=LEN(Q4$)
GC 1410 PRINT TAB(32):G08:TAB(40
-2):Q4$:NEXT:Q4$:LDCATE 15,4
:PRINT " *- VISIBLE AT 9
P.M."
JA 1420 LDCATE 17,4:PRINT "SUN'S
R.A.-----":SPC(08):A
3$:LDCATE 18,4:PRINT "R.
A. AT 9:00PM -----":SPC(09
)A5$
FD 1430 SL=S2:LDCATE 24,20:PRINT
"----- FDR DAY'S SKY, -D-
FDR NEW DATE":GOTO 198
0
FD 1440 A2=K1*A/360:IF A2>K1 THE
N A2=A2-K1
HD 1450 A3=INT(A2/60):A4=A2-A3*6
0:A5=A3+9:IF A5>23 THEN
A5=A5-24
PM 1460 A4=INT(A2-A3*60+.5):IF A
4=60 THEN A4=0:A3=A3+1
JO 1470 IF A5>24 THEN A3=0
SH 1480 AA=A3*60+A4:GOTO 1840
EN 1490 M1=(Y1/M9)-INT(Y1/M9)*M
9+10:IF M1>M9 THEN M1=M
1-M9
PK 1500 GDSUB 2260:M8=360*M2:IF
M8>180 THEN L$="W"
MB 1510 IF M8<180 THEN L$="E"
KN 1520 IF M8>180 THEN M8=360-M8
HF 1530 M1=FNR(M1):M8=FNR(M8):RE
TURN
FL 1540 YY=INT(7*(Y1/7-INT(Y1/7)
+.2):IF YY=0 THEN YY=7
NR 1550 K$=MID$(J$, (Y1*3)-2,3):R
ETURN
DN 1560 Q3=0:Q1=E+180:IF Q1>360
THEN 1600
IE 1570 IF A2>E AND A2<Q1 THEN I
590
DN 1580 Q3=1:RETURN
BA 1590 Q3=1:RETURN
LA 1600 Q1=Q1*360:IF A2<=360 AND
A2>E THEN 1590
NK 1610 IF Q3<0 THEN RETURN
EN 1620 IF A2>0 AND A2<=Q1 THEN
1590
NA 1630 IF Q3<0 THEN RETURN
FD 1640 IF A2>Q1 THEN 1580
JB 1650 RETURN
NK 1660 Q5=Q3*P(X,5)*4+AA:IF Q5<
0 Q5=Q5+K1
NM 1670 IF Q5>K1 THEN Q5=Q5-K1
EL 1680 P(X,6)=Q5:Q4=INT(Q5/60)
:Q5=INT(Q5-Q4*60+.5):IF Q
5=60 THEN Q5=0:Q4=Q4+1
IH 1690 IF Q4=24 THEN Q4=0
JY 1700 RETURN
NM 1710 SU=A5*60+A4:PS=SU+360:MS
=SU-360:IF PS<K1 THEN PS
=PS-K1
NB 1720 IF MS<0 THEN MS=MS+K1
LE 1730 IF MS>PS THEN 1760
DS 1740 IF P(X,6)*PS AND P(X,6)>
0 THEN 1790
EI 1750 Q8$="":RETURN
SK 1760 IF P(X,6)<K1 AND P(X,6)>
0 THEN 1790
LD 1770 IF P(X,6)*PS THEN 1790
CR 1780 GOTO 1750
LD 1790 Q0$="":RETURN
BN 1800 LL$=RIGHT$(STR$(ABS(LL)
),2):IF ABS(LL)<10 THEN L
L$=" "+RIGHT$(LL$,1)
NK 1810 PRINT K$:"-":H$:STR$(D
):"":Y1:" ":LL$:DG$:PRI
NT MID$("SN", (LL<0)+2,1)
:
LN 1820 IF D<10 THEN PRINT " ";
JE 1830 RETURN
NB 1840 A4$=RIGHT$(STR$(A4),2)
NP 1850 IF A4<10 THEN A4$="0"+RI
GHT$(A4$,1)
NP 1860 A3$=STR$(A3)+": "+A4$:A5$
=STR$(A5)+": "+A4$
GJ 1870 Q87=LEN(A3$):Q97=LEN(A5$)
:RETURN
ND 1880 LY=0:IF Y/4=INT(Y/4) THE
N LY=LY
GI 1890 IF Y/100=INT(Y/100) AND
Y/400<INT(Y/400) THEN LY
=0
FN 1900 IF Y/1000=INT(Y/1000) AN
D Y/4000=INT(Y/4000) THE
N LY=0

```



```

JA 1910 RETURN
Y9=Y+1 IF Y9/4=INT(Y9/4)
THEN ZY=1
LO 1930 IF Y9/100=INT(Y9/100) AND
Y9/400<INT(Y9/400) THEN
EN ZY=0
QI 1940 IF Y9/1000=INT(Y9/1000)
AND Y9/4000=INT(Y9/4000)
THEN ZY=0
BF 1950 Y1=Y-1777;Y1=Y1*365+INT(
Y1/4)+D1:IF Y<2000 THEN
1970
DC 1960 Y1=Y1-INT((Y-2001)/100)+
INT((Y-2001)/400)-INT((Y
-1)/4000)
KC 1970 RETURN
JB 1980 GOSUB 2240
JC 1990 IF I$="D" THEN 880
JL 2000 IF (I$="S" OR I$="T") AND
O S1=1 THEN 290
NK 2010 IF I$="P" THEN 1240
NS 2020 IF I$="D" AND S1=1 THEN
2540
EE 2030 GOTO 1980
AB 2040 P$=1.376344;K$=A2#4
LC 2050 K$=ABS(K$-1235.73)*90/K1
K$=K$*90;K$=SIGN(K$)*.32
25812:P$=P$+K$*RETURN
FP 2060 IF CC<0 THEN CC=CC+84
CD 2070 CD$=MID$(CC$,CC-1,1):IF MI
D$(CD$,2,1)<>" " AND MID
$(CD$,3,1)=" " THEN CD$="
" +CD$
SC 2080 IF MID$(CD$,40,1)=" " AN
D MID$(CD$,41,1)<>" " THEN
N CD$=MID$(CD$,2)
JF 2090 CD$=MID$(CD$,2,40):RETU
N
HO 2100 DATA 356.26,29.53059,59.
B18184,42.719626,262.364
394,52.9196763
OP 2110 DATA 134.69697,218.79464
,87.97,224.7,686.98
PO 2120 DATA 4332.79813,10759.71
95,30686.5884
NA 2130 DATA "MERCURY",.3871,"VE
NUS",.7233,"MARS",1.5237
,"JUPITER",5.2028
SK 2140 DATA "SATURN",9.5388,"UR
ANUS",19.182
JL 2150 DATA 4,232,229,21,237,15
7,231
GO 2160 DATA "SA","SC","LI","VI"
,"LE","CA","GE","TA","AR"
,"PI","AQ","CP"
HI 2180 DATA "NEW","WAXING CRESC
ENT","1ST QUARTER","WAXI
NG GIBBOUS","FULL"
HI 2180 DATA "WANING GIBBOUS","3
RD QUARTER","WANING CRE
SCENT"
HM 2190 DATA 1770,1719,1620,1500
,1418,1365,1335,1310,129
0,1275,1260
PO 2200 DATA 1238,1220,1200,1178
,1115,915,720,660,640,62
5,610
LI 2210 CLS:LOCATE 7,12:PRINT "*"
*** SKYSCAPE ****
IS 2220 RETURN
NH 2230 PRINT "--N- TO RE-INPUT O
R RETURN TO CONTINUE"
EL 2240 I$="":WHILE LEN(I$)=0:I$
=INKEY$:WEND:IF I$="2" T
HEN I$=CHR$(ASC(I$)-32)
JP 2250 RETURN
NM 2260 M2=M1/M9:IF M1<1 OR M1>2
8.5 THEN M3=1
EL 2270 IF M1>=1 AND M1<6.9 THEN
M3=2
DE 2280 IF M1>=6.9 AND M1<=8 THE
N M3=3
DA 2290 IF M1>8 AND M1<14.2 THEN
M3=4
IC 2300 IF M1>14.2 AND M1<15.2
THEN M3=5

```

```

OK 2310 IF M1>=15.2 AND M1<21.6
THEN M3=6
FC 2320 IF M1>=21.6 AND M1<=22.6
THEN M3=7
DA 2330 IF M1>22.6 AND M1<=2B.5
THEN M3=8
JO 2340 RETURN
JL 2350 B$="":IF Y<1985 AND Y<>
1986 THEN 730
NO 2360 IF (Y=1985 AND D1<305) O
R (Y=1986 AND D1>149) TH
EN 730
QI 2370 HD=D1*365:IF HD>516 THEN
HD=HD-365
DB 2380 H1=(HD-295)/10:HD=INT(H1
):H1=H1-HD
NA 2390 T4=HC(HD)-HC(HD+1):T4=HC
(HD)-H1*T4:IF T4>1440 TH
EN T4=T4-1440
NS 2400 GOSUB 780:IF Y9=999 THEN
730
PH 2410 GOSUB 850:IF T4>1115 AND
T4>1200 THEN U9=U9+1
HM 2420 IF T4>1290 THEN U9=U9-1
IP 2430 IF T4>615 AND T4<1115 TH
EN U9=U9+2
PI 2440 U(7)=U9:B$=CHR$(PP(7))+
"HALLEY'S COMET":GOTO 680
QI 2450 INPUT "":I$=I$+RETU
PJ 2460 GDSUB 850
SM 2470 IF LL=0 THEN U9=LC+10+U
9:GOTO 2490
CL 2480 U9=LC+10-U9:Y9=39-Y9
KP 2490 RETURN
IK 2500 LL$="ON":IF LL<0 THEN LL
$="OS"
IO 2510 L1=ABS(LL):IF ABS(LL)<24
THEN L1=40
IK 2520 LC=INT((L1-40)/7+.5):D1=
VAL(MID$(D$, (M3*3)-2,3))+
D
JP 2530 RETURN
OP 2540 LOCATE 24,20:PRINT SPC(4
0):
EH 2550 LOCATE 7,SL:PRINT "NEW L
ATTITUDE":LDLOCATE B,SL:PR
INT "-----"
DO 2560 LOCATE 9,SL:PRINT "LAT (
0-90)":GOSUB 2450:IF I$
<>" " THEN LL=VAL(I$)
BJ 2570 IF ABS(LL)>90 THEN LOCAT
E 10,SL+3:PRINT DO$:GOTO
2560
LO 2580 LOCATE 24,20:GOSUB 2230:
IF I$="N" THEN 2540
IE 2590 LOCATE 9,SL:PRINT SPC(80
-SL):
BK 2600 GDSUB 2500:I$="S":GOTO 2
000
JI 2610 CI=1:C2$=" "
DB 2620 C1$=MID$(C0$,CI,1):IF C1
$<>" " THEN 2640
FA 2630 C2$=C1$+C2$:CI=CI+1:GOTO
2650
NM 2640 C2$=MID$(C0$,CI,2)+C2$:C
I=CI+2
IC 2650 IF CI<41 THEN 2620
LO 2660 C0$=C2$:RETURN

```

## Program 4: Apple Skyscape


Version by Tim Victor, Editorial Programmer

IO 2670 GOSUB 1940

```

# 70 DB "00003105907012015118
1212243273304334":K1=144
0: DIM HC(22):NM$="04108
1040"
BI 80 M$="28631734501104107210
2133164194225255":D$(1)=
"S":O$(2)="N":ES=93
23 90 A$="JANFEBMARAPRMAJUNJUL
LAUGSEPDOCTNOVDEC":OD$="D

```



"Skyscape" on an Apple II-series computer.

```

UT DF RANGE!"
2A 100 MD$="312831303130313130
313031":D9=ATN(1)/45
: READ EE: READ M9: DIM P
(6,6)
C8 110 DEF FN R(X)=INT(X*10
0+.5)/100
48 120 DEF FN S(X)=INT(X*10
0+.5)/10
88 130 FOR Y=1 TO 2:FOR X=1
TO 6: READ P(X,Y):NEXT
: NEXT Y:Y=0
73 140 FOR X=1 TO 6: READ P$(X
),P(X,3):NEXT
14 150 FOR X=1 TO 7:PP(X)=X
+85:NEXT
IF 160 J$="SATSUMONTUEWTHUR
RI":FDR X=1 TO 12:REA
D F$
88 170 CC$=C$+" " +F$:
NEXT :CC$="CC$+C$:F$
=RIGHT$(CC$,9):CC$=F
$+CC$
CI 180 FDR X=1 TO 8: READ PH(
X):NEXT
2E 190 FOR X=1 TO 22: READ HC(X
):NEXT :R$="0":T$="
00":GOTO 720
3B 200 CC=MT-720:IF CC<0
THEN CC=CC+K1
2C 210 CC=CC/120:CC=CC-I
NT(CC):CC=INT(CC):CC
=INT(CC*7+.2):CC=
81-(CC*7+CO)
51 220 GOSUB 1770:IF LL<0 THE
N GOSUB 5000
92 225 VTAB 17:PRINT C0$:RETU
RN
DB 230 HDME:HTAB 10:PRINT "##
DAYS SKY ##":VTAB 3:GD
SUB 1550:HTAB 31:PRINT
R$:"T$
OF 240 HTAB 5:HTAB 1:PRINT "IN
PUT THE TIME":PRINT "--
88 245 PRINT "PRINT " HDUR
(0-23)":GOSUB 2240:IF
I$<>" " THEN T1=VAL
(I$)
83 250 IF T1<0 OR T1>23 THEN
PRINT DO$:GOTO 245
A3 255 PRINT "PRINT " MINUTE
(0-59)":GOSUB 2240:IF
I$<>" " THEN T2=VAL
(I$)
9D 260 IF T2<0 OR T2>59 THEN
PRINT DO$:GOTO 255
BS 270 R$=STR$(T1):T$=STR$
(T2):IF LEN(T$)=1 THE
N T$="0"+T$
EB 280 VTAB 13:PRINT "TIME--"R
$:"T$
AA 290 PRINT :GOSUB 2020:IF I$
="N" THEN 230
10 300 HOME:TS=T1*60+T2+
A3-720:IF T3<0 THEN
TS=T3+K1

```

```

7 610 Y9 = 999: IF MT < PT THEN
        660
36 620 IF (T4 > = MT) OR (T4 < =
        PT) THEN 640
10 630 RETURN
87 640 IF (T4 > = MT) AND (T4 <
        = K1) THEN 680
70 650 T4 = T4 + K1: GOTO 680
04 660 IF (T4 > = MT) AND (T4 <
        = PT) THEN GOTO 680
24 670 RETURN
74 680 Y9 = INT ((T4 - MT) / 18
        + .5): IF Y9 = 40 THEN Y9
        = 39
28 690 RETURN
6A 700 U9 = SIN (INT (4 / (1 /
        D9)):U9 = INT (-M * 3 * U9
        + .5): RETURN
56 710 MM = VAL MID$(MM$,3 *
        MM + 2,3): IF LL < 0 AND
        MM < > B1 THEN MM = ABS
        (MM - B1)
20 715 RETURN
DA 720 HOME : VTAB 2: HTAB 7: PR
        INT "***** SKYSCAPE
        *****": VTAB 4: PRIN
        T "OATE INPUT"
56 730 PRINT "-----": IF Y
        < > 0 THEN VTAB 6: GOSUB
        1550: PRINT : PRINT
E5 740 PRINT "YEAR ": GOSUB 22
        40: IF I% < > "" THEN Y =
        VAL (I%)
14 745 IF Y < 1977 THEN PRINT "M
        USH BE AFTER 1977": GOTO
        740
03 750 GOSUB 1600: PRINT : PRINT
        "MONTH (1-12) ": GOSUB
        2240: IF I% < > "" THEN M =
        VAL (I%)
B5 755 IF M < 1 OR M > 12 THEN P
        RINT 00$: GOTO 750
45 760 O1 = VAL ( MID$(MM$,2 *
        M - 1,2)):O1 = D1 + (M
        = 2) * LY:O1% = STR$(O1):O
        I% = RIGHT$(O1%,2)
38 770 PRINT : PRINT "OAY (1-DI
        $)": GOSUB 2240: IF I%
        < > "" THEN O = VAL (I%)
8A 775 IF D < 1 OR D > O1 THEN P
        RINT 00$: GOTO 770
F2 780 H% = MID$(A$, (M * 3) -
        2,3) + " ": PRINT : PRINT
        "LATITUDE (0-90)": GOSUB
        2240: IF I% < > "" THEN
        LL = VAL (I%)
F8 786 GOSUB 4500
E9 790 IF ABS (LL) > 90 THEN PRIN
        T 00$: GOTO 790
68 B00 PRINT : HTAB 5: GOSUB 129
        5: GOSUB 1550: PRINT : PR
        INT : GOSUB 2200: IF I% =
        "N" THEN 720
B0 B20 O2 = VAL ( MID$(M$, (M *
        3) - 2,3) + D: GOSUB 164
        0: IF M > 2 THEN O1 = O1
        + LY:Y1 = Y1 + LY
20 B30 O3 = O2 - 185: IF M = 3 A
        NO D < 20 THEN O2 = O2 +
        LY:O3 = O3 + LY
F0 B40 S = 0: IF O3 < 0 THEN A
        = 180 * O3 / 185: GOTO B
        60
E2 B50 A = 180 * O3 / (180 + ZY)
        + 180
82 B60 IF A > 180 THEN S = 23.
        4333333 * ( SIN (O9 * O3
        * 180 / 185))
04 B70 IF A > 180 THEN S = -23.
        43333333 * ( SIN (O9 * O3
        ))
E9 B80 IF A > 360 THEN A = A -
        360
B3 B85 A = FN R(A)
E1 B90 S = FN R(S):A1 = ( SGN (

```


November 1985 **COMPUTE!** 75

```

5F 1180 VTAB 17: PRINT "SUNS R.A.
  - - - - - SPC( QB)A3$:
  PRINT "R.A. AT 9:00PM -
  - - - SPC( Q9)A5$
15 1190 VTAB 21: PRINT "-S- FOR
  DAYS SKY -D- FOR NEW DAT
  E": GOTO 1700
04 1200 A2 = K1 # A / 360: IF A2
  > K1 THEN A2 = A2 - K1
77 1210 A3 = INT (A2 / 60): A4 =
  A2 - A3 # 60: A5 = A3 + 9
  : IF A5 > 23 THEN A5 = A
  5 - 24
27 1220 A4 = INT (A2 - A3 # 60 +
  .5): IF A4 = 60 THEN A4
  = 0: A3 = A3 + 1
93 1230 IF A3 = 24 THEN A3 = 0
05 1240 AA = A3 # 60 + A4: GOTO
  1560
80 1250 M1 = ((Y1 / M9) - INT (Y
  1 / M9)) # M9 + 10: IF M
  1 > M9 THEN M1 = M1 - M9
08 1260 GOSUB 2050: MB = 360 # M2
  : IF MB > 180 THEN L$ =
  "W"
84 1270 IF MB < 180 THEN L$ =
  "E"
EE 1280 IF MB > 180 THEN MB = 36
  0 - MB
56 1290 M1 = FN R(M1): MB = FN R(
  MB)
88 1295 Y1 = INT (7 # (Y1 / 7 -
  INT (Y1 / 7)) + .2): IF
  YY = 0 THEN YY = 7
48 1300 K5 = MID$(J$, (Y # 3) -
  2, 3): RETURN
14 1310 Q3 = 0: Q1 = E + 180: IF
  Q1 > 360 THEN 1350
61 1320 IF A2 > E AND A2 < Q1 TH
  EN 1340
02 1330 Q3 = 1: RETURN
18 1340 Q3 = -1: RETURN
66 1350 Q1 = Q1 - 360: IF A2 < =
  360 AND A2 > E THEN 134
  0
80 1360 IF Q3 < > 0 THEN RETURN
88 1370 IF A2 > 0 AND A2 < = Q1
  THEN 1340
95 1380 IF Q3 < > 0 THEN RETURN
44 1390 IF A2 > Q1 THEN 1330
09 1400 RETURN
F8 1410 Q5 = Q3 # P(X, 5) # 4 + A
  A1: IF Q5 < 0 THEN Q5 = 0
  5 # K1
80 1420 IF Q5 > K1 THEN Q5 = Q5
  - K1
92 1430 P(X, 6) = Q5: Q4 = INT (Q5
  / 60): Q5 = INT (Q5 - Q4
  # 60 + .5): IF Q5 = 60
  THEN Q5 = 0: Q4 = Q4 + 1
29 1440 IF Q4 = 24 THEN Q4 = 0
09 1450 RETURN
88 1460 SU = A5 # 60 + A4: PS = S
  U + 360: MS = SU - 360: I
  F PS > K1 THEN PS = PS -
  K1
96 1470 IF MS < 0 THEN MS = MS +
  K1
5A 1480 IF MS > PS THEN 1510
2A 1490 IF P(X, 6) < PS AND P(X, 6
  ) > MS THEN 1540
02 1500 Q0$ = " ": RETURN
DE 1510 IF P(X, 6) < K1 AND P(X, 6
  ) > MS THEN 1540
46 1520 IF P(X, 6) < PS THEN 1540
63 1530 GOTO 1500
A3 1540 Q0$ = " ": RETURN
88 1550 PRINT K$; "H$; D", "Y":
  " ": IF LL < 10 THEN PRI
  NT " "
A0 1555 PRINT AB$ (LL): LL$: RET
  URN
EF 1560 A3$ = STR$(A3): A3$ = RI
  GHT$(A3$, 2): A4$ = STR$(
  (A4): A4$ = RIGHT$(A4$, 2)

```





The TI-99/4A version of "Skyscape."

## Program 5: TI-99/4A Skyscape

Version by Patrick Parrish,  
Programming Supervisor

```

100 GOTO 130
110 PK=PK-1023 : PKROW=I
    NT(PK/40)-1 : PKCOL=
    PK-(PKROW+1)*40 : RE
    TURN
120 FOR I=1 TO LEN(QQ%) :
    CALL HCHAR(ROW,COL+I
    ,ASC(EG$(QQ%,I,1))) :
    NEXT I : RETURN
130 MM$="0981080999" : CA
    LL CLEAR : CALL SCRE
    EN(15) : DISPLAY AT(1
    ,6) : **** SKYSCALE *
    *** : DISPLAY AT(22
    ,8) : "INITIALIZING..."
140 O$="00003105909012015
    1181212243273304334"
    : K1=1440 : OIM HC(
    22) : M$="28631734501
    104107210213316419422
    5255"
150 ES=93 : O1$(1)="S" :
    O1$(2)="N"
160 A$="JANFEBMARAPRMYJU
    NJULAU8SEPCTNOVDEC"
    : O0$="OUT OF RANGE!"
    : M0$="3128313031"
    30313130313031" : O9
    =PI/180 : READ EE,M
170 OIM P(6,6) : DEF R(X)
    =INT(X*100+.5)/100 :
    DEF S(X)=INT(X*100+.5
    )/10
180 FOR Y=1 TO 2 : FOR X
    =1 TO 4 : READ P(X,Y)
    : NEXT X : NEXT Y
190 FOR X=1 TO 6 : READ
    P$(X),P(X,3) : NEXT X
200 FOR X=1 TO 7 : PP(X)
    =X*99 : NEXT X
210 J$="SATSNMONTUEWOETH
    UFRI" : CALL SCREEN(
    12) : FOR X=1 TO 12 :
    READ F$
220 CC$=CC$+RPT$(CHR$(12B
    ),5)+F$ : NEXT X :
    CC$=CC$+CC$ : F$=SEG
    $(CC$,LEN(CC$)-B,9) :
    CC$=F$+CC$
230 FOR X=1 TO B : READ

```

```

PH$(X) : NEXT X : FO
R X=1 TO 22 : READ H
C(X) : NEXT X : GOSU
B 2300 : GOTO B30
240 CC=MT-720 : IF CC<0
    THEN CC=CC+K1
250 CC=CC/120 : CO=CC-IN
    T(CO) : CC=INT(CO) :
    CO=INT(CO*7+.2) : CC=
    B1-(CC*7+CO)
260 GOSUB 1800 : QQ$=CO$
    : ROW=16 : COL=0 :
    : GOSUB 120
270 IF LL>0 THEN RETURN
280 FOR I=1 TO 16 : CALL
    GCHAR(16,I,2) : CALL
    GCHAR(16,33-I,2) :
    CALL HCHAR(16,I,1) :
    CALL HCHAR(16,33-I
    ,1) : NEXT I
290 FOR I=1 TO 31 : CALL
    GCHAR(16,I,2) : IF 2
    =128 THEN 310
300 CALL GCHAR(16,I+1,2)
    : CALL HCHAR(16,I,2)
    : CALL HCHAR(16,I+1
    ,2) : I=I+1
310 NEXT I : RETURN
320 CALL CLEAR : DISPLAY
    AT(2,9) : ** DAYS SKY
    ** : Q=1 : GOSUB
    1600
330 DISPLAY AT(6,1) : "INPU
    T THE TIME" : DISPL
    AY AT(7,1) : "-----
    -----" : T1,T2=0
340 DISPLAY AT(9,4) : "HOUR
    (0-23) ?" : ACCEPT
    AT(9,18) : T1 : IF T1<
    0 OR T1>23 THEN Q=10
    : GOSUB 2290 : GOTO
    340
350 DISPLAY AT(11,4) : "MIN
    UTE (0-59) ?" : ACCE
    PT AT(11,20) : T2 : IF
    T2<0 OR T2>59 THEN Q=
    12 : GOSUB 2290 :
    GOTO 350
360 R$=STR$(T1) : T$=STR$
    (T2) : IF LEN(T$)=1 T
    HEN T$="0"+T$
370 DISPLAY AT(15,1) : "TIM
    E--" : R$;T$ : T$
    GOSUB 2050 : IF Z$="
    R" THEN 320
390 CALL CLEAR : T3=T1*6
    0+T2+AA-720 : IF T3<
    0 THEN T3=T3+K1
400 IF T3>K1 THEN T3=T3-K
    1
410 MT=T3-360 : IF MT<0
    THEN MT=MT+K1
420 PT=T3+360 : IF PT>K1
    THEN PT=PT-K1
430 DISPLAY AT(1,1) : K$;"-
    "ITEM$;STR$(Y);TAB(17
    );STR$(ABS(LL));LL$;
    " : R$;T$;T$
440 CALL COLOR(9,1,5,10,1
    ,5) : TM=VAL(R$&".&T
    $) : IF TM<6 OR TM>18
    THEN CALL COLOR(9,1
    ,2,10,1,2)
450 FOR X=2 TO 15 : CALL
    HCHAR(X,1,107,32) :
    NEXT X : XX=7+LC :
    FOR I=2 TO 32 STEP 2
    : CALL HCHAR(XX+1,1
    ,96) : NEXT I
460 GOSUB 240 : ROW=17 :
    COL=0 : IF LL<0 TH
    EN 490
470 IF LL>24 THEN QQ$="E

```

```

(14 SPACES)$
(15 SPACES)$W" : GOSUB
    120 : GOTO 510
480 QQ$="UP-N(6 SPACES)-O
    VERHEAD-(6 SPACES)OOW
    N-S" : GOSUB 120 :
    GOTO 510
490 IF ABS(LL)>24 THEN QQ
    $="W(14 SPACES)$N
    (15 SPACES)$E" : GOSUB
    120 : GOTO 510
500 QQ$="UP-S(6 SPACES)-O
    VERHEAD-(6 SPACES)OOW
    N-S" : GOSUB 120
510 T4=AA : GOSUB 710 :
    YB=B88 : IF Y9=999
    THEN 550
520 YB=Y9 : GOSUB 2380 :
    : IF A1<0 THEN 550
530 IF PK>1703 OR PK<1144
    THEN 550
540 GOSUB 110 : IF PKCOL
    >4 AND PKCOL<37 THEN
    CALL HCHAR(PKROW,PKCO
    L-4,97)
550 T4=AA+M*2K1 : IF T4>
    K1 THEN T4=T4-K1
560 GOSUB 710 : IF Y9=99
    9 THEN 600
570 MM=INT(M1/9.83333)+1
    : GOSUB B10 : IF Y9
    =999 THEN 600
580 GOSUB 2380 : IF PK>1
    703 OR PK<1144 THEN 6
    00
590 GOSUB 110 : IF PKCOL
    >4 AND PKCOL<37 THEN
    CALL HCHAR(PKROW,PKCO
    L-4,MM) : IF ABS(YB-Y
    9)<.5 THEN CALL HCHA
    R(PKROW,PKCOL-4,108)
600 FOR X=1 TO 7 : IF X=
    7 THEN 2170
610 T4=P(X,6) : GOSUB 710
    : IF Y9=999 THEN 67
    0
620 U9=SIN(P(X,6)*09/4) :
    U9=-3*U9+.5 : U9=IN
    T(U9) : U(X)=U9*40
630 PK=1423-Y9+U(X)+LB :
    GOSUB 2390 : IF PK>
    1703 OR PK<1144 THEN
    670
640 GOSUB 110
650 IF PKCOL>4 AND PKCOL<
    37 THEN CALL GCHAR(PK
    ROW,PKCOL-4,Z) : IF Z
    <107 AND Z>96 THEN
    PK=PK+1023+SGN(LL)*40
    +(LL=0)*40 : GOTO 64
    0
660 IF PKCOL>4 AND PKCOL<
    37 THEN CALL HCHAR(PK
    ROW,PKCOL-4,PP(X))
670 NEXT X : QQ$="dMERCU
    ry eVENUS fMARS gJUPI
    ter" : ROW=1B : COL
    =1 : GOSUB 120
680 QQ$="hSATURN iURANUS
    aSUN b1cMOON" : RO
    W=19 : GOSUB 120 :
    QQ$="mNEW MOON + SUN
    " : ROW=20 : GOSUB
    120
690 IF B$<0 THEN QQ$=B$
    : ROW=21 : COL=8 :
    : GOSUB 120
700 QQ$="NEW (T)IME, (P) T
    AB, (O)ATE, (L)AT." :
    ROW=23 : COL=0 : GO
    SUB 120 : GOTO 1810
710 Y9=999 : IF MT<PT TH
    EN 740
720 IF T4>=MT OR T4<=PT T
    HEN 740

```

```

730 RETURN
740 IF T4>=MT AND T4<=K1
  THEN T=7B0
750 T4=T4+K1 : GOTO 780
760 IF T4>=MT AND T4<=PT
  THEN T=7B0
770 RETURN
780 Y9=INT((T4-MT)/18+5)
  : IF Y9=40 THEN Y9=39
790 RETURN
800 U9=SIN(T4/4*D9):: U9=
  INT(-3*U9+.5)*40 : R
  RETURN
810 MM=VAL(SEG$(MM$,3*MM-
  2,3)) : IF LL<0 AND M
  M<>10B THEN MM=197-MM
820 RETURN
830 Q=1
840 CALL CLEAR : DISPLAY
  AT(2,6) : ***** SKYSCA
  PE ***** : DISPLAY A
  T(4,1) : "DATE INPUT" :
  : DISPLAY AT(5,1) : "
  -----" : S1=0
850 IF Y<0 THEN GDSUB 16
  80
860 DISPLAY AT(Q+5,1) : "YE
  AR?" : ACCEPT AT(Q+5
  ,7) : Y : IF Y=1977 T
  HEN 880
870 DISPLAY AT(Q+5,14) : "M
  UST 8E >1977" : FDR
  I=1 TD 250 : NEXT I
  : GOTO 860
880 GDSUB 1730 : DISPLAY
  AT(Q+7,1) : "MDNTH (1-
  12)?" : ACCEPT AT(Q+
  7,15) : M : IF M<1 OR
  M>12 THEN Q=0+8 : GO
  SUB 2290 : Q=Q-8 : I
  : GOTO 880
890 DI=VAL(SEG$(MD$,2*M-1
  ,2)) : DI=DI-(M-2)*LY
  : DI=SEG$(O1)
900 DISPLAY AT(Q+9,1) : "DA
  Y (1-" : DI$ : "):" : AC
  CEPT AT(Q+9,13) : D :
  : IF D<1 OR D>12 THEN Q
  =Q+10 : GDSUB 2290 :
  : Q=Q-10 : GOTO 900
910 H$=SEG$(A$,M*3-2,3)
920 ODISPLAY AT(Q+11,1) : "L
  ATITUDE (-90 TO 90)?"
  : ACCEPT AT(Q+11,23)
  : LL : IF ABS(LL)>90
  THEN Q=Q+12 : GDSUB
  2290 : Q=Q-12 : GO
  TO 920
930 GDSUB 2410
940 TEM$=H$ : "&STR$(D1)&
  " : : ODISPLAY AT(Q+14
  ,8) : TEM$ : Y : GDSUB 2
  050 : IF Z$="R" THEN
  Q=4 : GOTO 940
950 D2=VAL(SEG$(H$,M*3-2,
  3)) : D : IF D<1 OR D>1
  2 THEN Q=4 : GOTO 940
960 Q3=D2-185 : IF M=3 A
  ND D<20 THEN D2=D2+LY
  : D3=D3+LY
970 S5=0 : IF D3<=0 THEN
  A=180*Q2/185 : GOTO
  990
980 A=180*D3/(180+ZV)+180
990 IF A<180 THEN S5=23.
  43333333*SIN(D9*Q2*18
  0/185)
1000 IF A>180 THEN S5=-23
  .43333333*SIN(D9*Q2*18
  0/185)
1010 IF A>360 THEN A=A-3
  60
1020 A=R(A) : S5=R(S5) :

```

```

A1=(SGN(LL)-(LL=0))*
S5+90-ABS(LL) : A1=R
(A1) : GDSUB 1300 :
GDSUB 1330
1030 W=1-(SGN(LL)<0) : IF
  A1>90 THEN A1=180-A
  1 : W=ABS(W-3)
1040 CALL CLEAR : PRINT
  : PRINT K$ : "-" : TEM$
  : Y : TAB(19) : ABS(LL) : L
  L$ : PRINT RPT$("-"
  ,2B)
1050 PRINT : PRINT "DAY
  OF THE YEAR---" : ST
  R$(D1) : PRINT : 3
  PRINT "SUN'S DATA" :
1060 PRINT "GECENTRIC AN
  GLE---" : STR$(A) : "2"
1070 PRINT "DECLINATIDN---
  ----" : STR$(S5) : "3"
1080 PRINT "ALTITUDE AT N
  DON---" : STR$(A1) : "3
  " : DIS(W)
1090 PRINT "RIGHT ASCENSI
  ON---" : A3$ : AT 9:00
1100 PRINT "R.A. AT 9:00
  PM---" : A5$ : PRIN
  T : PRINT "MODN'S D
  ATA" :
1110 PRINT "AGE-----"
  ----" : STR$(M1) : "
  " : "DY" :
1120 PRINT "ELONGATION---
  ----" : STR$(M8) : "3
  " : L$
1130 PRINT "PHASE - " : Q
  $(M3) : :
1140 PRINT "(PLANET TABL
  E DR NEW (O)ATE" :
  PRINT : GOTO 1810
1150 CALL CLEAR : PRINT
  TAB(6) : "PLANET TA
  BLE" : PRINT :
  : PRINT K$ : "-" : TEM$
  : Y : TAB(20) : STR$(ABS(L
  L)) : LL$ : PRINT :
  : S1=1
1160 PRINT "PLANET OIST.
  ANG.W/SUN R.A." :
  : PRINT RPT$("-" ,2B) :
  :
1170 FDR X=1 TD 6 : A2=Y
  1/P(X,2)-INT(Y1/P(X,
  2)) : Q3=1
1180 A2=A2*360+P(X,1) : I
  F A2>360 THEN A2=A2-
  360
1190 E=180+A : IF E>360
  THEN E=E-360
1200 E1=ABS(E-A2) : IF E1
  >180 THEN E1=360-E1
1210 GDSUB 1440 : E1=E1*
  D9 : P$=P(X,3) : IF
  X=3 THEN GDSUB 1870
1220 P(X,4)=SQR(1+P5^2-2*
  P5*CD$E1)) : X=(P5
  ^2-1-P(X,4)^2)/(-2*P
  (X,4))
1230 P(X,5)=-ATN(XX/SQR(
  -XX*XX+1))+PI/2 : P(
  X,4)=INT(P(X,4)*ES+.
  5) : P(X,5)=P(X,5)/D
  9
1240 P(X,5)=S(P(X,5)) : Q
  1$=STR$(P(X,4)) : Q2
  $=STR$(P(X,5))
1250 Q1=LEN(Q1$) : Q2=LEN
  (Q2$) : GDSUB 1540
1260 PRINT P$(X) : TAB(13-Q
  1) : Q1$ : TAB(20-Q2) : Q
  2$ : IF Q3=-1 THEN P
  RINT "QW" :
1270 IF Q3=1 THEN PRINT "
  QE" :

```

```

1280 GDSUB 1590 : Q4$=ST
  R$(Q4) : Q5$=STR$(Q5
  ) : IF Q5<10 THEN Q5
  $="0"&Q5$
1290 Q4$&Q4$ : "&Q5$ : Z
  =LEN(Q4$)
1300 PRINT TAB(22) : QQ$ : TA
  B(29-2) : Q4$ : NEXT
  X : PRINT : PRINT
  : PRINT : PRINT "
  - VISIBLE AT 9 P.M.
  "
1310 PRINT : PRINT : PR
  INT "SUN'S R.A. ---
  ----" : A3$ : PRI
  NT "R.A. AT 9:00 P.M
  " : "A5$
1320 PRINT : PRINT TAB(3
  ) : "DAYS (S)K
  (3 SPACES)NEW (D)ATE
  " : GOTO 1810
1330 A2=K18A/360 : IF A2
  >K1 THEN A2=A2-K1
1340 A3=INT(A2/60) : A4=A
  2-A3*60 : A5=A3+9 :
  : IF A5>23 THEN A5=A
  5-24
1350 A4=INT(A2-A3*60+.5) :
  : IF A4=60 THEN A4=0
  : A3=A3+1
1360 IF A3=24 THEN A3=0
1370 AA=A3*60+A4 : GOTO
  1690
1380 M1=(Y1/M9-INT(Y1/M9)
  ) : M9+10 : IF M1>M9
  THEN M1=M1-M9
1390 GDSUB 2080 : MB=360
  *M2 : IF MB>180 THE
  N L$="W"
1400 IF MB<180 THEN L$="
  E"
1410 IF MB>180 THEN MB=36
  0-MB
1420 M1=R(M1) : MB=R(MB) :
  : YY=INT(7*(Y1/7-INT
  (Y1/7))+.2) : IF YY=
  0 THEN YY=7
1430 K$=SEG$(J$,YY*3-2,3)
  : RETURN
1440 Q3=0 : Q1=E+180 :
  : IF Q1>360 THEN 1480
1450 IF A2>E AND A2<Q1 TH
  EN 1470
1460 Q3=1 : RETURN
1470 Q3=-1 : RETURN
1480 Q1=Q1-360 : IF A2<=
  360 AND A2>E THEN 14
  70
1490 IF Q3<>0 THEN RETURN
1500 IF A2>0 AND A2<=Q1 T
  HEN 1470
1510 IF Q3<>0 THEN RETURN
1520 IF A2>Q1 THEN 1460
1530 RETURN
1540 Q5=Q3*P(X,5)*4+AA :
  : IF Q5<0 THEN Q5=Q5+
  K1
1550 IF Q5>K1 THEN Q5=Q5-
  K1
1560 P(X,6)=Q5 : Q4=INT(
  Q3/60) : Q5=INT(Q5-
  4*60+.5) : IF Q5=60
  THEN Q5=0 : Q4=Q4+1
  9
1570 IF Q4=24 THEN Q4=0
1580 RETURN
1590 SU=A5*60+A4 : PS=SU
  +360 : MS=SU-360 :
  : IF PS>K1 THEN PS=PS
  -K1
1600 IF MS<0 THEN MS=MS+K
  1
1610 IF MS>PS THEN 1640
1620 IF P(X,6)<PS AND P(X
  ,6)>MS THEN 1670
1630 QQ$=" : RETURN

```

```

1640 IF P(X,6)<K1 AND P(X
,6)>MS THEN 1670
1650 IF P(X,6)<PS THEN 16
70
1660 GOTO 1630
1670 QQ$="X": RETURN
1680 DISPLAY AT(Q+3,1):K$
:="--":TEM$;Y;TAB(20
):STR$(ABS(LL)):LL$;
: RETURN
1690 A3$=STR$(A3): IF A3
<10 THEN A3$="":&A3$
1700 A4$=STR$(A4): IF A4
<10 THEN A4$="":&A4$
1710 A3$=A3$&":":&A4$=: A
5$=STR$(A5): IF A5<
10 THEN A5$="":&A5$
1720 A5$=A5$&":":&A4$=: Q
8=7-LEN(A3$): Q9=7-
LEN(A5$): RETURN
1730 LY=0: IF Y/4=INT(Y/
4) THEN LY=1
1740 IF Y/100=INT(Y/100)A
ND Y/400=INT(Y/400)A
ND Y/1000=INT(Y/1000
)AND Y/4000=INT(Y/40
00) THEN LY=0
1750 RETURN
1760 Y9=Y+1: IF Y9/4=IN
T(Y9/4) THEN ZY=1
1770 IF Y9/100=INT(Y9/100
)AND Y9/400<INT(Y9/4
00)AND Y9/1000=INT(Y
9/1000)AND Y9/4000=
INT(Y9/4000) THEN ZY=0
1780 Y1=Y-1977: Y1=Y1*3
65+INT(Y1/4)+D1: IF Y
1<2000 THEN 1800
1790 Y1=Y1-INT(Y-2001/1
00)+INT((Y-2001)/400
)-INT((Y-1)/4000)
1800 RETURN
1810 CALL KEY(0,KK,SS):
IF SS=0 THEN 1810
1820 I$=CHR$(KK): IF I$=
"D" THEN Q=4: GOTO
840
1830 IF (I$="S" DR I$="T"
)AND S1=1 THEN 320
1840 IF I$="P" THEN 1150
1850 IF I$="L" AND S1=1 T
HEN 2460
1860 GOTO 1810
1870 P5=1.376344086: K5
=A2*4
1880 K5=A8S(K5-1233.7)*9
0/K1: K5=K5*09:
K5=5IN(K5)*.32258122
4: P5=P5+K5: RET
URN
1890 IF CC=1 THEN CC=CC+
84
1900 CD$=SEG$(CC$,CC+3,34
)
1910 IF SEG$(CD$,2,1)<>CH
R$(128)AND SEG$(CD$,
3,1)=CHR$(128) THEN C
0$=SEG$(CD$,1,32):
GOTO 1940
1920 IF SEG$(C0$,33,1)<>C
HR$(128)AND SEG$(C0$
,32,1)=CHR$(128) THEN
CD$=SEG$(C0$,3,32):
: GOTO 1940
1930 CD$=SEG$(C0$,2,32)
1940 RETURN
1950 DATA 36S.26,29.53059
,59.818184,42.719626
,262.362494,52.91676
3
1960 DATA 134.69697,218.7
9464,87.97,224.7,686
.98
1970 DATA 4332.79813,1075

```

```

9.719S,30686.8884
1980 DATA "MERCURY",3871
,"VENUS",7233,"MARS
",1.5237,"JUPITER",5
.2028
1990 DATA "SATURN",9.8308
,"URANUS",19.182
2000 DATA "SA","SC","LI",
"VI","LE","CA","GE",
"TA","AR","PI","AQ",
"CP"
2010 DATA "NEW","WAXING C
RESCENT","1ST QUARTE
R","WAXING GIBBOSUS",
"FULL"
2020 DATA "WANING GIBBOSU
S","3RD QUARTER","WAN
ING CRESCENT"
2030 DATA 1770,1719,1620,
1500,1418,1365,133S,
1310,1290,127S,1260
2040 DATA 1238,1220,1200,
1178,111S,91S,720,66
0,640,625,610
2050 DISPLAY AT(20,3):"(R
)E-INPUT DR (C)DNTIN
UE"
2060 CALL KEY(0,KK,SS):
IF SS=0 THEN 2060
2070 Z$=CHR$(KK): RETURN
2080 M2=M1/M9: IF M1<1
DR M1>28.5 THEN M3=1
2090 IF M1>=1 AND M1<6.9
THEN M3=2
2100 IF M1<=8 AND M1>=6.9
THEN M3=3
2110 IF M1>8 AND M1<14.2
THEN M3=4
2120 IF M1>=14.2 AND M1<
15.2 THEN M3=5
2130 IF M1>=15.2 AND M1<21
.6 THEN M3=6
2140 IF M1>=21.6 AND M1<=
22.6 THEN M3=7
2150 IF M1>=22.6 AND M1<=2
8.5 THEN M3=8
2160 RETURN
2170 8$="": IF Y<>1985
AND Y<>1986 THEN 670
2180 IF (Y=1985 AND O1<30
5)DR(Y=1986 AND D1>1
49) THEN 670
2190 HO=O1+365: IF HD>5
16 THEN HD=HD-365
2200 H1=(HO-295)/10: HD
=INT(H1): H1=H1-HO
2210 T4=HC(HO)-HC(HO+1):
T4=HC(HD)-H1*T4:
IF T4>K1 THEN T4=T4-
K1
2220 GOSUB 710: IF Y9=9
99 THEN 670
2230 GOSUB 800: IF T4>1
115 AND T4<1200 THEN
U9=U9+40
2240 IF T4>1290 THEN U9=U
9-40
2250 IF T4>615 AND T4<=11
15 THEN U9=U9+80
2260 U(7)=U9: 8$="JHALL
EY'S COMET": GOTO
630
2270 8$="HALLEY'S COMET"
2280 GOTO 630
2290 DISPLAY AT(Q,1):O0$
: FOR I=1 TO 250:
NEXT I: CALL HCHA
R(Q,3,32,14): RETURN
2300 CALL CHAR(64,"384444
4438000000",128,RPT$
("0",16))
2310 FOR I=0 TO 3: READ
SS: CALL CHARPAT(

```

```

SS,QQ$): CALL CHAR(
I+96,QQ$): NEXT I
2320 DATA 54,42,41,40
2330 FOR I=0 TO 9: READ
QQ$: CALL CHAR(I+0
0-I,QQ$): NEXT I:
CALL COLDLR(13,2,9)
2340 DATA 0010387C7C38100
0,307E66663C187E1B,0
3063C66666663800
2350 DATA 003C427E4E423C0
0,033E6676667CC080,0
0666666624180000,0A1S
2A3S2A74F8E0
2360 DATA 0000000000000000
0,003C7E7E7E3C00,FFC
381818181C3FF
2370 RETURN
2380 GDSUB 800: PK=1423
-Y9+U9+L8
2390 IF LL<0 THEN PK=2247
+00$X-X-PK
2400 RETURN
2410 LEN="0N": IF LL<0
THEN LL="0S"
2420 L1=ABS(LL): IF ABS(L
L)<24 THEN L1=48
2430 LC=INT((L1-40)/7+.S
): LB=LC*40: D1=VA
L(58$(O$,M3-2,3))+
0
2440 IF ABS(LL)<24 THEN L
B=40*INT(ABS(LL)/7+.
5)
2450 RETURN
2460 GOSUB 2510: DISPLA
Y AT(6,1):"LATITUDE
CHANGE": OISPLAY A
T(7,1):RPT$("- ",16)
2470 OISPLAY AT(9,1):"INP
UT NEW LATITUDE":
ACCEPT AT(9,21):LL
2480 IF ABS(LL)>90 THEN 2
470
2490 GOSUB 2050: IF Z$=
"R" THEN 2410
2500 GOSUB 2410: I$="5"
: GOTO 1830
2510 CALL CLEAR: DISPLA
Y AT(2,6):"**** SKYS
CAPE ****": Q=1:
GOSUB 1680: RETUR
N

```

This Publication  
is available in Microform.

University Microfilms  
International

Please send additional information

for \_\_\_\_\_  
Name \_\_\_\_\_  
Institution \_\_\_\_\_  
Street \_\_\_\_\_  
City \_\_\_\_\_  
State \_\_\_\_\_ Zip \_\_\_\_\_

300 North Zeeb Road, Dept. P.R. Ann Arbor, MI 48106



## Crossword Magic

Karen McCullough

**Requirements:** Apple II-series computer with at least 48K RAM (or Apple III in emulation mode); Apple Macintosh; Commodore 64/128; IBM PC/PCjr with at least 128K RAM; or an Atari 400/800, XL, or XE (memory requirements not available at presstime). All versions require a disk drive, and a printer is recommended. The Apple II version was reviewed; other versions are similar.

*Crossword Magic* does for the process of creating crossword puzzles what a word processor does for writing. It can't replace the thinking, planning, and research needed to create a satisfying puzzle, but it does simplify the process of organizing and moving the material from brain to paper. *Crossword Magic* lets you create a puzzle on the screen, edit it in various ways, play it, and print it out. The program's authors have provided ways to do everything you can think of with a crossword puzzle.

The program comes on a two-sided disk. One side is called the Maker Disk, and the other the Player Disk. The Maker disk contains the options for creating, editing, printing, deleting, and moving puzzles. The Player disk lets you play a previously created puzzle, or create a new storage disk.

When you start to create a new puzzle, the program first asks if you want automatic sizing. If you answer no, you must enter the size of the grid you desire. However, automatic sizing provides more flexibility, since it allows the grid to grow from its initial size as needed.

Each word you enter is placed in a suitable position on the display grid, highlighted so you always know which word was placed last. Words that don't fit into the grid are added to a list of unused words. If adding a word later allows any unused word to fit into the puzzle, that word is placed on the display and highlighted along with the word just entered. If you don't like where the program placed your word,

you can press a key to make the program search for another suitable place, or press another key to remove it.

### Menus And Help Screens

A group of special functions also are available at the touch of a key. You can save a partial or complete puzzle; gain access to a help screen that explains your options; return to the main menu (you lose whatever work you've just done on the screen if you don't save it first, however); look at the list of unused words; start entering clues; or go into manual mode. Manual mode lets you add, remove, or change letters in the puzzle.

*Crossword Magic* comes with a 23-page manual, well-written but not as well organized. Each menu function has its own section in the manual, with clear, comprehensive explanations and directions—until you get to the explanation of the special functions. At that point, each section merely gives you a list of the functions and refers you to a separate section of the manual that explains them in greater detail. The manual would be easier to use if the special functions were explained at the end of each section, even at the expense of some duplication. Also, the special function section begins in the middle of a page, making it difficult to find without referring to the index.

Aside from this, *Crossword Magic* deserves top marks for ease of use, smooth functioning, and good error-handling. It works quickly, finding places for words in seconds, even on large grids. Everything works exactly as described, and the program never failed; it resolutely ignores inappropriate actions. After only a few minutes with the manual, I pulled out a review list of basic Spanish vocabulary words and created a puzzle. However, it's a good idea to read the list of helpful hints in the back of the manual before creating a puzzle; there's a lot of valuable information there.

*Crossword Magic* is ideal for schools. It's an excellent tool for testing and reinforcing vocabulary in subjects such as English, foreign languages, and science. And anyone who enjoys working with crossword puzzles will find the program a pleasant pastime.

Crossword Magic  
Mindscape  
3444 Dundee Road  
Northbrook, IL 60062  
\$49.95

## Colorasaurus

Steve Hudson

**Requirements:** Commodore 64 with a disk drive and a joystick; or an Atari 400/800, XL, or XE computer with at least 48K RAM, a disk drive, and a joystick. The Atari version was reviewed.

If you ask a child what makes a good computer game, the answer will probably be that it has to be fun. Ask a parent the same question, and you'll hear words like "enriching" and "educational." But why not get both by creating a game that's captivating enough to hold a child's attention, but stimulating enough to help develop a young mind?

One such game is *Colorasaurus*, an educational program aimed at the three- to six-year-old set. Its goals are straightforward—to help young children develop color discrimination and visual memory skills—and it achieves them with style.

The program actually offers three games in one, and each features lively graphics and ear-catching sound. The first game, "Match," allows the child to match a brightly colored dinosaur (the so-called colorasaurus) with one of three appropriately colored landscapes. Each round presents three new colorasaurus,

# The Source Is Illuminating.<sup>SM</sup>



At last, a beacon to help you navigate the vast sea of personal computer technology.

It's The Source. The online information service that can guide you to the best deals in the PC market. Shed light on your software problems. And signal the latest developments in micros.

With The Source, you can buy, sell or swap hardware and software. Learn new applications from a Special Interest Group. See what's been written about the printer you're planning to buy. Or send out an SOS to thousands of other PC users when you need advice.

What's more, The Source can enlighten you with current information on everything from business to travel, investments to world news.


The Source is a service mark of Source Telecomputing Corporation, a subsidiary of The Reader's Digest Association, Inc. © 1985 Source Telecomputing Corporation.

Whatever kind of help you're after, you can find it faster on The Source. With a system of easy commands and menus. Plus a tutorial—free of online charges—that'll bring you up to speed in a snap.

To sign up today, call **1-800-336-3366**.

For more information, mail this coupon, or visit your nearest dealer.

Then, no matter how many waves of new technology rock your boat, you'll stay right on course.



INFORMATION NETWORK  
**The Source**<sup>SM</sup>  
The most powerful resource any personal computer can have.

Show me the light.  
Please send more information about The Source.

Name 7627117

Address

City, State

Zip

Mail to: Source Telecomputing Corporation,  
P.O. Box 1305, McLean, VA 22102. In Virginia,  
or outside the U.S., call (703) 821-6666.

# COMMODORE 64 COMPUTER

## \$139.95

- 170K Disk Drive \$149.95
- Tractor Friction Printer \$159.95
- 13" Hi-Res Color Monitor \$169.95

## COMPUTER AND SOFTWARE SALE

CALL  
BEFORE  
YOU  
ORDER

PRICES  
MAY  
BE  
LOWER

# C128 COMMODORE COMPUTER (Order Now)

## \$289.95

- 340K 1571 Disk Drive \$259.00
- Voice Synthesizer \$39.95
- 12" Green or Amber Monitor \$69.95
- Printer/Typewriter Combination \$249.95

### COMMODORE 64 COMPUTER \$139.95

You pay only \$139.95 when you order the powerful 84K COMMODORE 64 COMPUTER! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your computer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net computer cost is \$39.95!!

### 170K DISK DRIVE \$149.95

You pay only \$149.95 when you order the 170K Disk Drive! LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your disk drive that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied, your net disk drive cost is \$49.95.

### 13" HI-RES COLOR MONITOR \$169.95

You pay only \$169.95 when you order this 13" COLOR MONITOR with sharper and clearer resolution than any other color monitors we have tested! LESS value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your monitor that allows you to save over \$500 off software sale prices!! With only \$100 of savings applied, your net color monitor cost is only \$69.95. (16 Colors).

### 80 COLUMN 80 CPS TRACTION/FRICTION PRINTER \$159.95

You pay only \$159.95 when you order the Constair T-1 deluxe line printer that prints 8 1/2 x 11 full size, single sheet, rail or fan fold paper, labels, etc. Impact dot matrix, bidirectional. LESS the value of the SPECIAL SOFTWARE DISCOUNT COUPON we pack with your printer that allows you to SAVE OVER \$500 off software sale prices!! With only \$100 of savings applied your net printer cost is only \$59.95.

### 80 COLUMN BOARD \$59.95

Now you program 80 COLUMNS on the screen at one time! Converts your Commodore 64 to 80 COLUMNS when you plug in the 80 COLUMN EXPANSION BOARD! PLUS a slot expander!

### 80 COLUMNS IN COLOR

**PAPERBACK WRITER 64 WORD PROCESSOR \$39.95**  
THIS PAPERBACK WRITER 64 WORD PROCESSOR is the finest available for the COMMODORE 64 computer! THE ULTIMATE FOR PROFESSIONAL Word Processing, DISPLAYS 40 or 80 COLUMNS IN COLOR or black and white! Simple to operate, powerful text editing, complete cursor and insert/delete key controls line and paragraph insertion, automatic deletion, centering, margin settings and output to all printers! List \$99.00. **SALE \$39.95.** Coupon \$29.95.

We pack a SPECIAL SOFTWARE DISCOUNT COUPON with every COMMODORE 64 COMPUTER, DISK DRIVE, PRINTER, or MONITOR we sell! This coupon allows you to SAVE OVER \$500 OFF SALE PRICES!!

(Examples)

### PROFESSIONAL SOFTWARE COMMODORE 64

Name	List	Sale	Coupon
Paperback Writer 64	\$99.00	\$39.95	\$29.95
Paperback Data Base	\$69.00	\$34.95	\$24.95
Paperback Dictionary	\$24.95	\$14.95	\$10.00
Practical II	\$69.95	\$49.95	\$44.95
Print Shop (Disk)	\$44.95	\$32.95	\$26.95
Practical	\$59.95	\$24.95	\$19.95
Programmers Reference Guide	\$20.95	\$16.95	\$12.50
Programmers Helper (Disk)	\$59.95	\$29.95	\$19.95
80 Column Screen (Disk)	\$59.95	\$29.95	\$19.95
Disk Filer (by Flip N File)	\$39.95	\$14.95	\$12.95
Deluxe Tape Cassette	\$89.00	\$44.95	\$34.95
Pro Jay Strick	\$19.95	\$12.95	\$10.00
Light Pen	\$39.95	\$14.95	\$9.95
Dust Cover	\$8.95	\$6.95	\$4.60
Simon's Basic	\$29.95	\$22.95	\$19.95
Pitstop II Epye	\$39.95	\$22.95	\$19.95
Super Graphics Expander	\$29.95	\$22.95	\$19.95
Music Calc I	\$59.95	\$29.95	\$12.95
Filewriter	\$59.95	\$29.95	\$24.95

(See over 100 coupon items in our catalog)

Write or call for  
Sample SPECIAL SOFTWARE COUPON!

## ATTENTION Computer Clubs We Offer Big Volume Discounts CALL TODAY!

### PROTECTO WARRANTY

All Protecto's products carry a minimum 90 day warranty. If anything fails within 90 days from the date of purchase, simply send your product to us via United Parcel Service prepaid. We will IMMEDIATELY send you a replacement or no charge via United Parcel Service prepaid. This warranty proves once again that **We Love Our Customers.**

### PHONE ORDERS

8 a.m. - 8 p.m. Weekdays  
9 a.m. - 12 noon Saturdays

- LOWEST PRICES • 15 DAY FREE TRIAL
- BEST SERVICE IN U.S.A. • ONE DAY EXPRESS MAIL

\* Add \$10.00 for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES. EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery, 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D.

No C.O.D. to Canada, APO-FPO.

### C128 COMMODORE COMPUTER \$289.95

We expect a limited supply for Christmas. We will ship on a first order basis. This all new revolutionary 128K computer uses all Commodore 64 software and accessories plus all CPM programs formatted for the disk drive. List \$349.00. **SALE \$289.95.**

### 340K 1571 COMMODORE DISK DRIVE \$259.00

Double Sided, Single Disk Drive for C-128 allows you to use C-128 mode plus CPM mode 17 times faster than 1541, plus runs all 1541 formats. List \$349.00. **Sale \$259.00.**

### SUPER AUTO DIAL MODEM \$39.95

Easy to use. Just plug into your Commodore 64 computer and you're ready to transmit and receive messages. Easier to use than dialing your telephone. Just push one key on your computer! Includes exclusive easy to use program for up and down loading to printer and disk drives. **Best in U.S.A.** List \$129.00. **SALE \$39.95.**

### VOICE SYNTHESIZER \$39.95

For Commodore 64 computers. Just plug it in and you can program words and sentences, adjust volume and pitch, make talking adventure games, sound action games and customized talkies!! **FOR ONLY \$19.95** you can add TEXT TO SPEECH, just type a word and hear your computer talk — ADD SOUND TO "ZORK", SCOTT ADAMS AND OTHER ADVENTURE GAMES!! (Disk or tape.) List \$89.00. **SALE \$39.95.**

### 12" GREEN OR AMBER MONITOR \$69.95

Your choice of green or amber screen monitor, top quality, 80 columns x 24 lines, easy to read, on glare! PLUS \$9.95 for connecting cable. Com-64 or VIC-20. List \$159.00. **SALE \$69.95.**

### PRINTER/TYPewriter COMBINATION \$249.95

"JUKI" Superb letter quality, daisy wheel printer/typewriter combination. Two machines in one — just a flick of the switch, 12" extra large carriage, typewriter keyboard, automatic margin control and release key, key drop in cassette ribbon! (90 day warranty) centronics parallel or RS232 serial port built in (Specify). List \$349.00. **SALE \$249.95.** (Ltd. Qty.)

### 13" RGB & COMPOSITE COLOR MONITOR \$279.00

Must be used to get 80 columns in color with 80 column computers. (C128 & Atari ST). (Add \$14.50 shipping). List \$399.00. **SALE \$279.00.**

- 90 DAY FREE REPLACEMENT WARRANTY
- OVER 500 PROGRAMS • FREE CATALOGS

## PROTECTO

We Love Our Customers  
22292 N. Pepper Rd., Barrington, Illinois 60010  
**312/382-5244 to order**



**Famous Canon National Brand**

**10" Carriage**

**HI-SPEED**

**15" Carriage**

# PRINTER SALE

**Below Wholesale Cost Prices!!!**

- 160-180 CPS • High Speed Dot Matrix • Letter Quality Modes
- Tractor/Friction • 4 Character Styles • Business or Personal
- Programmable Characters • 2K Buffer • 15 Day Free Trial
- ONE YEAR IMMEDIATE REPLACEMENT WARRANTY



Print Sample

\*\*\* NLQ PICA PRINTING \*\*\*

CANON IMPACT MATRIX PRINTER CANO  
CANON IMPACT MATR

**Super Graphics!**

*Check these features & prices*

**10" Printer**

List \$499.00

**\$199<sup>00</sup>**

*Call for Volume Discounts*

**15" Printer**

List \$699.00

**\$249<sup>00</sup>**

*Call for Volume Discounts*

## (IBM - Commodore)

### Printing Method

Impact dot matrix

### Printing Speed

160 CPS at standard character printing

27 CPS at NLQ character printing

### Printing Direction

Text Made — Bi directional

Graphic Made — Unidirectional

### Print Head Life

100 million characters

### Printing Characters

Standard 11 x 9 dot matrix

NLQ 23 x 18 dot matrix

Character size: 2 x 2.42 mm (standard)

Character set: Full ASCII character set (96),

32 special European characters

## SPECIFICATIONS

### Down Loading

11 x 9 dot matrix; NLQ 23 x 18 dot matrix  
optional

### Print Buffer

2K byte utility buffer

### Image Printing

Image Data: Vertical 8, 9 and/or 16 dot

Resolution: Horizontal 60 dots/inch

Horizontal 120 dots/inch (double density)

Horizontal 240 dots/inch (quadruple density)

### Interface

8-bit parallel interface (Centronics type)

### Paper

Plain paper, Roll paper, Single sheet,

Fanfold, Multipart paper: max. 3 sheets

(original plus 2)

## (Apple - Atari - Etc.)

### Ink Ribbon Cartridge

Ribbon Life: 3 million characters/cartridge

### Maximum Number of Characters

Standard: 10 cpi 80 cpl

Enlarged: 5 cpi 40 cpl

Condensed: 17.1 cpi 136 cpl

Condensed enlarged: 8.5 cpi 68 cpl

Elite: 12 cpi 96 cpl

Elite enlarged: 6 cpi 48 cpl

NLQ pica: 10 cpi 80 cpl

NLQ pica enlarged: 5 cpi 40 cpl

### Physical Dimensions

Size: 15 1/4" x 12 5/8" x 4 3/8" (10")

Weight: 17.6 lbs. (10")

### Cartridge Ribbon.

List \$29.95. Sale \$19.95.

## Interfaces

**IBM \$89.00**

**Apple \$59.00**

**Atari \$59.00**

**Commodore \$39.00**

Add \$13.50 (\$15.00 for 15" Printers) for shipping, handling and insurance. Illinois residents please add 6% tax. Add \$20.00 for CANADA, PUERTO RICO, HAWAII, ALASKA, APO-FPO orders. Canadian orders must be in U.S. dollars. WE DO NOT EXPORT TO OTHER COUNTRIES, EXCEPT CANADA.

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders, 1 day express mail!

VISA — MASTER CARD — C.O.D. No C.O.D. to Canada, APO-FPO.

## COMPUTER DIRECT

*We Love Our Customers*

22292 N. Pepper Rd., Barrington, Ill. 60010

**312/382-5050 to order**



88K *Lowest Price In The USA!* 152K

# Computer System Sale

• Students • Word Processing • Home • Business

88K System \$349  
152K System \$399\*  
(130XE System)

EDUCATE WITH ATARI



LOOK AT ALL YOU GET FOR ONLY **\$349**  
LIMITED QUANTITIES SYSTEM PRICE

- ① Atari 800XL 88K Computer
- ② Atari 1050 127K Disk Drive
- ③ Atari 1027 Letter Quality 20 CPS Printer
- Letter Perfect Word Processor
- Atari BASIC Tutorial Manual

All connecting cables & T.V. interface included.  
Monitors sold separately.

**TOTALS**

LIST PRICE	INDIVIDUAL SALE PRICE
\$179.00	\$ 69 <sup>95</sup>
299.00	179 <sup>95</sup>
299.00	199 <sup>95</sup>
59.95	39 <sup>95</sup>
16.95	12 <sup>95</sup>
<b>\$852.90</b>	<b>\$482.75</b>

SAVE \$100  
ALL 5 ONLY  
**\$349<sup>00</sup>**  
SYSTEM  
SALE PRICE

152K SYSTEM  
\$399<sup>00</sup>

## Other Accessories

- ☆ 12" Hi Resolution Green or Amber Screen Monitor
- ☆ 13" Hi Resolution Color Monitor
- \* ATARI 130XE 152K Computer

List	Sale
\$199.00	69.95
\$399.00	179.95
\$249.00	134.95

Add \$9.95 for  
Connection Cables  
(Monitors Only)  
(Ltd. Qty)  
Add \$10 for UPS

**15 DAY FREE TRIAL.** We give you 15 days to try out this ATARI COMPUTER SYSTEM!! If it doesn't meet your expectations, just send it back to us prepaid and we will refund your purchase price!! **90 DAY IMMEDIATE REPLACEMENT WARRANTY.** If any of the ATARI COMPUTER SYSTEM equipment or programs fail due to faulty workmanship or material within 90 days of purchase we will replace it IMMEDIATELY with no service charge!!

**Best Prices • Over 1000 Programs and 500 Accessories Available • Best Service**  
**• One Day Express Mail • Programming Knowledge • Technical Support**

**Add \$25.00 for shipping and handling!!**

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D.

## COMPUTER DIRECT

*We Love Our Customers*

22292 N. Pepper Rd., Barrington, Ill. 60010

**312/382-5050 to order**

# 240K Apple® Compatible Computer System

**NEW**


**SALE**

Aplus 3000 computer system includes 192K RAM, 48K ROM (32K Microsoft Basic plus 16K ROM Emulator), 144K Laser 5 1/4" Disk Drive (Runs Apple II Software), Magic Window Wordprocessor, MagiCalc spreadsheet, Magic Memory Database. All for only \$499.00

**\$499.00**


• **15 Day Free Trial**

**"Aplus 3000"  
System**



**Runs Apple II  
Software**

**Complete System**



**Double Immediate Replacement Warranty**

If any of the Aplus 3000 computer system equipment fails due to faulty workmanship or material within 180 days of purchase we will REPLACE it immediately with no service charge!!

- Over 10,000 existing Apple® programs
- 240K (192K RAM, 48K ROM) • ArtSci's Magic Window II, Magic Memory, and MagiCalc included
- 144K Laser 5 1/4" Disk Drive (Runs Apple II software)
- RGB (80 columns in color) and composite included

## SPECIFICATIONS

Aplus 3000 is a complete, self-contained computer based on the popular 6502A microprocessor and can tap into the tremendous software library of Apple II. Features include 192K Bytes RAM, 32KB Enhanced Microsoft BASIC, 80 column text, 560H X 192V color graphic display, 81 key sculptured keyboard and high efficiency switching power supply. Also included as standard are Centronics bus printer interface, Cassette interface, 4 channel sound generator, and 5 1/4" Apple Compatible Disk Drive.

### • TEXT

- 40 columns X 24 rows or 80 columns X 24 rows software selectable.
- 5 X 7 characters in 7 X 8 matrix.
- Upper and lower case characters.
- One of Eight colors for characters/graphics and background. Red, Green, Blue, Cyan, Magenta, Yellow, Black and White.
- Character set with normal, inverse and flashing capabilities.

### • GRAPHICS

- 280H X 192V 6 colors — Black, White, Violet, Green, Blue, Orange.
- 280H X 192V 8 colors bit image — Black, White, Red, Green, Blue, Cyan, Magenta, Yellow.
- 560H X 192V 6 colors — Black, White, Violet, Green, Blue, Orange. (High resolution color monitor required)

### Super Apple Compatible Disk Drive Sale

Quieter, Cooler, Better Disk Drives for your Apple II plus, IIc, IIe (specify when ordering). List \$299.95. Sale \$149.95.

**15 Day Free Trial — If it doesn't meet your expectations within 15 days of receipt, just send it back to us UPS prepaid and we will refund your purchase price!!**

**Add \$25.00 for shipping and handling!!**

Enclose Cashiers Check, Money Order or Personal Check. Allow 14 days for delivery. 2 to 7 days for phone orders. 1 day express mail!! We accept Visa and MasterCard. We ship C.O.D. to continental U.S. addresses only. Add \$10 more if C.O.D.

## More Features than Apple® for less than Commodore

Features	Aplus 3000	Apple IIe	Commodore 128
RAM	192K	64K	128K
Runs Apple II Software	Yes	Yes	No
Function Keys	24	None	16
4 Voice, 6 Octave Sound	Yes	No	Yes
Composite Video	Yes	Yes	Yes
Disk Drive	included	Extra Cost	Extra Cost
Numeric Keypad	included	Extra Cost	Included
Video Cable	included	Extra Cost	Extra Cost
RGB Color Card	included	Extra Cost	Included
80 Column Card	included	Extra Cost	Included
Centronics Printer Interface	included	Extra Cost	Extra Cost
Drive Controller	included	Extra Cost	Included
\$150 Wordprocessor (Magic Window)	included	Extra Cost	Extra Cost
\$150 Spreadsheet (MagiCalc)	included	Extra Cost	Extra Cost
\$60 Database prg. (Magic Memory)	included	Extra Cost	Extra Cost
<b>Your Cost</b>	<b>\$499.00</b>	<b>\$1745.00</b>	<b>\$1117.90</b>

## ACCESSORIES

	LIST	SALE
2nd Disk Drive	\$299.95	\$149.95
2 professional onolog joysticks	\$39.95	\$24.95
Z-80 cert. allows CP/M use	\$99.95	\$59.95
RS232 adapter	\$99.95	\$59.95
R/F Modulator (TV hookup)	\$29.95	\$19.95
RGB cable (RGB Monitor hookup)	\$24.95	\$19.95
Centronics cable (for Centronics printer)	\$34.95	\$24.95
Technical reference manual	\$29.95	\$19.95
Comstar 10x 120-140 CPS dot matrix printer	\$399.00	\$189.00
80 columns Hi-Res Amber Monitor	\$199.00	\$89.95
80 columns Hi-Res RGB Monitor	\$399.00	\$279.00

**COMPUTER DIRECT**

*We Love Our Customers*

22292 N. Pepper Rd., Barrington, Ill. 60010

**312/382-5050 to order**



and (as the child's responses improve) the three colors become increasingly similar.

The second game, "Find," carries the idea one step further. Like "Match," it asks the child to match colors. However, there are six landscapes instead of three. In addition, it encourages the child to relocate the colorasurs by recalling which colors were involved. Again, the difficulty increases with the accuracy of the child's responses.

### Painting Dinosaurs

The third game, "Colorasaurus," gives the child a chance to personally color a colorasaurus. The child can dip paint from various "paint pots" and then

apply it to a large (and by then familiar) colorasaurus that dominates the screen. It's even possible to mix colors or to lighten or darken them (by adding white or black). That gives the child virtually complete control over the resulting colors. The result? Captivated fascination, a great deal of fun, and some worthwhile learning, too.

Each game is controlled with the joystick. Even a young child can move the large, easy-to-see cursor and effectively play any of the games.

The program also uses the keyboard for two special commands. The question mark (?) is a help key that calls up onscreen instructions. Another key returns the player to the main menu. Using either key, it's possible for the child to select various play options—a

valuable feature that some educational programs still lack.

Although it's designed for a particular age range, *Colorasaurus* may prove captivating to younger children, too. Although my 17-month-old is too young to manipulate the joystick herself, she loves to sit in my lap and watch the colorasurs while listening to the dinosaurish music. It's entertaining for older children, too, including us Daddy-types. There's just something about multicolored dinosaurs that appeals to young and old alike.

*Colorasaurus*  
The Learning Company  
545 Middlefield Road, Suite 170  
Menlo Park, CA 94025  
\$29.95

# HELP YOUR KIDS MAKE THE GRADE




Now there's a way parents can help their children climb to the heights of success.

It begins with an Apple®, IBM®, Commodore™ or Atari® computer. It takes off with CBS Software.

Our *Success with Math™* series has met with sales success second to none in its field. Along with our new *Success with Algebra™* series, your home computer will become a patient, private tutor—using serious drill and practice to help your children over the obstacles in their way.

*Mastering the SAT* has also become a best seller. With its counterpart, *Mastering the ACT*, it's the comprehensive test preparation program that's proven to be the first choice for thousands of students who want acceptance from their first choice college. They are the only programs of their kind created with the National Association of Secondary School Principals. And they're designed to provide the competitive edge that can help put your kids over the top.



**CBS**  
**SOFTWARE**  
Making you the best.

IBM, Apple and Atari are registered trademarks of International Business Machines Corp., Apple Computer Inc., and Atari Corp., respectively. Commodore is a trademark of Commodore Electronics Ltd.  
© 1985 CBS Inc. All rights reserved. CBS Software, A Unit of CBS Educational and Professional Publishing Division.  
CBS Inc. One Fawcett Place, Greenwich, CT 06836 (203) 622-2525.

**IF YOU'RE INTERESTED IN GIVING YOUR CHILDREN THE BEST, CALL 1-800-CBS-ASK4 FOR THE DEALER NEAREST YOU.**

Look for details at your nearest CBS Software dealer.  
**\$20,000 "HONOR ROLL" SWEEPSTAKES**

# Grolier Online Encyclopedia

Dan Gutman

**Requirements:** Virtually any computer with a modem, telecommunications software, and access to one of 11 major telecommunications services (including CompuServe, The Source, Dow Jones, Dialog, and others).

I just looked up LINCOLN, ABRAHAM in the encyclopedia. There's nothing particularly amazing about that, except that I don't own an encyclopedia. With an "electronic encyclopedia" on a mainframe computer that I can tap into anytime I want with my personal computer, I don't need one.

The *Academic American Encyclopedia* from Grolier can be accessed easily on any of 11 different online services by anyone with a modem and a computer. After you log on and hit a few keys, you're dropped into an encyclopedic wonderland of 30,000 articles and 10 million words. Just type SE (for SEArch) and the item you want to look up. The text jumps on the screen in seconds.

An electronic encyclopedia has a few big advantages over a paper one. I can't look up JACKSON, MICHAEL in my parents' old encyclopedia, because he wasn't even born when it was written. Grolier's encyclopedia gets updated every three months. In fact, a week after Leonid Brezhnev died, they had a listing for ANDROPOV, YURI. Also, with the Grolier encyclopedia, I can print out entire articles in seconds on my printer.

On the other hand, while Andropov is covered, there are no listings for LASERDISK, OPTICAL MEMORY, COMPACT DISC, or INTERACTIVE FICTION—terms you'd expect to find in an up-to-date electronic reference source for the 1980s. Michael Jackson gets a paragraph, but you'll find nothing more about recent idols—Prince and Madonna. And the encyclopedia refers to the canceled IBM PCjr as "among the nation's best-selling computers." Of course, any encyclopedia has its limitations.

## No Pictures—Yet

There are a few other disadvantages to the Grolier online encyclopedia that are related to its medium. The retrieval commands are picky, so if you misspell a subject you're looking up, the computer may mistakenly tell you there is no listing. For example, if you look up NEWSPAPERS, you'll find nothing. But there is a listing for NEWSPAPER. With a printed encyclopedia, you

would discover that by flipping through the pages. Also, because of the wide variety of incompatible computers and the limitations of modem communications, the online encyclopedia can't give you the photographs or illustrations you see in a printed encyclopedia.

Someday this may change. Grolier recently announced it is publishing the encyclopedia in the new CD-ROM format (Compact Disc-Read Only Memory). The CD-ROM version, scheduled for release this fall for \$199, is quite similar to the online version, except it's stored on a single 4.7-inch compact disc. It requires a special CD-ROM player connected to your computer, such as the one announced last summer by Atari (see "Report from the Summer Consumer Electronics Show" and "Monster Memory," *COMPUTE!*, August 1985). The CD-ROM encyclopedia has all the search and retrieval features of the online encyclopedia and more—plus it's faster. And although the initial CD-ROM version is text-only, there is plenty of room on the disc to add graphics and digitized illustrations in the future.

Still, even with its current limitations, the Grolier online encyclopedia is worthy of consideration. A conventional encyclopedia might cost \$600 or more. On the CompuServe Information Service, Grolier's costs \$50 per year plus the regular connect time rates. Depending on how often you access the encyclopedia and how long you stay online, it might take several years before you've spent as much as the conventional encyclopedia would cost. By that time, much of the information in the paper encyclopedia would be out of date and you'd have to buy another one anyway.

If you have school-age children, or if you do a lot of research at home, consider Grolier's online encyclopedia. The convenience of looking things up in seconds is incredible. This is one of the true practical uses for a computer in the home. Besides, think of all the trees you'll save.

Grolier Electronic Publishing  
95 Madison Avenue  
New York, NY 10016  
(Cost varies among information services)



**High speed modems zip big batches of data at low cost.**

You'll improve the effectiveness of your department and increase your company's ability to handle growth. When multiplying two or more numbers, you can save time by using a high-speed modem. Instead of making one or more trips to the computer room, you can give the high-speed modem a single line, then make the high-speed modem do the work for you. This saves time by transmitting and receiving data at fast as 9600 bps. And a high-speed modem can save you money by letting you use a single line to connect your phone to a computer. You won't have to wait for a slower modem to complete its transmission. You'll get more work done in less time than ever before.

## Get An Expert's Advice ... First.

Go straight to the Inmac catalog for helpful hints and advice from our engineers. Also... for 2,400 computer supplies and accessories. All are prominently displayed and described in depth. All have our exclusive 45-day trial use and minimum 1 year guarantee.



FREE

1-800-547-5444

**inmac**™ 2465 Augustine Drive  
Santa Clara, CA 95054

Yes... I'd like to get an expert's advice first.

NAME \_\_\_\_\_

COMPANY \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PHONE ( ) \_\_\_\_\_

## Amiga Software Dealers Electronic Arts

### Alabama

Huntsville: Endsoft.  
Mobile, Wall: Tai Home Communications, St.

### California

All Warehouse stores  
Concord: Software Centre Int'l.  
Costa Mesa: Gamesmanship  
Fresno: Alpha Omega  
Los Angeles: Computer Age, Byte Shop, Computerland.  
West Los Angeles: Software Supermarket  
Monterey: Right Byte.  
Napoli: Liberty Systems.  
Pescadero: Home & Business Computer Center.  
Redlands: Brown Knobs Computer.  
Riverside: Software Service Center.  
San Bruno: Home Computer Center.  
Santa Ana: The Home Computer Store.  
San Francisco: Access to Software.  
San Jose: Affordable Computer Systems.  
San Leandro: Home Computer Center.  
Santa Rosa: Software First.  
Thousand Oaks: Thor Audio Video.

### Colorado

Aurora: Sothenheim Enterprises.  
Colorado Springs: Softwareland, Renaissance Computerware.  
Westminster: Colorado Computer Systems.  
Denver: Contemporary Computer Concepts  
Lakewood: Micro World

### Florida

St. Petersburg: New Age Electronics.  
Tampa: Computer Camera-Sound Trader

### Georgia

Augusta: Future Systems  
Gainesville: Preferred Systems.

### Hawaii

Honolulu: Data One Micracomputer

### Indiana

Ellettsville: Wayne Byrnes, Inc.  
New Albany: Kwik Service Electronics.

### Massachusetts

Acton: Instant Software  
Boston: Instant Software  
Uttelton: Software Plus  
Wellesley: Instant Software.

### Michigan

Oakman: Pro Video.  
Plymouth: Stram Computer.

### Minnesota

Broadway Center, 21st Computer, Inc.  
Roseville: Software Center Int'l.

### New York

Albany: France Enterprises of Northway  
New York: Computerland, Leighs Computer,  
Computer Factory.  
Oyster Bay: Pine Hollow Video.

### New Jersey

Wyckoff: Yudin's

### New Mexico

Albuquerque: Page One.

### New Hampshire

Hudson: Instant Software.  
Keene: Instant Software.  
Manchester: Wayne Green Enterprises  
Nashua: Instant Software

### North Carolina

Raleigh: Audio Bys, Inc.  
Winston-Salem: Trad Computers

### Ohio

Fairborn: Fairborn Home Computer.

### Oregon

Beaverton: Software Centre Int'l.  
Eugene: Software Express.

Portland: Computer Business Systems, IB Computers.

### Pennsylvania

Hershey: East Coast Software.  
McMurry, Toy Store.  
Norristown: Electronics Boutique.

### Rhode Island

Westerly: Software Connections.

### South Carolina

Charleston: Software Solutions.  
Charleston Heights: Software Haus  
Greenville: Harizan Computers.

### Tennessee

Nashville: Software First.

### Texas

Tyler: Computer Time.

### Washington

Battleground: Software Express.  
Everett: Cam-Soft  
Kent: Computer Software Warehouse.  
Renton: A.P.P.L.E. Coop.  
Spokane: Bits, Bytes & Nibbles  
Tacoma: Nibbles & Bytes  
Tukwila: Programs Plus, Software Centre Int'l.

### Wisconsin

Oshkosh: Fox Valley Personal Computers

# BASIC Lightning & White Lightning For Commodore 64

Roark Dority

*Requirements: Commodore 64 and a 1541 disk drive or a tape drive.*

You've probably heard of several different software packages which enhance or extend your Commodore 64's BASIC language. *BASIC Lightning*, a graphics development system for the 64, is one of the most exciting such programs I've seen.

*BASIC Lightning* is much more than a BASIC extension. It's practically a whole new language. Besides all the usual Commodore BASIC commands, *BASIC Lightning* offers more than 150 new commands. They make structured programming possible, let you run up to five parts of a BASIC program simultaneously, and may change your attitude toward using graphics and sound on the 64.

If you've ever programmed in Pascal or a similar language, you'll be happy to know that *BASIC Lightning* includes all the control commands found in Pascal. Control structures include IF-THEN-ELSE, REPEAT-UNTIL, WHILE-WEND, CASE-OF, and procedures and functions with full parameter-passing.

The graphics commands in *BASIC Lightning* are in a class all their own. You can create up to 255 sprites of any size, and these sprites can be scrolled, spun, rotated 90 degrees, enlarged, contracted, and mirrored vertically and horizontally. You can individually design each sprite, place them anywhere on the screen, move part of one sprite into another, copy part of the screen into a sprite, or copy an entire sprite into another.

There are also commands for combining two sprites at once in four different ways, and commands to control the sprite colors when two sprites are combined. Another useful feature is the ability to print characters and double-sized characters inside the sprites.

However, I did find it difficult to design sprites with the sprite editor. You can edit only one 8 x 8 grid at a time, and the editor reacts slowly to commands. To design sprites larger than 8 x 8 pixels, the grid must be copied to a larger area on the screen. After several grids have been placed

side by side, your sprite begins to take form. Then it's possible to edit more

sprites, and even show them in sequence to simulate animation.

## Multitasking In BASIC

What *BASIC Lightning* does for graphics, it does for sound as well. For example, music data can be stored in sprites and played in the background with the commands *PLAY* and *RPLAY*. This means your music can be playing while the rest of your program is doing other things.

One of the most exciting features of *BASIC Lightning* is its multitasking capability. The *TASK* command allows up to five things in your program to happen at once. Each task has its own set of variables which are independent of the others. Special commands let you pass values between tasks.

Another product from Oasis Software is *White Lightning*, a Forth-based language. If you have some background in Forth, or are willing to learn a new language, *White Lightning* is certainly a worthwhile package. (Incidentally, *White Lightning* includes *BASIC Lightning*, with all the commands mentioned above.)

*BASIC Lightning* and *White Lightning* both include a disk and two tapes, so tape users as well as disk users can program with the packages. *BASIC Lightning* is especially ideal for anyone who writes programs in BASIC and is interested in structured programming, sprite graphics, and sound. It's easy to use, too. In minutes it's possible to know enough to handle the screen windows, and everything appears and changes faster than in Commodore BASIC with the *POKE* commands. *White Lightning* takes longer to learn because it's an entirely different language.

If you're interested in machine language programming, Oasis Software also makes *Machine Lightning*, an advanced machine language system.

Oasis Software  
377 Oyster Point Blvd.  
Unit 15  
San Francisco, CA 94080  
BASIC Lightning \$39.95  
White Lightning \$49.95  
Machine Lightning \$84.95



# Only NRI teaches you to service and repair all computers as you build your own 16-bit IBM-compatible micro

As computers move into offices and homes by the millions, the demand for trained computer service technicians surges forward. The Department of Labor estimates that computer service jobs will actually *double* in the next ten years—a faster growth than any other occupation.

## Total System Training

As an NRI student, you'll get total hands-on training as you actually build your own Sanyo MBC-550 series computer from the keyboard up. Only a person who knows *all* the underlying fundamentals can cope with *all* the significant brands of computers. And as an NRI graduate, you'll possess the up-to-the-minute combination of theory and practical experience that will lead you to success on the job.

You learn at your own convenience, in your own home, at your own comfortable pace. Without classroom pressures, without rigid night-school schedules, without wasted time. Your own personal NRI instructor and NRI's complete technical staff will answer your questions, give you guidance and special help whenever you may need it.

## The Exciting Sanyo 16-bit IBM-compatible Computer—Yours To Keep

Critics hail the new Sanyo as the "most intriguing" of all the IBM-PC compatible computers. It uses the same 8088 microprocessor as the IBM-PC and the MS/DOS operating system. So, you'll be able to choose thousands of off-the-shelf software programs to run on your completed Sanyo.

As you build the Sanyo from the keyboard up, you'll perform demonstrations and experiments that will give you a total mastery of computer operations and servicing techniques. You'll do programming in BASIC language. You'll prepare interfaces for peripherals such as printers and joysticks. Using utility programs, you'll check out 8088 functioning. NRI's easy step-by-step directions will guide you all the way right into one of today's fastest growing fields as a computer service technician. And the entire system, including all the bundled software and extensive data manuals, is yours to keep as part of your training.



NRI is the only home study school that trains you as you assemble a top-brand micro-computer. You'll install and check keyboard, power supply, disk drive and monitor, following step-by-step directions.

Your NRI course includes a Sanyo 16-bit micro computer with 128K RAM, monitor, with double-density/double-sided disk drive, and "Intelligent" Keyboard; The NRI Discovery Lab™, Teaching Circuit Design and Operations; a Digital Multimeter; Bundled Spread Sheet and Word Processing Software Worth over \$1000 at Retail—and More.

## 100-Page Free Catalog Tells More

Send the coupon today for NRI's big 100-page color catalog, which gives you all the facts about NRI training in Microcomputers, Robotics, Data Communications, TV/Video/

Audio Servicing, and other growing high-tech career fields. If the coupon is missing write to NRI, 3939 Wisconsin Ave., Washington, D.C. 20016.

IBM is a Registered Trademark of International Business Machine Corporation.

**NRI SCHOOLS**  
McGraw-Hill Continuing Education Center  
3939 Wisconsin Avenue, Washington, DC 20016  
We'll give you tomorrow.

### ✓ CHECK ONE FREE CATALOG ONLY

- ☐ Computer Electronics with Microcomputers
- ☐ Data Communications
- ☐ Robotics & Industrial Controls
- ☐ Video Electronics Servicing
- ☐ Electronic Design Technology
- ☐ Digital Electronics

- ☐ Satellite Communications
- ☐ Communications Electronics
- ☐ Industrial Electronics
- ☐ Basic Electronics
- ☐ Telephone Servicing
- ☐ Small Engine Servicing
- ☐ Appliance Servicing

- ☐ Automotive Servicing
- ☐ Air Conditioning, Heating, Refrigeration, & Solar Technology
- ☐ Building Construction
- ☐ Locksmithing & Electronic Security

For Career courses approved under GI bill,  
☐ check for details.

Name (Please Print) \_\_\_\_\_

Age \_\_\_\_\_

Street \_\_\_\_\_

City/State/Zip \_\_\_\_\_

Accredited by the National Home Study Council

198-114

# Gato For Apple And IBM

Michael B. Williams

*Requirements: Apple IIe or IIc with a disk drive; Apple Macintosh; IBM PC with at least 128K RAM and color/graphics adapter; or an Enhanced Model PCjr. The Apple II version was reviewed; other versions are similar.*

Just as flight simulators take the danger out of flying while retaining much of the excitement, *Gato* lets you fight for your country in a submarine from the safety of your desktop. You patrol the South Pacific in your Gato-class submarine, a type of ship actually deployed during World War II.

Your mission begins with a coded message detailing your assignment in enemy territory. At *Gato's* higher difficulty levels (there are ten), the message is transmitted in Morse code; it's up to you to decipher it. (A Morse code table is included in the manual, but you won't have time to use it without memorizing it first.) You may be ordered to intercept an enemy fleet, cut off enemy supply lines, or rescue allies from enemy territory.

Your patrol area covers 20 allied, enemy, and neutral quadrants of the South Pacific. The patrol chart display offers a view of this entire area, including your sub, the allied subfinder, enemy ships, and the area's dozen islands, although not all this information is available on the upper difficulty levels. You can view your position within a quadrant with the quadrant chart, which also shows in greater detail the islands and their surrounding shoals and reefs.

Other displays are the radar screen, the damage report screen, the captain's log (which holds data for eight players), and the main control screen. The damage screen shows a port-side view of your sub, highlighting the damage in any of eight major areas. The main screen demands most of your attention—it contains depth, speed, and heading gauges as well as a full-color view of objects in your area. The Apple version of *Gato* displays these graphics in the extended high-resolution mode; the graphics are adequate, but could be improved.

A nice touch in *Gato* is the fake spreadsheet screen: You can flip to this display to make it look as if you're working whenever the boss strolls by.



## Coming Up For Air

*Gato* promises realism, and it delivers. While the lower difficulty levels are excellent for learning to control the submarine, the upper levels offer extreme challenge and give you no unfair advantages over the enemy as the lower levels do. Attention to detail is very good. You run aground if you get too near an island, and the sub's speed is affected by the ship's depth, the periscope position, and whether the torpedo tube doors are open or closed. Because oxygen is constantly consumed below depths of 20 feet, you must surface occasionally to prevent your crew from suffocating. In addition, depth and speed play a role in how soon you are detected by enemy ships during sneak attacks.

The extensive list of factors the program must calculate and recalculate inevitably slows down the game. The

screen updates only about once per second, and takes even longer when ships or islands are nearby.

If one of your torpedoes finds its target, you can see the explosions on the display if you're surfaced. The explosion graphics are fair, although the sound effects could use some improvement. Each time you sink a ship, the program updates your captain's log to credit your achievement. The log is reset every time you are sunk—it goes down with the ship.

*Gato* also includes screens with historical and technical information, plus a demonstration mode (the demo mode explains the submarine but does not show actual game play). The manual moves quickly in an effort to be thorough, including a discussion of strategy and tactics against the five different types of enemy ships. It offers help on attack patterns, defense tactics, avoiding depth charges, and using the radar and periscope.

*Gato* requires a serious approach if you want to play it well. For those willing to commit themselves to service in the Pacific Fleet, *Gato* lives up to its claims. Just don't expect to sink the entire Japanese fleet on your first (or even fifth) mission.

**Gato**  
Spectrum HoloByte, Inc.  
1050 Walnut, Suite 325  
Boulder, CO 80302  
\$39.95 Apple/IBM  
\$49.95 Macintosh

## Atari PaperClip

Robert L. Riggs

*Requirements: Atari 400/800, XL, or XE with at least 48K RAM, a disk drive, and a printer.*

Word processors for Atari computers are reaching an amazing level of sophistication. In many ways, the Atari version of *PaperClip* from Batteries Included is the most sophisticated to date.

Besides all the usual features we've come to expect, *PaperClip* offers a number of capabilities not found in most other Atari word processors. These range from major features such as multiple windows to lesser ones such as character- and word-swap commands. The windows are particularly useful: You can load and edit two different documents simultaneously, and cut and paste text between them.

Typical of the program's flexibility is a configuration menu that lets you customize your own version of *PaperClip*. For instance, you can change the screen background and character colors; choose the screen line length—from 15 to 132 characters—and then determine whether the entire screen window will scroll or just the line being typed; change the left screen margin to correct for TV sets which overscan; elect to use the cursor keys without pressing CTRL; and switch the XL/XE key click and alarm bell on or off. You can even tell *PaperClip* to automatically save the text file you're working on after a predetermined number of keystrokes.

Once you've customized *PaperClip*, you can save it on disk for future use. The program disk isn't copy-protected, so you can make as many backups as you need. You can, for example, create several *PaperClip* disks with different configurations and preferences. To prevent this feature from

being abused by software pirates, *PaperClip* comes with a key that must be plugged into a joystick port to make it work.

The configuration menu offers other choices, too, such as a mini-DOS and options to create, save, and load macro files. A macro is a block of previously defined text—such as a letterhead—that can be placed on the screen with a single keystroke. You can define several macro files, each containing blocks of frequently used text.

*PaperClip* does not come with a quick reference card for its many commands, but pressing CTRL-SHIFT-? calls up either a disk menu or the online help files (assuming the disk containing these files is inserted in the default drive). The help files contain a list of all *PaperClip* commands necessary for file manipulation, printer control, and screen editing.

## Math And Graphics

*PaperClip* can manipulate numbers and pictures as well as letters. Its built-in calculator can add, subtract, multiply, and divide, printing the answer at the appropriate place in the document. And a screen dump utility on the program disk prints out images created with any of the well-known graphics programs, including the KoalaPad and Atari Touch Tablet or Light Pen. If you want, these pictures can be embedded in your documents, and the program disk contains *B/Graph* and *KoalaPad* files for practice.

Other useful utilities are included on the disk, too. One program converts *AtariWriter* word processor files to *PaperClip* format. *PaperClip*—like *AtariWriter* and most other Atari word processors—saves text in standard ASCII format, but there are differences between formatting codes and so forth. The conversion utility automatically replaces the *AtariWriter* codes with appropriate *PaperClip* codes.

There's also a mail-merge feature, a typewriter mode which is ideal for addressing envelopes, a word counter, and the ability to search and replace up to six pairs of text strings in a single pass.

One extra feature of *PaperClip* which I especially enjoyed was the rapid cursor movement. The cursor begins repeating sooner when you hold down a cursor key, and it zips across the screen considerably faster than your average Atari cursor.

## Versatile Printing

*PaperClip* is flexible enough to work with virtually any printer. The program disk contains printer drivers for more than 30 of the most popular models. If necessary, you can create your own printer driver by using a program which lets you modify an existing driver or build one from scratch. Therefore,

*PaperClip* should be compatible with any future printers.

During my testing, I found that *PaperClip* did not fully support the proportionally spaced font of the Atari 825 printer. *PaperClip* would print the proportional font, but without proportional spacing. However, I was using the early version 1.0 of the program; Batteries Included says the newer version 1.1 does add microspacing for proportional printing, though it still cannot handle true proportional spacing with this printer.

*PaperClip* has several printing features that will be appreciated for specialized applications—such as a table of contents creator, an option to print any range of pages in a document, the ability to print multiple copies, and a batch-file capability for printing several documents in sequence. It's also the only Atari word processor I've seen that can print in double-column format without forcing you to roll the paper back into the printer—great for newsletters.

## Future Features

Because *PaperClip* has such a large number of commands and capabilities, it takes a while to master. The manual is lengthy, and the original edition needs an index and more assistance for first-time users. Batteries Included says a new edition of the manual corrects these deficiencies and adds the much-needed index. It is being shipped with later copies of *PaperClip* 1.1.

Even newer versions of *PaperClip* were scheduled for release this fall. Version 1.2 supports the full 128K RAM in the Atari 130XE, treating the four extra 16K banks as one continuous block of memory. The text area is about 90K long, and the windowing feature lets you load two documents up to 45K long. *PaperClip* 1.2 also will support the extra memory in any future XE models, such as the 256K XE that Atari has hinted about. If this computer ever becomes a reality, *PaperClip* 1.2 would allow more than 200K for text memory.

Batteries Included also planned to make *PaperClip* work with its announced 80-column cartridge, the B.I. 80, but the cartridge was recently canceled due to chip supply problems.

Updates to newer versions of *PaperClip*, incidentally, are available to owners for \$10.

Overall, *PaperClip* is without doubt a superb word processor for Atari computers. You won't be sorry you bought it.

*PaperClip*  
Batteries Included  
30 Mural Street  
Richmond Hill, Ontario  
Canada L4B 1B5  
\$59.95

# Davidson is #1, #1, #1, & #1 in Education

For math, speed reading, spelling and vocabulary, Davidson's award winning software outsells all others. Why? Because enough people choose to buy the educational software that works.

**MATH BLASTER** makes it more fun to add, subtract, multiply, divide, and learn fractions, decimals and percents. First through sixth graders master 600 math facts with exciting graphics, animation, sound effects...even an arcade game. Apple II<sup>®</sup>, Macintosh<sup>™</sup>, IBM<sup>®</sup>, Commodore 64/128<sup>™</sup>, Atari<sup>™</sup>. 49.95.



**SPEED READER II** can quadruple your reading speed and improve your comprehension. Develop good reading habits, chart your progress, and have fun! For high school age through adult. Apple II<sup>®</sup>, Macintosh<sup>™</sup>, IBM<sup>®</sup>, Commodore 64/128<sup>™</sup>. 69.95



**WORD ATTACK** lets students ten through adult discover the meanings and usages of 675 new words. Includes a fun, fast-action arcade game and add-your-own-words editor. Apple II<sup>®</sup>, IBM<sup>®</sup>, Commodore 64/128<sup>™</sup>, Atari<sup>™</sup>. 49.95



**SPELL IT** teaches ten year olds and older how to spell a thousand and one of our most commonly misspelled words. Vivid graphics, animation, sound effects, a lively arcade game and add-your-own-words editor, too! Apple II<sup>®</sup>, IBM<sup>®</sup>, Commodore 64/128<sup>™</sup>, Atari<sup>™</sup>. 49.95



Davidson & Associates, Inc.

**800-556-6141**

(In Calif., 213-534-4070)

**Davidson.**

Davidson & Associates, Inc.  
3135 Kashiwa St. / Torrance, CA 90505

Please send me a FREE COLOR BROCHURE and the name of my nearest Davidson Dealer.

Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Educational Software that Works





# Commodore 64 3-D Animated Graphics

Christian-Marc Panneton

*This BASIC enhancement for the Commodore 64 makes it easy to draw and animate impressive three-dimensional graphic figures. While the commands are designed for creating 3-D shapes, they're useful in any high-resolution graphics application.*

Nearly everyone has seen three-dimensional computer drawings, but have you ever tried to create one yourself? Since complex math is needed to calculate a 3-D shape and plot it on the high-resolution screen, BASIC takes a long time to draw even relatively simple objects. For this reason, 3-D animation is rarely seen, even in commercial software.

With "3-D Graphics Package," however, you can add several new commands to BASIC for creating sophisticated 3-D graphics—even if you're not a programming wizard.

Type in Program 1 using "MLX," the machine language entry program published elsewhere in this issue. Read the MLX instructions carefully before typing the program, and be sure to save a copy when you're done. Here are the addresses required for MLX:

Starting address: 34000  
Ending address: 39381

Because this is a machine language (ML) program, you'll need to load it with LOAD "FILENAME",8,1 for disk or LOAD "FILENAME",1,1 for tape. Activate it by typing SYS 34000 and pressing RETURN. A startup message at the top of the screen

reminds you that an enhanced version of BASIC is present. Now type in and save Program 2, a short 3-D graphics demonstration. You must activate Program 1 before typing in Program 2. If the enhanced BASIC is not present, the special graphics commands won't work, even if you later reload Program 2 with the enhanced BASIC.

## 3-D Animation


Program 2 displays two complex, multicolored objects rotating around a common axis. When a rotation is finished, the objects are redisplayed and rotated in a different plane. Notice how short the program is. If you've never tried creating such displays in BASIC, it's difficult to appreciate just how fast and efficient these new commands are. Although objects of this complexity usually take several minutes to draw in BASIC, the ML routines draw and redraw them quickly enough to create a convincing illusion of movement in three-dimensional space.

This program will be easier to use if you understand a few simple concepts. Three-dimensional objects are usually defined in terms of three dimensions or planes relative to you, the observer. The X plane defines horizontal location. The Y plane defines vertical location. The Z plane defines depth. You can locate any point in this system by specifying a coordinate for each of the three planes.

As shown in the figure, coordinate (0,0,0) defines the spot where

all three planes intersect. In the X plane, negative coordinates lie to the left of the X axis and positive coordinates to the right. In the Y plane, positive coordinates are up and negative ones down. And positive Z coordinates are nearer to you than negative ones.

**The 3-D drawing grid is composed of three dimensions or planes. Each point in space has three coordinates on the grid.**



Don't worry if that sounds a bit confusing. The best way to learn about these commands is to experiment. Since they all work in direct mode (when you're not running a program), you can type in one command at a time and see the result right away. If it's not what you expect, change one or two values and try again. After a while you'll learn how to draw what you want, even if you're not an expert in geometry.

# ATARI

Atari is a trademark of ATARI INC.

## SUPER PRINTER PACKAGES

SG-10 Printer	285	Citoh 8510AP +	399
and U-Print A		& U-Print A	
Panasonic 1091		Powerbyte &	
and U-Print A	315	U-Print A	379
Legend 880 &			
U-Print A	287		

Super Printer Packages have no extra charges when shipped in Continental USA.

## ATARI INTERFACES

U-Print A	59.95	R-Verter Modem	
U-Print A-16K	79.95	Adapter	39.95
U-Print A-64K	99.95	U-Call Modem	
		Adapter	44.95

## INDUS GT

for Atari	Call	Pocket Modem	94.95
-----------	------	--------------	-------

## ATARI 520 ST\*

Atari 520 ST-Monochrome System ..... Call

Atari 520 ST-RGB System ..... Call

Atari 130XE Computer ..... Call

Atari 1050 Disk Drive ..... Call

## ATARI ST SOFTWARE

Gem Write	79.95	ST Business Tools	49.95
Gem Paint	39.95	Calculator	19.95
Spreadsheet	79.95	Centipede	24.95
DB Master	79.95	Missile Command	24.95
2 Key Accounting	64.95	Star Raiders	24.95
Home Planetarium	39.95	Battlezone	24.95
ST Cobol	39.95	Asteroids	24.95

## MISCELLANEOUS ST

Monday Morning		Keyboard Cadet	27.95
Manager	34.95	Halley Project	34.95
VP Professional	69.95	PC Intercom	89.95
Financial Time Machine	41.95	Mime Test Drive	129.95
Deja Vu	39.95	Haba Systems	Call

## INFOCOST

Zork I, II, or III	29.95	Hitchhiker	27.95
Witness	27.95	Suspect	29.95
Planetfall	22.95	Wishbringer	27.95
Sorcerer	29.95	Enchanter	27.95
Seasaltaker	27.95		

\*Please call for stock availability on Atari ST products before ordering by mail

## ATARI SOFTWARE

<b>BRODERBUND</b>		<b>MISC. ATARI (cont'd.)</b>	
Karateka	20.95	Strip Poker	23.95
Champ Loadrunner	23.95	Halley Project	29.95
Print Shop-D	34.95	Micro League Baseball	24.95
Bank Street Writer	34.95	Ultima II-D	23.95
Print Shop Graphics I-D	19.95	Ultima II-D	37.95
Print Shop Graphics II-D	19.95	F-15 Strike Eagle	23.95
Print Shop Paper	16.95	Ultima IV-D	41.95

## ELECTRONIC ARTS

Archon	19.95	Alien Force Box	29.95
Archon II	24.95	Ominion	69.95
Mule	19.95	Power Clip	39.95
Real/Impossible	19.95	Home Pak-D	34.95
Murder/Zindemur	19.95		
Music Construction	19.95		
Pinnball Construction	19.95		
One on One	24.95		
Seven Cities of Gold	24.95		
Wizard of Wroth	29.95		

## INFOCOM

Enchanter-D	24.95		
Enchanter II	24.95		
Hitchhiker-D	24.95		
Cutthroats-D	24.95		
Wishbringer-D	29.95		

## MISCELLANEOUS

Parzer Grendier-D	24.95		
Hacker-D	19.95		
Crusade Country Road	19.95		
Master of Lamps-D	19.95		
Fight Simulator-D	34.95		
Colonel Quest-D	24.95		
Monkey Wrench-Cart	23.95		
Ultima III-D	37.95		
Sargon III-D	34.95		
Deluxe Chess-D	49.95		
Ramrod XL	69.95		
Universe-D	69.95		
Beachhead-D	21.95		
Left Perfection-D	39.95		
Data Perfect-D	39.95		
Fleet System II-D	49.95		

## ATARI

Parzer Grendier-D	24.95		
Hacker-D	19.95		
Crusade Country Road	19.95		
Master of Lamps-D	19.95		
Fight Simulator-D	34.95		
Colonel Quest-D	24.95		
Monkey Wrench-Cart	23.95		
Ultima III-D	37.95		
Sargon III-D	34.95		
Deluxe Chess-D	49.95		
Ramrod XL	69.95		
Universe-D	69.95		
Beachhead-D	21.95		
Left Perfection-D	39.95		
Data Perfect-D	39.95		
Fleet System II-D	49.95		

## ATARI

Parzer Grendier-D	24.95		
Hacker-D	19.95		
Crusade Country Road	19.95		
Master of Lamps-D	19.95		
Fight Simulator-D	34.95		
Colonel Quest-D	24.95		
Monkey Wrench-Cart	23.95		
Ultima III-D	37.95		
Sargon III-D	34.95		
Deluxe Chess-D	49.95		
Ramrod XL	69.95		
Universe-D	69.95		
Beachhead-D	21.95		
Left Perfection-D	39.95		
Data Perfect-D	39.95		
Fleet System II-D	49.95		

## ATARI SUPER SPECIAL

Prices effective now through

November 30, 1985

Micro League Baseball	24.95	Starleague Baseball	19.95
On Track Racing	16.95	World Grand Football	24.95
Starbow Football	19.95	On One	21.95
Winter Games	24.95	X-Country Road Race	19.95

## GENERAL HARDWARE

<b>SG-10</b>	215	<b>MODEMS</b>	
<b>SG-15</b>	369	Volsmodem 1200	189
<b>SD-10</b>	339	Racal-Vadic 300/1200	319
<b>SD-15</b>	449	Prometheus 1200	319
<b>SR-10</b>	Call	<b>PRINTERS</b>	
<b>SR-15</b>	Call	Panasonic 1091	245
<b>U-Print 850AP</b>	329	Citoh 8510AP	329
<b>Legend 880</b>	219	Legend 880	219
<b>Citoh 7500AP</b>	219	Epson	219
<b>Panasonic 1090</b>	199	Panasonic 1090	199
<b>Powerbyte 309</b>	309	Powerbyte 309	309
<b>U-Print-64K</b>	99.95	Juk 5510	389

## AMIGA COMPUTER CALL FOR HARDWARE AND SOFTWARE PRICES

## APPLE

### BRODERBUND

Print Shop-D	33.95	Skyfox	29.95
Karateka-D	21.95	On One	29.95
Champ Loadrunner-D	21.95	Seven Cities/Gold	29.95
Bank Street Writer-D	34.95	Archon	24.95
Print Shop Graphics-D	17.95	Adv. Construction Kit	37.95
Dazzle Draw	39.95		

### APPLE MISCELLANEOUS

Ghostsbusters	25.95	Star League Baseball	23.95
Flight Simulator II	34.95	Ultima III	39.95
F-15 Strike Eagle	21.95	Bruce Lee	25.95
Summer Games	25.95	Curran	25.95
Micro League Baseball	23.95	Swallows	23.95

We stock hundreds of programs for the Apple, Atari, C-64 and IBM if you don't see it listed here don't hesitate to call.

T - Cassette D - Disk Cart - Cartridge

EST. 1982

# ComputerAbility

P.O. Box 17882, Milwaukee, WI 53217

DROPSHIPPING OPEN

Mon-Fri 11 a.m. - 7 p.m. CST \* Sat. 12 p.m. - 5 p.m. CST

To Order Call Toll Free

# 800-558-0003

For Technical Info, Order Inquiries, or for Wisc. Orders

# 414-351-2007

**ORDERING INFORMATION:** Please specify system, fast delivery send cash or check, money order or direct bank transfers. Personal and company checks allow 2 weeks to clear. Charges for COD are \$3.00. School Purchase Orders welcome. In CONTINENTAL USA, include \$3.00 shipping per software order. Residents 44 shipping on all hardware orders. minimum \$44. Mastercard & Visa please include card # and expiration date. WI residents please add 5% sales tax. HI, AK, FPO, APO, Canadian orders - add 5% shipping, minimum \$5.00. All other foreign orders - please add 15% shipping, minimum \$10.00. All goods are new and include factory warranty. Due to our low prices, all sales are final. All defective returns must have a return authorization number. Please call 414-351-2007 to obtain a return authorization number. Will NOT be accepted for replacement or repair. Prices and availability is subject to change without notice.

# COMMODORE 64 & 128

C-128 Computer	Call
1571 Disk Drive	Call
1902 Monitor	Call

Call for our special package price

## SUPER PRINTER PACKAGES

SG-10 & G-WIZ	279
Panasonic 1091 & G-WIZ	309
Panasonic 1090 & G-WIZ	265
Legend 880 & G-WIZ	271
Legend 1080 & G-WIZ	282
Citoh 8510AP & G-WIZ	395

Super Printer Packages have no extra charges added when shipped in Continental USA

## MODEMS

Westpac AXAD	69.95	Animation Station	49.95
Mighty Mo	69.95		
1680 Modem	49.95		

## INDUS GT

for C-64	Call	G-Wiz	59.95
		Data Share PPI	49.95
		Cardco G	49.95

## C-64 SUPER SPECIALS

Super Special Prices effective now

thru November 30, 1985

Micro League Baseball	24.95	Star Rank Boxing	19.95
On Track Racing	16.95	On One	21.95
On Field Football	19.95	X-Country Road Race	19.95
On Court Tennis	19.95	Battle up	24.95
Star League Baseball	18.95	Racing Destruction Kit	21.95

## COMMODORE SOFTWARE

<b>SSI</b>		<b>ACCESS</b>	
Destruction-D	24.95	Beachhead-D	21.95
Phantasia-D	24.95	Beachhead II-D	24.95
Germany 1985-D	37.95	Raid Moscow-D	29.95
Wings of War-D	24.95	Match V-Cart	21.95
Fighter Command-D	37.95		
Mech Bagnade-D	37.95		
Norway 1985-D	21.95		
See Atari Section for Rest of Items and Prices			
<b>ELECTRONIC ARTS</b>		<b>BATTERIES INCLUDED</b>	
Stryker-D	24.95	Consultant-D	52.95
Mail Order Monster-D	24.95	Paperclip W/Spellpak-D	79.95
Adv. Construction-D	29.95	Super Bussard II	129.95
Racing Destruction-D	24.95	Home Guard Cards	109.95
Golden Dudes-D	19.95	Call-Kit	34.95
See Atari Section for Rest of Items and Prices		Home Pak-D	34.95
<b>INSTA</b>		<b>INFOCOM</b>	
Insta Calc/Graph	24.95	Zork II or III-D	27.95
Insta-Ledger-D	39.95	Descent-D	29.95
Insta-Writer-D	14.95	Starcross-D	29.95
See Atari Section for Rest of Items and Prices		Witness-D	29.95
<b>MISCELLANEOUS COMMODORE</b>		Suspected-D	29.95
Management	39.95	Planetfall-D	24.95
Insta-Speed-D	39.95	Sorcerer-D	29.95
		Infidel-D	29.95
		See Stalker-D	24.95
		Suspect-D	29.95
		See Atari Section for Rest of Items and Prices	

Here are some of the applications, tutorials, and games from available back issues of COMPUTE!. Each issue contains much, much more than there's space here to list, but here are some highlights:

**May 1981:** Named GOSUB/GOTO in Applesoft, Generating Lower Case Text on Apple II, Copy Atari Screens to the Printer, Disk Directory Printer for Atari, Realtime Clock on Atari, PET BASIC Delete Utility, PET Calculated Bar Graphs, Running 40 Column Programs on a CBM 8032, A Fast Visible Memory Dump, Cassette Filing System, Getting to a Machine Language Program, Epidemic Simulation.

**June 1981:** Computer Using Educators (CUE) on Software Pricing, Apple II Hires Character Generator, Ever Expanding Apple Power, Color Burst for Atari, Mixing Atari Graphics Modes 0 and 8, Relocating PET BASIC Programs, An Assembler in BASIC for PET Quadra PET: Multitasking?, Mapping Unknown Machine Language, RAM/ROM Memory, Keeping Tabs on a Printer.

**July 1981:** Home Heating and Cooling, Animating Integer BASIC Lores Graphics, The Apple Hires Shape Writer, Adding a Voice Track to Atari Programs, Machine Language Atari Joystick Driver, Four Screen Utilities for the PET, Saving Machine Language Programs on PET Tape Headers, Commodore ROM Systems, Using TAB, SPC, and LEN.

**August 1981:** Minimize Code and Maximize Speed, Apple Disk Motor Control, A Cassette Tape Monitor for the Apple, Easy Reading of the Atari Joystick, Blockade Game for the Atari, Atari Sound Utility, TI CBM "Fat 40," Keyword for PET, CBM/PET Loading, Chaining, and Overlaying, Adding a Programmable Sound Generator, Converting PET BASIC Programs to ASCII Files.

**October 1981:** Automatic DATA Statements for CBM and Atari, VIC News, Undeletable Lines on Apple, PET, and VIC; Budgeting on the Apple, Atari Cassette Boot-tapes, Atari Variable Name Utility, Atari Program Library, Train Your PET to Run VIC Programs, Interface a BSR Remote Control System to PET, A General Purpose BCD to Binary Routine, Converting to Fat-40 PET.

**December 1981:** Saving Fuel \$\$ (multiple computers), Unscramble Game (multiple computers), Maze Generator (multiple computers), Animating Applesoft Graphics, A Simple Atari Word Processor, Adding High Speed Vertical Positioning to Atari P/M Graphics, OSI Supercursor, A Look at SuperPET, Supermon for PET/CBM, PET Mine Maze Game, Replacing the INPUT # Command, Foreign Language Text on the Commodore Printer, File Recovery.

**January 1982:** Invest (multiple computers), Developing a Business Algorithm (multiple computers), Apple Addresses, Lowercase with Unmodified Apple, Cryptogram Game for Atari, Superfont: Design Special Character Sets on Atari, PET Repairs for the Amateur, Micromon for PET, Self-modifying Programs in PET BASIC, Tinymon: A VIC Monitor, VIC Color Tips, VIC Memory Map, ZAP: A VIC Game.

**May 1982:** VIC Meteor Maze Game, Atari Disk Drive Speed Check, Modifying Apple's Floating Point BASIC, Fast Sort for PET/CBM, Extra Atari Colors Through Artifacts, Life Insurance Estimator (multiple computers), PET Screen Input, Getting the Most out of VIC's 500 Bytes.

**August 1982:** The New Wave of Personal Computers, Household Budget Manager (multiple computers), Word Games (multiple computers), Color Computer Home Energy Monitor, A VIC Light Pen for Under \$10, Guess That Animal (multiple computers), PET/CBM Inner BASIC, VIC Communica-

tions, Keyprint Compendium, Animation with Atari, VIC Curiosities, Atari Substring Search, PET and VIC Electric Eraser.

**September 1982:** Apple and Atari and the Sounds of TRON, Commodore Automatic Disk Boot, VIC Joysticks, Three Atari GTIA Articles, Commodore Disk Fixes, The Apple PILOT Language, Sprites and Sound on the Commodore 64, Peripheral Vision Exerciser (multiple computers), Banish INPUT Statements (multiple computers), Charades (multiple computers), PET Pointer Sort, VIC Pause, Mapping Machine Language, Commodore User-defined Functions Defined, A VIC Bug.

**January 1983:** Sound Synthesis and the Personal Computer, Juggler and Thunderbird Games (multiple computers), Music and Sound Programs (multiple computers), Writing Transportable BASIC, Home Energy Calculator (multiple computers), All About Commodore WAIT, Supermon 64, Perfect Commodore INPUTs, VIC Sound Generator, Copy VIC Disk Files, Commodore 64 Architecture.

**May 1983:** The New Low-Cost Printer/Plotters, Jumping Jack (multiple computers), Deflector (multiple computers), VIC Kaleidoscope, Graphics on the Sinclair/Timex, Bootmaker for VIC, PET, and 64, VICSTATION: A "Paperless Office," The Atari Musician, Puzzle Generator (multiple computers), Instant 64 Art, 64 Odds and Ends, Versatile VIC Data Acquisition, POP for Commodore.

**June 1983:** How to Buy the Right Printer, The New, Low-Cost Printers, Astrostorm (multiple computers), The Hawkmen of Dindrin (multiple computers), MusicMaster for the Commodore 64, Commodore Data Searcher, Atari Player/Missile Graphics Simplified, VIC Power Spirals, UnNEW for the VIC and 64, Atari Fast Shuffle, VIC Contractor, Commodore Supermon Q & A.



# COMPUTE! Back Issues

**July 1983:** Constructing the Ideal Computer Game, Techniques for Writing Your Own Adventure Game, SpeedSki and Time Bomb (VIC), Castle Quest and Roadblock (Atari), RATS! and Goblin (64), How to Create a Data Filing System (multiple computers), How to Back Up Disks for VIC and 64, Atari Artifacts, All About the Commodore USR Command, TI Mailing List.

**August 1983:** Weather Forecaster (multiple computers), First Math and Clues (multiple computers), Converting VIC and 64 Programs to PET, Atari Verify, Apple Bytechanger, VIC and 64 Escape Key, Banish Atari INPUT Statements, Mixing Graphics Modes on the 64, VICplot, VIC/64 Translations: Reading the Keyboard, Musical Atari Keyboard, VIC Display Messages.

**September 1983:** Games That Teach, Caves of Ice, Diamond Drop, Mystery Spell, and Dots (multiple computers), VIC Pilot, Ultrasort (VIC, 64, PET), Easy Atari Page Flipping, Computer Aided Design on the TI, Relative Files on the VIC/64, Atari Fontbyter, TI Sprite Editor, All About Interrupts (multiple computers), Cracking the 64 Kernel, Making Change on the Timex/Sinclair, Build Your Own Random File Manager (multiple computers).

**October 1983:** Computer Games by Phone, Coupon File (multiple computers), Dragon Master and Moving Maze (multiple computers), Merging Programs from Commodore Disks, Atari Master Disk Directory, Sprites in TI Extended BASIC, Commodore EXEC, Multicolor Atari Character Editor, High Speed Commodore Mazer, Apple Sounds, Extra Instructions (multiple computers), Commodore DOS Wedges, Invisible Disk Directory for VIC and 64.

**February 1984:** What Makes a Good Game, Circus (multiple

computers), Quatrainment (multiple computers), Commodore 3-D Drawing Master (Apple version also included), Speedy BASIC for VIC and 64, Dr. Video 64.

**March 1984:** All About Adding Peripherals, Modern Memory: The Future of Storage Devices, Roader (multiple computers), Barrier Battle (multiple computers), Programming the TI: File Processing, Sound Shaper (multiple computers), Commodore Floating Subroutines, Big Buffer for Atari.

**April 1984:** Apple's Macintosh Unveiled, Securities Analysis (multiple computers), Worm of Bemer (multiple computers), Programming the TI: File Processing, Part 2, 1540/1541 Disk Housekeeping, Hidden Atari DOS Commands, Function Keys for the Apple, TI Tricks and Tips, Super Directory (multiple computers).

**May 1984:** The Digital Palette: Fundamentals of Computer Graphics, The Inside Story: How Graphics Tablets and Light Pens Work, Picture Perfect for Atari and Commodore 64, 64 Hi-Res Graphics Editor, Snertle (multiple computers), Pentominos: A Puzzle-Solving Program (multiple computers), A BASIC Cross-Reference (PET, 64).

**June 1984:** Choosing the Right Printer: The Easy Way to Hard Copy, Pests (multiple computers), Olympiad (multiple computers), Programming the TI: TI Graphics, MacroDOS for Atari, Part 1, Apple Variable Save, Programming 64 Sound, Part 1, Apple Input and Menu Screens.

**July 1984:** Evolutionary to the Core: The Apple IIc Heads for Home, The ABC's of Data Bases, Statistics for Nonstatisticians (multiple computers), Bunny Hop (multiple computers), Blueberries (multiple computers), Atari Artist, Applesoft Lister, Program Conversion with Sinclair BASIC and TI BASIC, Commodore 64 ROM Generations.

**September 1984:** New Trends in Educational Computing, Choosing the Best Educational Software, Missile Math (multiple computers), Lightsaver (multiple computers), Multiple Choice Quiz Generator (multiple computers), Lightning Sort (multiple computers), Commodore Autoboot, Apple Editing Hints, Atari Paddle Fixer, Musical TI Keyboard.

**January 1985:** VIC/64 TurboTape: Tape at Disk Speeds, Music in the Computer Age, Inside MSX, Paratrooper (multiple computers), Rescue of Blondell (Commodore/Atari), Guitar Tuner (multiple computers), Which Computer Language Is Best?, Machine Language Multiplication, Part 1, Enhanced Applesoft Input, Atari Terminal Program, IBM Pie Chart Maker.

**February 1985:** Special Games Issue, The New Atari, Fame Games, Birth of a Computer Game, Acrobat (multiple computers), Terminal Program for VIC & 64, Programming the TI Without a Math Background, Adding Sound Effects to Atari, Rebound: Machine Language IBM Game, Apple Bowling Champ, 64 Sound Effects.

Back issues are \$6 each. Price includes freight in the US. Outside the US add \$1 per magazine ordered for surface postage, \$4 per magazine for airmail postage. All back issues are subject to availability.

**In the Continental US call  
TOLL FREE 800-334-0868  
(919-275-9809 in NC)**

Or write to:  
**COMPUTE! Back Issues  
P.O. Box 5058  
Greensboro, NC 27403 USA**

Prepayment required in US funds. MasterCard, Visa, and American Express accepted. NC residents add 4.5% sales tax.



*These figures are redrawn rapidly at different angles to create the illusion of rotation in space.*

Following is a description of what each command does. Except for SWAP, every command must be followed by one or more numeric values (numbers or numeric variables).

### Large-Scale Commands

These commands are used to prepare the computer for drawing and to perform other general tasks:

**SCREEN** determines which of three screens is displayed. **SCREEN 0** selects the normal text screen. **SCREEN 1** switches you to the first graphics screen, and **SCREEN 2** displays the second graphics screen. Switching to a graphics screen automatically sets up multicolor high-resolution mode. Animation is simulated by flipping back and forth between the two graphics screens. For instance, you can display a figure on screen 1 while redrawing it on screen 2, then display screen 2 while redrawing the shape on screen 1, and so on. **SCREEN 0** restores the text screen when a program is finished.

It's important to remember which screen you're working on. When a graphics screen is displayed, drawing commands appear on that screen. When you're using the text screen, drawing commands take effect on the last graphics screen shown.

Use the function keys f1, f3, and f5 to switch from one screen to another in direct mode. For instance, try pressing f1. The computer prints **SCREEN0** followed by a carriage return to execute that command (if you're already in the text screen, nothing changes). Press f3 to perform **SCREEN1**, f5 to perform **SCREEN2**, and f1 to return to

the text screen. Don't press these keys while a program is running.


**DCLEAR** clears a graphics screen. Use **DCLEAR 1** to erase graphics screen 1 and **DCLEAR 2** to clear screen 2. Both screens are cleared when you start up the program.

**COLOR** sets the screen and drawing colors, using color numbers from 0-15 as listed in the 64 manual. This command is followed by five values in the general form **COLOR BO,BA,C1,C2,C3**. The first two values (**BO** and **BA** in this case) set the screen border and background colors. The last three values select drawing colors. In multicolor hi-res mode you can draw in up to three different colors. Thus, **COLOR 0,0,1,3,6** sets the border and background colors to black and sets the drawing colors 1, 2, and 3 to white, cyan, and green, respectively. Since drawing commands refer to the drawing colors by number (1, 2, or 3), you should always execute a **COLOR** command before drawing.

**ANGLE** is an important command that sets the *observation angles*—your (the observer's) position in space relative to the X-Y-Z grid. Look at the figure again and imagine a cube is drawn there. If you remain stationary and rotate the grid—or if the grid remains stationary and you change your position—the cube's appearance changes. (Since the positioning is relative, you can visualize the change either way.)

**ANGLE** takes three values, which refer to the Y plane, X plane, and Z plane, respectively. These values represent degrees of rotation around the axis of each plane and must each be in the range -360-360. Program 3 demonstrates a simple use of **ANGLE**. By redrawing the same shape at different observation angles, you can achieve the illusion of movement in space. Note that **ANGLE** changes the effect of subsequent drawing commands. It does not change the appearance of existing objects.

**PARAM** sets four general parameters and should also be used before you begin to draw. It takes four values in the general form **PARAM X,Y,SC,DI**. The first two values (**X** and **Y** in this example) locate the origin or center of the 3-D grid on



*Only three program lines are needed to draw this spherical surface.*

the screen. Coordinate (0,0,0) of the grid is located wherever you put the origin. Since the graphics screen contains 160 horizontal pixels (screen dots) and 200 vertical pixels, the **X** value must be in the range 0-159 and the **Y** value must be in the range 0-199. Use an **X** value of 80 and a **Y** value of 100 to center the origin in the middle of the screen.

The third **PARAM** value (**SC**) is *scale*, which controls the overall size of the image. The larger the scale, the bigger the picture, and vice versa. This number must be in the range 0-100; a scale value of 20 works well in many cases. The final **PARAM** value (**DI**) is the *distortion* value, a number in the range of 0-250. On most monitors and TVs the pixels are actually wider than they are high, causing a mathematically perfect circle to look elliptical on the screen. This value adds a correction factor to eliminate the distortion. A distortion value of 165 works well in most instances. If your circles still look squashed, experiment with other values.

### Drawing Commands

These commands draw points, straight lines, and circles or ellipses:

**DPOINT** draws a point on the current graphics screen and is followed by four values. The first three values set coordinates for the point in Z-X-Y order, and the fourth selects one of the three drawing colors defined in an earlier **COLOR** command.


**DLINE** draws a line from one point to another. It requires seven values: three coordinates for the starting point, three coordinates for the ending point, and the drawing color. Both sets of coordinates are in

Here are 145 reasons to buy at Elek-Tek, not to mention the fastest delivery anywhere.

Save 30% to 43% off Manufacturer Suggested Retail prices on  
**EPSON • Okidata • Star • TOSHIBA • COMREX • OLYMPIA**

**MEGA**  
BERNOULLI BOX

1. 5 meg Drive for Macintosh ..... \$ 1375
2. Cartridges for above ..... 43
3. 10 meg Drive for IBM-PC/XT/AT & compatibles ..... 1790
4. 20 meg Drive for IBM-PC/XT/AT & compatibles ..... 2490
5. 10 meg Drive w/ Auto Boot for IBM-PC/XT & compatibles ..... 1890
6. 20 meg Drive w/ Auto Boot for IBM-PC/XT & compatibles ..... 2590
7. 10 meg cartridges for above (3 pak special) ..... 125



EPSON®	
16. LX 80	\$ 215
17. RX 100+	350
18. FX 85	340
19. FX 185	475
20. LQ 1500 parallel	CALL
21. DX10 Daisy Wheel 10CPS	230
22. DX20 Daisy Wheel 20CPS	CALL
23. Comrex I Corridor	269

**STAR**

45. SG 10	235
46. SD 1015	CALL
47. SR 1015	CALL

**OKIDATA**

48. Ok! 182	CALL
49. Ok! 192/193	CALL
50. Ok! 84	CALL

**OTHER PRINTERS**

51. Olympia Compact 2	\$ 350
52. Toshiba P341	CALL
53. Toshiba P351	CALL
54. Toshiba P1340	CALL

#### PRINTER BUFFERS

7. DDP-16  
16K Par/Par (exp. to 64K) ... 70

#### QUADRAM

8. QRMPS  
8K Parallel/Parallel ..... 125
9. QRMPS8  
8K Parallel/Serail ..... 139
10. QRMSP8  
8K Serail/Parallel ..... 139
11. QRMSS8  
8K Serail/Serail ..... 139

#### POWER PROTECTORS

12. PowerMita PG600-S9  
6 outlet Surge Suppressor ..... 30
13. ISOBAR 8  
8 outlet Surge Suppressor ..... 50

**SAT**

#### Standby Power Systems

Protects your computer hardware and data when the power goes out.

14. 400VA (3.3A) ..... 475
  - Transfer time—4.6 M. Sec.
  - Waveform—rectangular
  - Runtime—up to 24 min.
15. 1000VA ..... 875
  - Switches to battery powered back-up in ½ mil. sec.
  - Clean sine wave output
  - AC line synchronous
  - Regulated output voltage
  - Surge Suppression
  - EMI/RFI filter

#### PRODUCTS FOR IBM-PC

24. Amdek 310A 8" Monitor	\$ 150
25. Generic Multi Multifunction Board, 64K	150
26. AST Six Pak + Multifunction Board, 64K	229
27. AST Six Pak + (loaded) Multifunction Board, 384K	289
28. AST Megaplus II Multifunction Board, 64K	270
29. Quadram Quadboard Multifunction Board, 64K	195
30. Quadram Quadboard Multi. Board, 64K/384K	210/267
31. PC-Tech 186	570
32. Paradise Modular Graphics Card	275
33. Hercules Monochrome Card	329
34. Hercules Color Color Graphic Card	170
35. Novation 49060S-1 2400BPS int. Mte Software	620
36. Novation 49060S ½ Card Modern 2400BPS No software	425
37. Novation 49060S-1 As above inc. MS-DOS Software	490
38. Hayes 1200B Internal modem w/software	379
39. ATAT 4000 300/1200 Ext. Modem	335
40. Hayes 1200 External modem	399
41. Hayes 2400 External modem	599
42. US Robotics Courier 2400 Ext. 2400B Smart Modem	460
43. US Robotics Teipac Telecomm. Software	75
44. TEAC FD55B ½ ht. DSDS Disk Drive	90

#### PRODUCTS FOR APPLE

55. U-Print ILC-16K Par Interface external	\$ 85
56. Grappler PLUS Graphics Interface	80
57. Buffered Grappler 16K Buffer (Expand to 64K)	150
58. Kensington System Saver Fan and Surge Suppr.	69
59. Super Cooling Fan Fan and Surge Suppr.	29
60. Gamma Disk Controller Card	48
61. Gamma SS Disk Drive for II, IIe, IIcx	125
62. Gamma IIC SS Disk Drive for IIC	125
63. Rana ELITE 2 DSSD Disk Drive	335
64. Rana ELITE 3 DSSD Disk Drive	420
65. EPM-80 80 col. 64K RAM for IIC	115
66. Expanded Apple Cat II 300 Baud Modem	200
67. Novation 212 300/1200 Baud Modem	390
68. Nov 49059112 Mod. & Soft. for Macintosh	CALL
69. Hayes Micromodem IIC 300 Baud Modem	145
70. Hayes Smartmodem IIC 300 Baud Modem for IIC	240
71. Wico 501030 Analog Joystick	36
72. Amdek Monitors	CALL
73. Zenith Monitors	CALL

#### HEWLETT-PACKARD

73. HP-718 Computer	\$ 399
74. HP-82400A Series 70 card reader	125
75. HP-82401A HP-IL Interface	95
76. HP-82402A 4K memory module	60
77. HP-82700A 8K memory module	150
78. HP-82441A Assembly/Forth	120
79. HP-82480A HP-71 math pac	75
80. HP-82482A HP-71 linetype pac	60
81. HP-82483A Surveying Pac	120
82. HP-82484A Curve Fitting	75
83. HP-82485A Text Editor	60
84. HP-82488A Data Com. Pac.	120

#### SPECIAL PURCHASE



**HP-41C**  
**\$105**

While Limited Quantities Last

86. HP-41CVC	\$168
87. HP-41CX	245
88. Optical Wand	95
89. Card Reader	145
90. Printer	283
91. Quad R.A.M. (for HP-41C)	60
92. Ext. Memory Module	60
93. Ext. Function Module	60
94. Time Module	60
95. HP-IL Loop Module	95
96. Digital Cassette Drive	400
97. Printer/Plotter (HP-IL)	335
98. HP-2225B ThinkJet Printer	375
99. HP-9114A Disk Drive	600

**SLIMLINE Shirt-pocket Styled  
Power Packed Programmable  
LCD PROBLEM SOLVERS**

100. HP-11C Scientific	58
101. HP-15C Scientific	90
102. HP-12C Financial	90
103. HP-16C Programmer	90



#### HUGE SAVINGS ON DISKETTES

**Dynal**

**maxell**

**3M**

**SONY**

**webdash**

**MEMOREX**

	Dynal	maxell	3M	SONY	webdash	MEMOREX
3½" \$SD0	28.00	25.00	25.00	25.00	—	—
DS00	37.00	37.00	37.00	37.00	—	—
5¼" \$SD0	17.00	14.00	14.50	13.00	11.50	11.50
DS00	21.00	18.00	18.00	16.00	12.50	14.00
\$SD0967PI	28.00	24.00	24.00	—	—	—
DS0967PI	37.00	29.00	29.00	—	—	—
5¼" D\$DDHD (for IBM AT)	45.00	39.00	40.00	—	24.00	—
8" \$SD0**	25.00	29.00	25.00	—	18.00	—
8" D\$SD**	29.00	32.00	29.00	—	20.00	—

\*\*Unformatted

#### 3M DATA CARTRIDGES

140. DC100	\$ 14.00
141. DC300A	18.00
142. DC300XL	21.00
143. DC300XLP	22.00
144. DC600A	23.50
145. DC1000	15.00

Call for Quantity pricing  
for 10 cartridges or more

Call for Quantity pricing for 10 boxes or more.

CALL TOLL FREE 800-621-1269 EXCEPT Illinois, Alaska

**ELEK-TEK, Inc.**

5557 N. Lincoln Ave. Chicago IL 60645  
(312) 631 7800 (312) 677 7660

Corp. Accts. Invoyed: Min. Ord. \$150.00. Visa or MasterCard by Mail or Phone. Mail Cashier's Check, Min. Ord. \$100.00. Personal Check (2 wks. to clear) Add \$4.00 to order. (GAL, HI, PR, C, Canada add \$10.00 first item) \$1.00 ea. add shipping & handling. Shipments to be delivered w/o charge. Prices subject to change. WRITE us for free catalog. RET. IBM PC/XT. Delivery Only. Most products replace within 30 days of purchase with identical min. merchandise only. Computer and large peripherals shipped by air. Security. ALL IBM PC/XT MECHANISMS & BRAND NEW, FIRST QUALITY w/ 30 days of delivery. Other problems covered by inst. warranty. ALL IBM PC/XT MECHANISMS & BRAND NEW, FIRST QUALITY AND COMPLETE. Delivery subject to availability. **GUIN 959-76-2017**



Z-X-Y order. The following program demonstrates a simple use of DLINE:

```
10 COLOR0,0,1,10,3:PARAM80,100
  ,20,165:DCLEAR1:SCREEN1:FOR
  J=0TO360STEP5
20 ANGLEJ,90,0:DLIN3500,0,0,4
  500,0,0,3:NEXT
```

Press f1 to return to screen 0 when the program is finished. Change the 90 in line 20 to 12 and run it again to see how a different observation angle affects the object's appearance.


**DDRAW** works like **DLINE** but starts drawing at the point where a previous **DPOINT**, **DLINE** or **DDRAW** command left off. Since the beginning point is already defined, this command needs only four values: three coordinates for the ending point and a drawing color. For example, **DDRAW -500,0,0,1** draws a line from the previous point to (-500,0,0) in color 1.

**DCIRCLE** draws a circle or ellipse and requires eight values. The first three values are Z-X-Y coordinates that define the center of the circle. The fourth value sets the *radius*, or distance from the center to the circle's edge. The next three values define orientation angles for the circle, and the last value sets the drawing color.

This command takes the general form **DCIRCLE Z,X,Y,R,AY,AZ,AX,C**. As with **ANGLE**, the **DCIRCLE** orientation angles control which way the circle faces. When all three angles are zero, the circle is drawn in the Z-Y plane. Increasing the value of **AY** causes a counterclockwise rotation around the Y axis. If **AY** is 90, **AZ** is 0, and **AX** is 0, the circle is drawn in the X-Y plane. Increasing the value of **AZ** rotates the circle counterclockwise around the Z axis. When **AY** is 0, **AZ** is 90, and **AX** is 0, the circle is drawn in the X-Z plane. Increasing the value of **AX** rotates the circle counterclockwise around the X axis.

**DCIRCLE** uses integer computations to speed up the drawing process. Though the command accepts noninteger (fractional) values, it only uses the integer part of the number. This program shows how a spherical surface can be formed out of many circles.

```
10 COLOR0,0,1,10,3:PARAM80,100
  ,20,165:DCLEAR1:SCREEN1
20 FORJ=90TO 0STEP-5:ANGLE0,J,
  0:DCIRCLE0,0,0,4500,0,90,0,
  2:NEXT
30 FORJ=570TO5STEP10:ANGLE0,90,
  0:DCIRCLE0,0,0,4500,0,J,0,3
  :NEXT
```



"3-D Graphics Package" helps you draw complex shapes like these.

## Animation Commands

This group of commands simplifies the process of drawing and redrawing complex objects:

**ANIM** stands for *animate* and takes one value corresponding to the screen you want to affect. **ANIM 1** displays graphics screen 2, clears screen 1, and lets you draw on screen 1. **ANIM 2** does the reverse: Screen 1 is displayed, screen 2 is cleared, and you're ready to draw on screen 2. Program 2 demonstrates a typical use of **ANIM**.

**SWAP** exchanges the contents of screen 1 and screen 2, providing another means of animation. For instance, you might display screen 1 at all times, redrawing the figure on screen 2 (which is not seen), then quickly move the new figure into screen 1 with **SWAP**. This command requires no parameters.

**FSET** is a very powerful command that lets you define up to three figures. Once a figure is defined, it can be drawn quickly at any time with a **FIGURE** command (see below). A figure consists of a series of drawing instructions, and each use of **FSET** lets you add one drawing instruction to the figure.

The general form of the command is **FSET FN,Z,X,Y,C,I**. In this example, **FN** sets the figure number that determines which of the three possible figures you are working on. **Z**, **X**, **Y**, and **C** represent three coordinates and a drawing color,

and **I** represents the drawing instruction. The instruction can be either a **DPOINT** or a **DLINE** command. If **I** is 0, then **FSET** performs **DPOINT**, drawing a point at (Z,X,Y) in the color C. If **I** is 1, **FSET** performs **DLINE**, drawing a line from the last coordinate defined to the point (Z,X,Y) in the color C. The first of the three figures defined by **FSET** may contain up to 120 separate drawing instructions. Figures 2 and 3 are limited to 80 instructions each.

**FIGURE** is used to draw an entire figure previously defined with an **FSET** command. It takes a single value corresponding to the figure number. For instance, **FIGURE 1** draws the first figure defined with **FSET**. **FIGURE 2** draws the second, and so on.

**FCLEAR** clears any of the three figure definitions, permitting you to create new figures with **FSET**. **FCLEAR 1** clears the figure 1, **FCLEAR 2** clears the figure 2, and so on.

## Memory Allocation

Here are the various memory areas used by this program:

32768-33791	Screen 2 color memory
33792-40959	Program code
40960-49151	Screen 2 bitmap
49152-52223	Figure definitions
52224-53247	Screen 1 color memory
53744-65535	Screen 1 bitmap

## Quick Reference Table

```
ANGLE Y,X,Z
ANIM N
COLOR B0,B1,C1,C2,C3
DCIRCLE Z,X,Y,R,AY,AZ,AX,C
DCLEAR N
DDRAW Z,X,Y,C
DLINE Z,X,Y,ZI,X1,Y1,C
DPOINT Z,X,Y,C
FCLEAR FN
FIGURE FN
FSET FN,Z,X,Y,C,I
PARAM X,Y,SC,DI
SCREEN N
SWAP
```

## Program 1: 3-D Graphics Package

Please refer to the "MLX" article in this issue before entering the following listing.

```
34000 :032,189,137,032,193,137,160
34006 :032,015,153,032,036,153,123
34012 :032,055,153,169,000,141,002
34018 :084,003,141,085,003,141,171
34024 :086,003,141,087,003,141,181
34030 :088,003,141,089,003,032,082
34036 :101,141,169,000,141,099,207
34042 :003,169,000,141,100,003,254
34048 :169,010,141,101,003,169,001
```

34054 .165,141,102,003,169,160,234  
34060 .141,078,138,032,169,166,123  
34066 .169,012,141,064,003,169,064  
34072 .011,141,060,003,169,010,162  
34078 .141,061,003,169,013,141,046  
34084 .062,003,169,014,141,063,232  
34090 .003,032,117,137,032,091,198  
34096 .137,024,162,255,160,127,145  
34102 .032,153,255,032,131,227,176  
34108 .128,169,019,141,004,003,004  
34114 .169,136,141,005,003,169,177  
34120 .201,141,006,003,169,135,215  
34126 .141,007,003,169,163,141,190  
34132 .008,003,169,135,141,009,037  
34138 .003,169,228,141,024,003,146  
34144 .169,133,141,025,003,169,224  
34150 .001,141,022,003,169,134,060  
34156 .141,023,003,169,074,141,147  
34162 .143,002,169,153,141,144,098  
34168 .008,008,160,000,165,130,181  
34174 .133,032,210,255,200,192,124  
34180 .090,208,245,076,116,164,007  
34186 .147,153,018,032,032,032,040  
34192 .051,045,068,073,077,069,015  
34198 .078,003,073,079,078,032,061  
34204 .000,073,067,004,005,082,165  
34210 .069,032,065,078,065,076,035  
34216 .009,003,073,083,032,082,048  
34222 .032,032,032,032,032,032,110  
34228 .032,146,154,153,018,032,203  
34234 .032,032,032,032,032,032,122  
34240 .032,032,032,066,003,044,219  
34246 .067,072,002,073,083,084,177  
34252 .073,065,078,032,077,046,063  
34258 .032,000,065,078,078,069,100  
34264 .004,079,078,032,032,032,041  
34270 .032,032,032,146,154,013,119  
34276 .072,138,072,152,072,169,135  
34282 .127,141,013,221,172,013,153  
34288 .221,016,003,076,114,254,156  
34294 .032,188,246,032,225,255,200  
34300 .240,003,076,114,254,165,090  
34306 .055,133,003,127,032,032,032  
34312 .032,024,229,032,018,133,220  
34318 .108,002,160,230,122,209,076  
34324 .002,230,123,096,032,017,008  
34330 .134,032,138,173,032,191,214  
34336 .177,032,121,000,164,100,114  
34342 .165,011,096,162,000,165,215  
34348 .100,016,015,162,001,056,138  
34354 .169,000,229,101,133,011,015  
34360 .169,000,229,100,133,100,019  
34366 .096,032,027,134,032,061,166  
34372 .134,142,092,003,141,008,122  
34378 .141,091,003,165,101,141,204  
34384 .090,003,032,024,134,032,139  
34390 .041,134,142,095,003,165,154  
34396 .100,141,094,003,165,101,184  
34402 .141,093,003,032,024,134,013  
34408 .032,041,134,142,098,003,042  
34414 .165,100,141,097,003,165,013  
34422 .101,141,096,003,076,000,021  
34428 .144,032,063,134,165,008,166  
34434 .133,131,139,032,032,032,032  
34438 .133,252,133,026,032,024,222  
34444 .134,165,101,141,065,003,237  
34450 .076,108,138,032,063,134,185  
34456 .165,038,133,251,165,040,176  
34462 .133,252,032,017,134,032,246  
34468 .063,134,165,038,133,252,182  
34474 .165,040,133,254,032,024,050  
34480 .134,141,065,003,076,242,069  
34486 .138,032,027,134,141,003,241  
34492 .032,032,024,134,141,008,118  
34498 .003,032,024,134,141,011,117  
34504 .003,032,024,134,141,102,124  
34510 .003,096,032,027,134,208,194  
34516 .003,076,091,137,201,001,209  
34522 .208,011,169,224,141,078,025  
34528 .138,032,117,137,076,039,251  
34534 .137,169,160,141,078,138,029  
34540 .032,117,137,076,065,137,032  
34546 .032,027,134,201,001,208,077  
34552 .011,032,032,032,032,032,032  
34558 .141,078,138,076,193,137,249  
34564 .032,065,137,169,224,141,004  
34570 .078,138,076,193,137,032,148  
34576 .027,134,141,064,003,032,161  
34582 .024,134,141,060,003,032,160  
34588 .024,134,141,061,003,032,167  
34594 .024,134,141,062,003,032,174  
34600 .024,134,141,063,003,076,225  
34606 .117,137,032,027,134,141,122  
34612 .084,003,140,085,003,032,143  
34618 .024,134,141,086,003,140,074  
34624 .087,003,032,024,134,141,229  
34630 .088,003,140,089,003,076,213  
34636 .101,141,032,027,134,140,139  
34642 .156,003,141,155,003,032,060  
34648 .024,134,140,158,003,141,176  
34654 .157,003,032,024,134,140,076  
34660 .158,003,141,159,003,032,006  
34666 .024,134,140,162,003,132,098  
34672 .161,003,032,024,134,140,094  
34678 .085,003,141,084,003,032,210  
34684 .024,134,140,087,003,141,141  
34690 .086,003,032,024,134,140,037  
34696 .089,003,141,088,003,032,236  
34702 .024,134,141,065,003,076,073  
34708 .251,145,032,027,134,201,170  
34714 .208,003,076,189,137,000,201  
34720 .076,193,137,032,115,000,201  
34726 .201,204,144,025,200,21,134  
34732 .176,021,032,180,135,076,024  
34738 .174,167,233,203,010,168,109  
34744 .185,014,137,072,185,013,022  
34750 .137,072,076,115,000,032,110  
34756 .121,000,076,231,167,016,039  
34762 .066,201,255,240,062,036,038  
34768 .015,048,058,170,132,073,192  
34774 .201,204,176,010,160,160,101  
34780 .132,035,160,158,132,034,103  
34786 .128,011,233,056,170,160,060  
34792 .131,132,035,160,158,132,076  
34798 .034,060,008,010,240,018,186  
34804 .202,016,012,230,034,208,178  
34810 .002,230,035,177,034,016,232  
34816 .246,048,241,200,177,034,178  
34822 .048,008,032,071,171,208,032  
34828 .246,076,243,166,076,239,034  
34834 .166,162,122,160,004,132,000  
34840 .015,189,000,002,016,007,253  
34846 .201,255,240,062,232,208,204  
34852 .032,032,032,032,032,032,137  
34858 .000,201,034,240,086,037,135  
34864 .015,112,045,201,063,208,180  
34870 .004,169,153,208,037,201,058  
34876 .048,144,004,201,060,144,149  
34882 .029,132,113,160,000,132,120  
34888 .011,136,134,122,202,200,109  
34894 .232,189,000,002,056,249,038  
34900 .158,160,240,245,201,128,192  
34906 .208,048,005,011,164,113,127  
34912 .232,200,153,251,001,105,094  
34918 .151,001,240,089,056,233,204  
34924 .058,248,004,201,073,208,124  
34930 .002,133,015,056,233,005,126  
34936 .208,159,133,008,189,000,049  
34942 .002,240,223,197,000,240,012  
34948 .219,200,153,251,001,232,164  
34954 .208,240,166,122,230,011,091  
34960 .200,185,157,160,016,250,088  
34966 .185,158,160,208,180,160,177  
34972 .005,208,208,160,160,160,160  
34978 .008,056,249,193,134,240,020  
34984 .245,201,128,208,002,240,168  
34990 .173,166,122,230,011,200,052  
34996 .185,198,136,016,250,185,126  
35002 .199,136,208,226,189,000,120  
35008 .002,016,155,076,009,166,104  
35014 .032,068,080,076,079,212,233  
35020 .068,076,073,078,197,068,252  
35026 .068,082,065,215,080,065,017  
35032 .068,065,203,003,067,002,032  
35038 .069,069,206,065,078,073,014  
35044 .205,067,079,076,079,210,176  
35050 .065,078,071,076,197,068,021  
35056 .067,073,082,067,076,197,034  
35062 .068,067,076,069,065,210,033  
35068 .070,083,069,212,070,073,061  
35074 .071,085,082,197,070,067,066  
35080 .076,069,065,210,000,122,038  
35086 .134,148,134,162,134,182,140  
35092 .134,107,134,162,134,162,140  
35098 .135,047,135,077,135,141,192  
35104 .135,078,151,057,152,007,100  
35110 .153,173,000,221,041,240,106  
35116 .209,004,141,000,221,169,076  
35122 .057,141,024,208,169,059,196  
35128 .141,017,208,169,024,141,244  
35134 .022,208,096,173,000,221,014  
35140 .041,248,009,005,141,000,000  
35146 .221,169,009,141,024,208,078  
35152 .169,059,141,017,208,169,075  
35158 .004,141,022,208,096,169,076  
35164 .000,221,041,248,009,007,086  
35170 .141,000,221,169,021,141,023  
35176 .024,208,169,027,141,017,178  
35182 .208,169,008,141,022,208,098  
35188 .096,173,064,003,141,032,113  
35194 .208,173,060,003,141,033,228  
35200 .208,173,060,003,141,033,228  
35206 .010,010,013,062,003,160,136  
35212 .150,153,255,203,153,249,123  
35218 .204,133,243,205,153,237,061  
35224 .206,153,255,122,153,249,015  
35230 .128,153,243,129,153,237,177  
35236 .130,136,208,229,173,063,079  
35242 .003,160,250,153,255,215,182  
35248 .153,249,216,153,243,217,127  
35254 .153,237,218,136,208,241,095  
35260 .096,169,224,208,002,169,032  
35266 .160,133,008,169,224,133,077  
35272 .009,169,000,133,007,168,047  
35278 .145,007,200,208,251,230,078  
35284 .008,169,000,169,000,169,004  
35290 .165,026,074,074,074,133,252  
35296 .007,010,010,024,011,007,031  
35302 .133,007,074,074,133,008,051  
35308 .165,007,010,010,010,010,016  
35314 .010,010,133,007,169,007,146  
35320 .037,026,024,101,007,137,144  
35326 .007,096,165,025,074,074,070  
35332 .133,009,074,074,074,074,010  
35338 .012,133,009,074,074,074,010  
35344 .010,010,133,008,169,003,174  
35350 .037,025,170,169,000,133,044  
35356 .091,173,065,003,240,024,112  
35362 .106,144,005,189,104,138,208  
35368 .133,091,173,065,003,106,099  
35374 .106,144,009,024,189,104,110  
35380 .138,010,101,091,133,091,104  
35386 .096,152,072,120,169,048,083  
35392 .133,001,024,165,009,101,065  
35398 .007,133,094,165,090,101,227  
35404 .008,185,244,082,082,082,112  
35410 .008,177,096,063,100,138,139  
35416 .005,091,145,093,169,055,134  
35422 .133,001,088,104,168,096,172  
35428 .063,207,243,252,064,016,177  
35434 .004,001,032,218,137,032,018  
35440 .000,138,076,059,138,198,029  
35446 .028,056,165,101,229,099,028  
35452 .133,101,165,028,229,100,112  
35458 .133,028,032,000,138,164,113  
35464 .026,208,056,026,026,032,159  
35470 .110,037,083,059,138,196,154  
35476 .028,208,243,096,032,000,243  
35482 .138,164,026,136,020,132,182  
35488 .026,032,218,137,032,059,152  
35494 .138,096,028,208,243,096,051  
35500 .230,027,024,165,101,101,052  
35506 .099,133,101,165,027,101,036  
35512 .100,133,027,032,218,137,063  
35518 .164,025,136,200,132,025,084  
35524 .138,165,253,133,21,165,002  
35530 .196,027,208,240,096,198,146  
35536 .027,056,165,101,229,099,117  
35542 .133,101,165,027,229,100,201  
35548 .133,027,032,218,137,164,163  
35554 .025,200,136,132,025,032,008  
35560 .000,138,032,032,032,032,032  
35566 .027,208,243,096,165,251,204  
35572 .133,025,165,252,133,026,210  
35578 .197,254,144,012,032,039,160  
35584 .138,165,253,133,21,165,002  
35590 .154,133,255,032,165,253,135  
35596 .135,251,165,025,133,253,204  
35602 .165,251,133,025,165,254,243  
35608 .133,252,165,025,133,254,219  
35614 .165,252,133,026,056,032,182  
35620 .139,096,229,254,133,158  
35626 .102,165,251,197,253,144,130  
35632 .060,229,167,102,144,009  
35638 .138,096,165,101,165,253,135  
35644 .097,032,173,139,165,251,150  
35650 .133,027,200,027,032,207,215  
35656 .138,096,226,165,032,197,055  
35662 .253,208,245,096,133,097,066  
35668 .165,102,133,098,032,174,020  
35674 .139,165,252,133,028,230,013  
35680 .028,032,117,138,198,025,122  
35686 .165,028,197,254,208,245,175



35692 0896,056,165,253,229,251,134  
35698 1397,182,144,821,133,098,049  
35704 165,102,133,097,032,174,055  
35710 139,230,899,165,251,133,119  
35716 027,198,027,032,172,138,214  
35722 198,026,165,027,197,253,236  
35728 1208,245,096,133,097,165,064  
35734 182,133,898,032,174,139,060  
35740 165,252,133,028,230,028,224  
35746 132,117,138,230,025,165,101  
35752 028,197,254,208,245,096,172  
35758 230,097,230,098,162,008,231  
35764 165,198,165,027,197,253,236  
35770 086,108,042,197,097,144,094  
35776 084,229,097,230,108,202,030  
35782 208,242,133,098,162,008,025  
35788 169,000,133,099,165,098,100  
35794 086,099,042,197,097,144,027  
35800 084,229,097,230,099,202,053  
35806 208,242,198,100,169,000,115  
35812 133,101,096,000,000,001,047  
35818 030,002,060,003,089,064,166  
35824 119,080,026,098,162,008,231  
35830 205,008,031,010,003,011,203  
35836 029,012,054,031,078,014,196  
35842 102,015,244,016,144,017,164  
35848 164,018,182,019,199,020,098  
35854 214,021,228,022,240,023,250  
35860 250,025,002,026,008,027,102  
35866 012,028,014,029,014,030,153  
35872 012,031,007,032,008,032,146  
35878 246,033,234,034,219,033,171  
35884 202,036,181,037,158,038,131  
35890 132,039,182,046,071,041,228  
35896 035,041,253,042,21,043,169  
35902 166,044,117,045,065,044,033  
35908 081,046,206,047,165,048,057  
35914 121,049,007,049,189,050,118  
35920 111,051,029,051,199,052,061  
35926 109,053,015,053,173,054,303  
35932 070,054,228,055,109,055,143  
35938 250,056,130,057,006,057,142  
35944 134,058,001,058,120,058,021  
35950 234,059,087,059,122,060,033  
35956 036,060,131,069,222,061,174  
35962 052,062,133,069,222,061,174  
35968 025,062,092,062,151,062,073  
35974 211,063,007,063,054,063,083  
35980 097,063,134,063,166,063,214  
35986 194,063,216,063,234,063,211  
35992 246,063,254,064,000,239,250  
35998 132,238,231,246,254,255,234  
36004 246,231,132,143,149,142,183  
36010 148,150,142,134,145,242,107  
36016 146,134,149,132,231,151,095  
36022 145,135,145,132,107,169,212  
36028 145,133,106,132,107,169,212  
36034 000,157,068,003,157,071,083  
36040 003,152,016,013,024,169,165  
36046 104,101,106,133,106,144,132  
36052 002,230,107,230,107,056,176  
36058 165,066,233,000,148,065,211  
36064 107,233,000,144,005,132,077  
36070 106,254,068,003,165,106,164  
36076 201,006,144,019,189,069,174  
36082 003,208,003,254,019,189,069  
36088 169,108,229,106,176,008,092  
36094 189,068,003,157,071,003,233  
36100 165,106,010,133,106,168,180  
36106 185,231,139,157,067,003,024  
36112 185,232,139,157,066,003,030  
36118 056,169,108,229,106,168,162  
36124 185,231,139,157,070,003,045  
36130 055,232,139,157,069,003,051  
36136 096,139,000,132,005,169,237  
36142 000,133,091,162,008,145  
36148 077,024,102,092,102,091,224  
36154 102,090,102,099,144,013,086  
36160 024,165,007,101,091,133,153  
36166 091,165,088,101,092,133,228  
36172 092,202,208,230,096,032,168  
36178 041,141,006,090,038,091,233  
36184 039,092,060,090,038,091,187  
36190 039,092,060,090,038,091,187  
36196 096,173,004,003,172,005,204  
36202 003,162,000,032,189,140,128  
36208 173,006,003,172,007,003,124  
36214 162,006,032,189,140,173,052  
36220 088,003,172,009,003,162,129  
36226 012,032,189,140,173,003,247  
36232 003,077,068,003,141,105,021  
36238 003,173,001,003,133,007,110  
36244 133,002,003,133,008,173,032  
36250 060,003,172,007,003,032,241  
36256 008,141,141,103,003,140,001  
36262 104,003,173,003,003,077,097  
36268 071,003,141,108,003,173,159  
36274 069,003,172,007,003,032,015  
36280 008,141,141,106,003,140,028  
36286 107,003,173,003,007,127,124  
36292 077,003,073,001,141,120,099  
36298 003,173,075,003,172,076,192  
36304 003,032,001,141,118,212  
36310 003,140,119,003,174,104,105  
36316 003,077,108,003,141,114,154  
36322 003,173,072,003,133,007,185  
36328 173,073,003,133,008,173,107  
36334 106,003,172,077,003,032,149  
36340 001,141,174,114,003,208,197  
36346 008,141,112,003,140,113,255  
36352 003,240,015,056,169,000,227  
36358 229,091,141,112,003,169,239  
36364 006,229,092,141,113,003,078  
36370 173,074,003,177,005,003,197  
36376 075,001,141,117,003,173,008  
36382 103,003,172,104,003,032,191  
36388 001,141,174,117,003,208,248  
36394 008,141,115,003,140,116,053  
36400 003,240,015,056,169,000,231  
36406 229,091,141,115,003,169,034  
36412 006,229,092,141,116,003,129  
36418 174,105,003,240,017,056,149  
36424 169,000,237,103,003,141,213  
36430 103,003,169,000,237,104,182  
36436 003,141,104,003,174,104,105  
36442 003,240,017,056,169,000,063  
36448 237,106,003,141,106,003,108  
36454 169,000,237,107,003,141,247  
36460 077,003,173,000,003,077,039  
36466 068,003,073,001,141,114,001  
36472 003,173,078,003,133,007,005  
36478 173,079,003,133,008,173,000  
36484 066,003,172,067,003,032,219  
36490 008,141,174,114,003,208,091  
36496 003,024,109,112,003,141,042  
36502 112,003,151,103,003,173,008  
36508 141,113,003,016,046,239,036  
36514 141,003,016,024,056,173,036  
36520 112,003,229,091,141,112,008  
36526 003,173,113,003,229,092,019  
36532 141,113,003,048,005,206,184  
36538 141,003,016,017,056,169,049  
36544 000,237,112,003,141,112,029  
36550 003,169,000,237,113,003,211  
36556 141,113,003,173,000,003,205  
36562 077,071,003,073,001,141,064  
36568 003,173,069,003,172,241  
36574 070,003,032,001,141,174,211  
36580 117,003,208,021,024,109,198  
36586 115,003,141,115,003,152,251  
36592 109,116,003,141,116,003,216  
36598 016,046,238,117,003,016,170  
36604 024,056,173,115,003,229,004  
36610 091,141,115,003,173,116,129  
36616 003,229,092,141,116,003,000  
36622 048,005,206,117,003,016,153  
36628 017,068,003,208,129,115,182  
36634 003,141,115,003,169,000,201  
36640 237,116,003,141,116,003,136  
36646 173,000,003,077,077,003,195  
36652 073,001,141,111,003,173,034  
36658 075,003,172,076,003,032,155  
36664 081,141,141,109,003,140,159  
36670 110,003,173,072,003,172,003  
36676 073,003,032,001,141,133,019  
36682 017,068,003,208,129,115,182  
36688 077,074,003,077,003,109  
36694 141,105,003,173,069,003,068  
36700 172,070,003,032,001,141,079  
36706 174,105,003,208,021,024,121  
36712 109,103,003,141,103,003,054  
36718 152,109,104,003,141,104,211  
36724 003,016,046,238,105,003,015  
36730 016,024,056,173,103,003,241  
36736 229,091,141,103,003,173,100  
36742 048,003,229,092,141,104,039  
36748 017,068,003,208,129,003,254  
36754 016,017,056,169,000,237,129  
36760 003,003,141,103,003,169,162  
36766 000,237,104,003,141,104,235  
36772 003,173,000,003,077,074,062  
36778 003,077,068,003,073,001,139

36784 141,108,003,173,066,003,158  
36790 172,069,003,032,001,141,166  
36796 174,108,003,208,021,024,214  
36802 109,106,003,141,106,003,150  
36808 152,109,107,003,141,107,051  
36814 003,016,046,238,108,003,108  
36820 016,024,056,173,106,003,193  
36826 229,091,141,106,003,173,193  
36832 107,003,229,092,141,107,135  
36838 003,048,005,206,108,003,091  
36844 016,017,056,169,000,237,219  
36850 106,003,141,106,003,169,192  
36856 003,111,003,133,105,173,075  
36862 003,096,173,003,003,077,186  
36868 105,003,133,105,173,103,114  
36874 003,133,007,173,104,003,001  
36880 133,008,173,090,003,172,163  
36886 091,003,032,041,141,165,239  
36892 091,164,092,166,105,208,086  
36898 006,133,038,132,039,240,110  
36904 003,056,169,000,229,091,086  
36910 133,038,169,000,229,092,195  
36916 133,039,173,095,003,077,060  
36922 108,003,133,105,173,106,174  
36928 003,133,007,173,107,003,058  
36934 133,008,173,093,003,172,220  
36940 094,003,032,041,141,165,040  
36946 091,164,092,166,105,208,140  
36952 013,024,101,038,133,038,179  
36958 152,101,039,133,039,076,122  
36964 115,144,056,165,038,229,079  
36970 091,133,038,165,039,229,033  
36976 092,133,039,173,098,003,138  
36982 077,111,003,133,105,173,075  
36988 108,003,133,007,173,110,227  
36994 003,133,008,173,096,003,114  
37000 172,097,003,032,041,141,101  
37006 165,091,164,092,166,105,157  
37012 208,016,024,101,038,133,156  
37018 038,152,101,039,133,039,144  
37024 016,036,238,105,016,019,070  
37030 056,165,038,229,091,133,110  
37036 038,165,039,229,092,133,100  
37042 039,040,044,198,105,016,076  
37048 133,106,169,000,229,091,036  
37054 133,038,169,000,229,091,036  
37060 133,039,165,038,133,007,023  
37066 165,039,133,008,173,101,133  
37072 003,160,000,032,041,141,073  
37078 165,090,133,007,165,091,177  
37084 133,088,173,102,003,168,111  
37090 000,232,041,141,165,105,198  
37096 208,011,024,173,099,003,238  
37102 101,090,133,038,076,253,161  
37108 144,056,173,099,003,229,180  
37114 003,133,038,173,105,173,003  
37120 077,114,003,133,105,173,093  
37126 112,003,133,007,173,113,115  
37132 003,133,008,173,090,003,246  
37138 172,091,003,032,041,141,242  
37144 165,091,164,092,166,105,233  
37150 208,006,133,040,132,041,078  
37156 240,003,133,056,169,000,229,231  
37162 091,133,040,169,000,229,192  
37168 092,133,041,173,095,003,073  
37174 077,114,003,133,105,173,150  
37180 115,003,133,007,173,116,157  
37186 003,133,008,173,093,003,047  
37192 172,094,003,032,041,141,043  
37198 165,091,164,092,166,105,093  
37204 208,011,024,101,038,133,091  
37210 040,152,101,041,133,041,086  
37216 076,112,145,056,165,040,178  
37222 229,091,133,040,165,041,033  
37228 003,092,133,041,173,098,106  
37234 003,092,133,041,173,098,106  
37240 173,110,003,133,007,173,039  
37246 119,003,133,008,173,096,226  
37252 003,172,097,003,032,041,224  
37258 141,165,091,164,092,166,189  
37264 105,208,016,024,101,040,126  
37270 133,040,152,101,041,133,238  
37276 041,016,036,238,105,016,088  
37282 019,056,165,041,229,091,250  
37288 133,040,165,041,229,091,250  
37294 133,041,049,004,165,105,191  
37300 016,017,056,169,000,229,151  
37306 040,133,040,169,000,229,151  
37312 041,133,041,165,040,133,233  
37318 087,165,041,133,008,173,117  
37324 101,003,169,000,032,041,029



37330 :141,165,105,208,01,1,024,096  
37341 :175,166,003,081,099,13,048  
37342 :040,076,234,145,056,173,178  
37348 :100,003,229,099,133,040,055  
37354 :169,159,197,038,176,002,207  
37360 :133,038,169,199,197,040,248  
37366 :176,002,133,040,096,173,098  
37372 :084,003,172,085,003,162,249  
37378 :000,032,189,140,173,086,110  
37384 :003,172,087,003,162,006,185  
37390 :032,189,140,173,088,003,127  
37396 :172,089,003,162,012,032,234  
37402 :189,140,173,077,003,077,173  
37408 :080,003,141,126,003,087,173  
37414 :075,003,133,087,173,077,073  
37420 :003,133,088,173,078,003,080  
37426 :172,079,003,032,081,141,046  
37432 :141,124,003,140,125,003,080  
37438 :173,077,003,077,068,003,207  
37444 :141,129,003,173,066,003,071  
37450 :172,067,003,032,081,141,058  
37456 :141,127,003,140,128,003,110  
37462 :173,077,003,077,083,003,246  
37468 :141,138,003,173,081,003,199  
37474 :172,082,003,032,081,141,097  
37480 :141,126,003,140,137,003,152  
37486 :173,074,003,073,001,141,063  
37492 :132,003,173,072,003,141,128  
37498 :130,003,173,073,003,141,133  
37504 :131,003,173,071,003,077,074  
37510 :080,003,073,001,141,135,055  
37516 :003,173,069,003,133,087,096  
37522 :173,070,003,133,088,173,018  
37528 :078,003,172,079,003,032,007  
37534 :081,141,141,133,003,140,029  
37540 :134,003,173,071,003,077,113  
37546 :083,141,133,003,173,184,003  
37552 :081,003,172,082,003,083,037  
37558 :081,141,174,123,003,208,144  
37564 :008,141,121,003,140,122,211  
37570 :003,240,051,056,169,080,165  
37576 :229,091,141,121,003,169,186  
37582 :008,229,092,141,122,003,025  
37588 :173,068,003,077,074,003,098  
37594 :077,080,003,141,123,003,133  
37600 :173,066,003,133,087,173,025  
37606 :067,003,133,087,173,025,003  
37612 :003,172,073,003,032,081,058  
37618 :141,133,087,173,088,173,228  
37624 :078,003,172,079,003,032,103  
37630 :081,141,174,123,003,208,216  
37636 :021,242,189,121,003,141,167  
37642 :121,003,152,189,003,138,008  
37648 :141,122,003,016,046,238,078  
37654 :123,003,016,024,056,173,161  
37660 :121,003,229,091,141,121,222  
37666 :003,173,122,003,229,092,144  
37672 :141,122,003,048,005,206,053  
37678 :123,003,016,017,056,169,174  
37684 :008,237,121,003,141,121,163  
37690 :003,169,080,237,122,003,080  
37696 :141,122,003,169,080,133,128  
37702 :106,032,002,148,173,139,150  
37708 :003,141,147,003,173,140,171  
37714 :003,141,148,003,173,141,179  
37720 :003,141,149,003,173,142,187  
37726 :003,141,150,003,173,143,195  
37732 :003,141,151,003,173,144,203  
37738 :003,141,152,003,173,145,211  
37744 :003,141,153,003,173,146,219  
37750 :003,141,154,003,173,147,227  
37756 :106,105,001,133,106,132,084  
37762 :082,148,173,147,003,133,224  
37768 :251,173,148,003,133,252,072  
37774 :173,139,003,141,147,003,236  
37780 :133,253,173,149,003,141,237  
37786 :149,003,133,254,032,242,198  
37792 :138,173,149,003,133,251,239  
37798 :173,150,003,133,252,173,026  
37804 :141,003,141,149,003,133,230  
37810 :253,173,142,003,141,150,016  
37816 :003,133,254,032,242,138,218  
37822 :173,151,003,133,251,173,050  
37828 :152,003,133,252,173,143,028  
37834 :003,141,151,003,133,253,118  
37840 :173,144,003,141,152,003,056  
37846 :133,254,032,242,138,162  
37852 :153,003,133,251,173,154,063  
37858 :003,133,252,173,145,003,167  
37864 :141,153,003,133,251,173,064  
37870 :146,003,141,154,003,133,050  
37876 :254,032,242,138,166,106,157  
37882 :201,099,248,003,076,122,214  
37888 :147,096,056,169,090,229,019  
37894 :186,032,066,151,173,123,145  
37900 :003,141,068,003,173,121,009  
37906 :003,172,122,003,032,081,175  
37912 :141,141,066,003,140,067,078  
37918 :003,173,129,003,141,074,041  
37924 :003,173,127,003,172,128,130  
37930 :003,032,081,141,141,072,003  
37936 :003,140,073,032,173,135,063  
37942 :003,141,088,003,173,133,075  
37948 :003,172,134,003,032,081,229  
37954 :141,141,078,003,140,079,136  
37960 :003,165,106,032,066,151,083  
37966 :173,126,003,141,071,003,083  
37972 :173,124,003,172,125,003,172  
37978 :032,081,141,141,069,003,045  
37984 :140,078,003,173,132,003,105  
37990 :141,077,003,173,130,003,117  
37996 :172,131,003,032,081,141,156  
38002 :141,075,003,140,076,003,040  
38008 :173,138,003,141,083,032,149  
38014 :173,136,003,172,137,003,238  
38020 :032,081,141,141,081,003,099  
38026 :140,082,003,032,010,049,142  
38032 :165,038,141,139,003,165,027  
38038 :004,141,140,003,173,071,206  
38044 :003,073,001,141,071,003,192  
38050 :173,077,003,073,001,141,118  
38056 :077,003,173,083,003,073,068  
38062 :081,141,083,003,032,010,188  
38068 :149,165,038,141,141,003,049  
38074 :165,048,141,142,003,173,082  
38080 :068,003,073,001,141,061,044  
38086 :173,074,003,087,001,031,149  
38092 :141,074,003,173,080,003,166  
38098 :073,001,141,080,003,032,028  
38104 :006,149,165,038,141,145,096  
38110 :083,165,040,141,146,003,208  
38116 :173,071,003,073,001,141,178  
38122 :071,003,173,077,003,073,122  
38128 :001,141,077,003,173,083,206  
38134 :003,073,001,141,083,003,058  
38140 :032,081,149,165,038,141,095  
38146 :003,073,165,040,141,173,26  
38152 :083,096,173,066,001,141,234  
38158 :099,003,173,067,003,141,235  
38164 :091,003,173,068,003,240,086  
38170 :017,056,169,080,237,090,083  
38176 :003,141,090,003,169,080,182  
38182 :237,091,003,141,091,003,092  
38188 :173,071,003,141,092,003,015  
38194 :208,026,024,173,069,003,041  
38200 :109,090,003,141,090,003,236  
38206 :173,070,003,109,091,003,255  
38212 :141,091,003,016,048,238,093  
38218 :092,003,016,026,056,173,184  
38224 :090,003,237,069,003,141,111  
38230 :090,003,173,091,003,237,171  
38236 :070,003,141,091,003,048,192  
38242 :005,206,092,003,016,017,181  
38248 :056,169,080,237,090,003,147  
38254 :141,090,003,169,080,237,238  
38260 :091,003,141,091,003,173,095  
38266 :072,003,141,093,003,173,005  
38272 :003,003,141,094,003,173,183  
38278 :074,003,240,017,056,169,081  
38284 :008,237,093,003,141,093,195  
38290 :083,169,080,237,094,003,140  
38296 :141,094,003,173,077,003,131  
38302 :141,095,003,208,026,024,143  
38308 :173,075,003,109,093,003,108  
38314 :141,093,003,173,076,003,147  
38320 :109,094,003,141,094,003,108  
38326 :016,048,238,095,003,016,086  
38332 :026,003,173,091,003,237,080  
38338 :075,003,141,093,003,173,170  
38344 :094,003,237,076,003,141,242  
38350 :094,003,048,005,206,095,145  
38356 :003,016,017,056,169,080,217  
38362 :237,093,003,141,093,003,028  
38368 :169,080,237,094,003,141,108  
38374 :094,003,173,078,003,141,210  
38380 :096,003,173,079,003,141,219  
38386 :097,003,173,080,003,240,070  
38392 :017,056,169,080,237,096,055  
38398 :003,141,096,003,169,080,154  
38404 :237,097,003,141,097,003,070  
38410 :173,083,003,141,098,003,255  
38416 :208,026,024,173,081,003,019  
38422 :109,096,003,141,096,003,214  
38428 :173,082,003,109,097,003,239  
38434 :141,097,003,106,048,238,065  
38440 :098,003,016,026,056,173,156  
38446 :096,003,237,081,003,141,095  
38452 :096,003,173,097,003,237,149  
38458 :082,003,141,097,003,048,176  
38464 :005,206,098,003,016,077,153  
38470 :056,169,080,237,096,003,119  
38476 :141,096,003,169,080,237,210  
38482 :097,003,141,097,003,173,084  
38488 :161,003,133,087,173,162,039  
38494 :003,133,088,173,090,003,072  
38500 :172,091,003,032,081,141,108  
38506 :173,092,003,240,013,056,171  
38512 :169,080,229,091,133,091,057  
38518 :169,080,229,092,133,092,065  
38524 :024,165,091,109,155,003,159  
38530 :141,090,003,165,092,109,218  
38536 :165,092,141,091,003,168,187  
38542 :003,141,092,003,173,091,130  
38548 :003,016,020,238,092,003,008  
38554 :056,169,080,237,090,003,197  
38560 :141,090,003,169,080,237,032  
38566 :091,003,141,091,003,173,156  
38572 :093,003,172,094,003,032,052  
38578 :081,141,173,095,003,240,143  
38584 :081,056,169,080,229,091,230  
38590 :133,091,169,080,229,092,136  
38596 :133,092,024,165,091,109,042  
38602 :157,003,141,093,003,165,252  
38608 :092,109,158,003,141,094,037  
38614 :003,169,080,141,095,003,113  
38620 :173,094,003,016,028,238,252  
38626 :095,003,056,169,080,237,018  
38632 :093,003,141,093,003,169,222  
38638 :008,237,094,003,141,094,039  
38644 :003,173,096,003,172,097,080  
38650 :003,032,081,141,173,098,010  
38656 :003,240,013,056,169,080,225  
38662 :229,091,133,091,169,080,207  
38668 :092,003,133,092,024,165,235  
38674 :091,003,133,092,024,165,235  
38680 :003,165,092,109,169,003,044  
38686 :141,097,003,169,080,141,069  
38692 :098,003,173,097,003,016,170  
38698 :020,238,096,003,056,169,114  
38704 :003,237,096,003,141,096,109  
38710 :083,169,080,237,097,003,051  
38716 :141,097,003,076,003,144,009  
38722 :010,168,185,231,139,133,164  
38728 :088,185,232,139,133,087,168  
38734 :096,032,027,134,201,001,057  
38740 :208,047,173,164,003,240,151  
38746 :003,016,119,206,165,003,248  
38752 :003,016,119,206,165,003,248  
38758 :208,003,238,164,003,173,123  
38764 :170,003,172,171,003,032,147  
38770 :231,151,173,170,003,105,179  
38776 :021,141,170,003,173,171,021  
38782 :003,105,080,141,171,003,037  
38788 :096,201,002,208,047,173,091  
38794 :166,003,240,003,076,053,167  
38800 :164,238,167,003,169,080,197  
38806 :165,167,003,240,003,242,207  
38812 :166,003,173,172,003,172,077  
38818 :173,003,032,231,151,173,157  
38824 :172,003,105,011,141,172,004  
38830 :003,173,173,003,105,008,119  
38836 :141,173,003,096,173,168,166  
38842 :003,240,003,076,053,164,213  
38848 :238,169,003,169,080,205,032  
38854 :169,003,208,003,238,176,219  
38860 :003,173,174,003,172,175,151  
38866 :003,032,231,151,173,174,206  
38872 :003,105,011,141,174,003,141  
38878 :173,173,003,105,008,141,051  
38884 :175,003,096,133,029,132,028  
38890 :030,032,024,133,032,041,015  
38896 :134,160,002,138,145,029,080  
38902 :136,165,108,145,029,136,189  
38908 :165,101,145,029,032,024,236  
38914 :134,160,002,138,145,029,080  
38920 :134,160,002,138,145,029,080  
38926 :145,029,136,165,101,145,223  
38932 :029,032,024,134,032,041,056  
38938 :134,160,002,138,145,029,128  
38944 :136,165,108,145,029,136,231

```

38950 :165,101,145,029,032,024,022
38956 :134,160,009,145,029,032,041
38962 :024,134,160,010,145,029,040
38968 :024,096,032,027,134,201,058
38974 :001,208,025,173,165,003,125
38980 :208,003,076,053,164,173,233
38986 :165,003,141,176,003,169,219
38992 :000,133,029,169,192,133,224
38998 :030,076,141,152,201,002,176
39004 :208,025,173,167,003,208,108
39010 :003,076,053,164,173,167,222
39016 :003,141,176,003,169,029,113
39022 :133,029,169,197,133,030,033
39028 :076,141,152,173,169,003,062
39034 :208,003,076,053,164,173,233
39040 :169,003,141,176,003,169,021
39046 :141,133,029,169,200,133,171
39052 :130,160,000,177,029,141,165
39058 :090,003,200,177,029,141,018
39064 :091,003,200,177,029,141,025
39070 :092,003,200,177,029,141,032
39076 :093,003,200,177,029,141,039
39082 :094,003,200,177,029,141,046
39088 :095,003,200,177,029,141,053
39094 :096,003,200,177,029,141,060
39100 :097,003,200,177,029,141,067
39106 :098,003,200,177,029,141,074
39112 :065,003,200,177,029,208,111
39118 :021,032,000,144,165,038,094
39124 :133,251,133,025,165,040,191
39130 :133,252,133,026,032,108,134
39136 :138,076,242,152,032,000,096
39142 :144,165,038,133,253,165,104
39148 :040,133,254,032,242,138,051
39154 :206,176,003,240,016,024,133
39160 :165,029,185,011,133,029,208
39166 :165,030,185,000,133,030,205
39172 :076,141,152,096,032,027,016
39178 :134,201,001,208,017,169,228
39184 :000,141,164,003,141,165,118
39190 :003,141,170,003,169,192,188
39196 :141,171,003,096,201,002,130
39202 :208,019,169,000,141,166,225
39208 :003,141,167,003,169,029,040
39214 :141,172,003,169,197,141,101
39220 :173,003,096,169,000,141,122
39226 :168,003,141,174,003,169,199
39232 :141,174,003,169,000,124
39238 :141,175,003,096,173,003,149
39244 :220,240,027,165,198,208,110
39250 :020,164,190,177,195,240,044
39256 :009,141,119,002,132,198,019
39262 :230,190,208,005,169,000,128
39268 :141,003,220,076,066,235,073
39274 :173,141,002,208,005,165,062
39280 :203,201,004,208,007,169,136
39286 :183,160,153,076,149,153,224
39292 :201,005,208,007,169,193,139
39298 :160,153,076,149,153,201,254
39304 :006,208,007,169,203,160,121
39310 :153,076,149,153,076,072,053
39316 :235,133,195,132,196,165,180
39322 :198,208,023,032,072,235,154
39328 :165,198,240,016,198,198,151
39334 :169,016,141,003,220,169,116
39340 :000,141,001,220,169,000,191
39346 :133,190,076,066,235,083,193
39352 :067,002,069,069,078,032,069
39358 :048,013,000,083,067,082,227
39364 :069,069,078,032,049,013,250
39370 :000,003,067,082,000,069,069
39376 :078,032,050,013,000,013,138

```

## Program 2: Complex Animation Demo

For instructions on entering this listing, please refer to "COMPUTE's Guide to Typing in Programs" published bimonthly in COMPUTE.

```

10 REM SET FIGURE 1 :rem 36
20 FCLEAR 1 :rem 64
30 FOR I=1 TO 33 : READ X,Y,Z,
CO,A :rem 238

```

```

40 FSET 1,X*500,Y*500,Z*500,CO
,A :rem 190
50 NEXT I :rem 237
60 REM SET FIGURE 2 :rem 42
70 FCLEAR 2:RESTORE :rem 164
80 FOR I=1 TO 33 : READ X,Y,Z,
CO,A :rem 243
90 FSET 2,Y*500,X*500,-Z*500
,-4-CO,A :rem 82
100 NEXT I :rem 25
110 REM{3 SPACES}ANIMATION OF
{SPACE}THE CROSS :rem 22
120 A=1:B=2:C=3 :rem 26
130 PARAM 80,100,25,165
:rem 133
140 COLOR 12,11,10,13,14
:rem 179
150 FORJ=10TO50STEP10 :rem 10
160 FORI=10TO80STEP10 :rem 13
170 ANGLEI,J,I{4 SPACES}:ANIM1
:FIGURE1:FIGURE2 :rem 30
180 ANGLEI+5,J,I+5:ANIM2:FIGUR
EI:FIGURE2 :rem 224
190 NEXTI,J :rem 152
200 FORI=1TO2000:NEXT :rem 14
210 SCREEN0:REM NORMAL:rem 106
220 END :rem 107
230 REM CO-ORDINATES OF THE CR
OSS :rem 225
240 DATA -1,-1,-1,1,0,-1,-4,-1
,1,1,-1,-4,-3,1,1 :rem 147
250 DATA -1,-4,-3,1,1,-1,-4,-1
,1,1,-4,-1,1,1,4 :rem 161
260 DATA -3,1,1,-1,-4,-3,1,1,1
,-4,-1,1,1,1,-1,-1 :rem 248
270 DATA 1,-1,-4,-1,1,0,1,-4,-
1,1,1,-1,-4,-3,1,1,0 :rem 200
280 DATA 1,-4,-3,1,1,-1,-4,-3,-
1,0,1,-4,-3,1,1,1 :rem 164
290 DATA -1,1,0,1,4,-1,1,1,-1,
1,-1,1,0,-1,4,-1 :rem 200
300 DATA 1,-1,-1,-1,2,0,1,-1,-1
,2,1,1,-1,-2,1,1 :rem 143
310 DATA -1,-1,-2,2,1,-1,-1,-2,
2,1,-1,-1,-2,1,1 :rem 239
320 DATA -1,2,1,1,1,-2,2,1,1,-
1,-2,2,1,1,1,-2,2,0 :rem 244
330 DATA -1,1,-2,2,1,-1,-1,-1,
2,0,-1,-1,-2,2,1 :rem 99

```

## Program 3: Observation Angles Demo

For instructions on entering this listing, please refer to "COMPUTE's Guide to Typing in Programs" published bimonthly in COMPUTE.

```

10 PARAM 80,100,30,165 :rem 78
20 COLOR 12,11,10,13,14
:rem 128
30 FORJ=5TO35STEP10 :rem 27
40 FORI=0TO340STEP20 :rem 217
50 ANGLE J,I,I{6 SPACES}:ANIM2
:GOSUB100 :rem 220
60 ANGLE J,I+10,I+10:ANIM1:GOS
UB100 :rem 244
70 NEXTI,J :rem 101
80 FORI=1TO500:NEXT :rem 183
90 SCREEN0:END :rem 106
100 DLIN=-500,0,0,2000,0,0,1
:rem 122
110 DLIN=0,-500,0,0,2000,0,2
:rem 124
120 DLIN=0,0,-500,0,0,2000,3
:rem 126
130 RETURN :rem 116

```

# IBM Graphics On A Monochrome Monitor

Thomas G. Hanlin III

*Though advanced IBM graphics require a color/graphics adapter, you can create simple graphics and even animation on a monochrome system as well. Here's a short program to show how it's done.*

IBM PC computers can generate stunning graphics, but advanced BASIC graphics features are available only on PCjr's or PCs with a color/graphics adapter. However, with the right programming methods, your monochrome system can produce graphics, too. Granted, they are fairly low resolution—and no amount of programming skill can make your monochrome monitor display more than one color—but they are graphics nonetheless. You may find them handy for utilitarian purposes (for example, adding interest to bar graph displays), or you may enjoy making simple graphic screens, animated figures, or games. Once you master the basic technique, more and more applications will come to mind.

## Character Graphics

When an IBM PC boots up, it checks to see if the system contains

a color/graphics adapter and configures itself accordingly. If a color/graphics adapter is present, you may use advanced BASIC graphics commands like PUT and GET. If not, those commands cause an error. However, even a monochrome system has the ability to display a large set of special characters. IBM graphics characters have ASCII values of 128 to 255 and include a number of different shapes useful in creating boxes, borders, and so on.

The characters we're interested in are those which consist of a solid block. All computer graphics are produced by turning *pixels* (picture elements) on or off to light up different parts of the screen. The smaller the size of the pixel dots, the more detailed the image. Although the IBM character set doesn't include any pixel-sized characters—each character is composed of several pixels—it does include some we can use like giant pixels.

## Giant Pixels

For example, CHR\$(219) is a solid block character, the inverse of CHR\$(32), the blank space. Using these two characters together provides a graphics screen with 80 × 25 resolution. To turn on a "dot" within this coarse screen, print the solid block at the desired spot. To turn off a dot, print a space. The BASIC function SCREEN(Y,X) tells you whether a given location contains a dot or an empty space. Though you're limited to simple, quite blocky shapes, this system is fast and simple to use. However, it's possible to do much better.

Besides the block and space characters which light up or blank out an entire screen location, there are some which light up only part of a screen position. For instance, CHR\$(220) is solid on the bottom half and blank on the top. The reverse is true of CHR\$(223). By using these characters, we can double our resolution to 80 × 50 pixels. This complicates matters a bit, since we want to use only half a screen position, and BASIC lets you print only to an entire screen position. Here's a point-plotting routine that handles the tricky details for you:

```
10000 GR,Y=Y\2+1:GR,SC=SCREEN
      (GR,Y,X+1):GR,OFFSET=(Y
      MOD 2)*3:IF Z=0 THEN 1
0020 ELSE IF GR,SC=32 T
      HEN GR,SC=223-GR,OFFSET
      ELSE IF GR,SC=GR,OFFSE
      T<>223 THEN GR,SC=219
10010 LOCATE GR,Y,X+1:PRINT C
      HR$(GR,SC):RETURN
10020 IF GR,SC+GR,OFFSET=223
      THEN GR,SC=32 ELSE IF G
      R,BC<>32 THEN GR,SC=220
      +GR,OFFSET
10030 GOTO 10010
10040 GR,Y=Y\2+1:S9=SCREEN(GR
      ,Y,X+1):Z=(GR,SC=219 OR
      GR,SC+(Y MOD 2)*3=223)
      :RETURN
```

To plot a point with this routine, set the variable X to the desired horizontal coordinate (0-79) and the variable Y to the vertical coordinate (0-49). Now you've set the screen location for the giant pixel. To turn it on, set the variable Z to 1. Set Z to 0 to turn the pixel off. Then call the subroutine with GOSUB 10000. Line 10040 is a separate routine that tells you whether a given location is lit up or blank. To test any point on the screen, set the variables X and Y to the appropriate coordinates; then GOSUB 10040. The variable Z equals -1 if that point is lit or 0 if it's blank.

## An Animated Snake

Though this system emulates a simple graphics screen, keep in mind that you are still printing characters. Thus, there are four screen locations that cause everything to scroll upward if you plot a point there: locations (79,46), (79,47), (79,48), and (79,49). To avoid scrolling your display, either do not use these particular locations or restrict your screen to 79 × 50 pixels (use horizontal locations 0-78). Note that you can mix text and graphics freely, but putting graphics on top of text causes some surprising results. The following program demonstrates how to animate a simple figure. Add these lines to the point-plotting routine and save the program. Make sure the numeric keypad is in numeric mode before you run it.

```
10 KEY OFF:CLS:DEFINT A-Z:Y=0
  :Z=1:FDR X=0 TD 24: SNAKE=
  SNAKE+CHR$(X)+CHR$(Y):GOS
  UB 10000:NEXT DX=1:DY=0:X=
  X-1
```

```
20 I$=INKEY$:IF I$<>"" THEN D
  X=SGN(INSTR("369",I$)-INST
  R("147",I$)):DY=SGN(INSTR(
  "123",I$)-INSTR("789",I$))
  :IF I$=" " THEN CLS:END
30 X=ASC(RIGHT$(SNAKE$,2)):DX
  :Y=ASC(RIGHT$(SNAKE$,1)):D
  Y:IF X>78 THEN X=0 ELSE IF
  X<0 THEN X=78
40 IF Y>49 THEN Y=0 ELSE IF Y
  <0 THEN Y=49
50 Z=1:GOSUB 10000:SNAKE$=SNA
  KE$+CHR$(X)+CHR$(Y):X=ASC(
  LEFT$(SNAKE$,1)):Y=ASC(MID
  $(SNAKE$,2,1)):Z=0:GOSUB 1
  0000:SNAKE$=MID$(SNAKE$,3)
  :GOTO 20
```

Control the direction of the wandering animated snake by using the numeric keypad. Press the space bar to end the program. To improve its speed, the point-plotting routine is as short as possible. However, if you don't require fast drawing, you might want to add other features. Perhaps you'd like to color or shade the points to introduce different degrees of brightness (of course, since each two-pixel pair corresponds to a single character, there's a limit to this technique). You might add range checking to check for valid coordinates before you plot a point. And you could also modify the routine to place graphics on top of text correctly. ©

To receive  
additional  
information from  
advertisers in  
this issue, use  
the handy reader  
service cards in  
the back of  
the magazine.





*Make us  
an offer we  
can't refuse!*

**WE'LL SHOW  
YOU OUR  
ACTUAL  
COST OF  
MERCHANDISE  
YOU MAKE US  
A REASONABLE  
OFFER...  
YOU'LL GET  
THE BUY OF A  
LIFETIME!**

NEW FOR  
**commodore**  
ENHANCER 2000  
DISK DRIVE  
**\$159<sup>95</sup>**

Super high speed slim sign con-  
struction -ommodore compat-  
ible direct drive motor.

**SUPER  
SPECIAL!**



**AUDIO TAPES**  
TDK-SA90  
MAXELL XLI2  
YOUR CHOICE

**1<sup>99</sup>** EA.  
Min. purchase 10



**VIDEO TAPES**  
TDK T120  
SCOTCH T120  
JVC T120  
PANASONIC T120  
YOUR CHOICE

**4<sup>39</sup>** EA.  
Min. purchase 10

**SUPER  
SPECIAL!**

**MODEMS**  
ANCHOR HIGH SPEED  
1200-BAUD  
VOLKSMODEM-12

**\$179<sup>95</sup>**  
(COMMODORE COMPATABLE)



**NASHUA**  
**9<sup>95</sup>**



**ELEPHANT**  
**11<sup>95</sup>**



**SCOTCH**  
**12<sup>95</sup>**

**MIX OR MATCH 10 BOXES  
& GET 60 DISK HOLDER FREE!**



**You Set the Price**

**5** SUPER  
SIZE  
STORES

**PATCHOGUE**  
437 Sunrise Hwy.  
516-475-0580

**BAYSIDE**  
191-28 Northern Blvd.  
718-539-9555

**W. BABYLON**  
358 Sunrise Hwy.  
516-587-1010

**NEW HYDE PARK**  
2075 Jericho Tpke.  
516-437-3020

**SYOSSET**  
27 Jackson Ave.  
516-921-5454



**C.O.D.**



# COMMODORE

## Dynamic Keyboard

### Part 2

Jim Butterfield, Associate Editor

Part 1 discussed the fundamentals of dynamic keyboard programming, which in effect allows the computer to "type on its own keyboard." Now let's look at some important applications for this technique.

As we saw in Part 1, dynamic keyboard programming uses a two-step method to let a program give itself direct-mode commands. Step 1 is to print the command at a specific location on the screen. Step 2 is to put a RETURN character in the computer's keyboard buffer, then stop the program with the cursor flashing over the screen command. The RETURN character makes the computer execute the command just as if you'd pressed RETURN.

It's worth mentioning that you may print more than one command on a screen line. Just as in a program line, separate the multiple direct-mode commands with colons. You can use more than one screen line of direct-mode commands as well. However, you must be careful to put the commands in exactly the right place, and make sure the cursor flashes directly over the line to be executed when the program stops.

Here are some applications for the dynamic keyboard technique:

- Allow a user to enter a formula that the program will use;
- Allow a program to load another program;
- Allow a program to modify itself (tricky);
- Run test programs to determine,

for instance, how the computer responds to certain direct commands and calculations.

#### Keyboard Buffer Locations

The following table shows the location of the keyboard buffer counter and the start of the keyboard buffer on most Commodore computers:

	Counter	Buffer
VIC-20, Commodore 64	198	631
Commodore 16, Plus/4	239	1319
PET/CBM (4.0 & Upgrade BASIC)	158	623
PET (Original ROM)	525	527
B128 (Model 700)	209	939

Usually your program must POKE a value of 1 into the counter and a value of 13 (the character code for RETURN) into the buffer. That tells the computer there's one RETURN character in the buffer waiting to be processed. If there's more than one line of direct-mode commands on the screen to be performed, you need a higher count and more characters. On the B128, it's wise to execute a BANK 15 command before the POKES.

#### Entering A Formula

Let's write a brief program that allows a student to enter a formula and then generates a table of values based on the formula. More complex versions of the program might solve an equation or draw a graph, but we'll keep the example simple. In practice, it would be wise for your program to check for valid syntax before evaluating the formula. Again, for the sake of brevity, we'll do only the dynamic keyboard portion.

This program is for VIC-20 and Commodore 64 only. If you have another Commodore model, use the table above to change the POKE addresses in line 140. Also, don't forget the colon that appears just before the GOTO statement in line 130.

```

100 PRINT "[CLR][DOWN]FORMULA E
    VALUATION.":PRINT"INPUT A
    [SPACE]FORMULA" :rem 52
110 PRINT"BASED ON VARIABLE X"
    :PRINT"SUCH AS":"PRINT"
    [DOWN][2 SPACES]Y=X*7-SQR
    (X)":PRINT :rem 7
120 PRINT"YOUR FORMULA.":INPUT
    "[DOWN][2 SPACES]Y=":FS:PR
    INTCHR$(147):PRINT:PRINT
    :rem 160
130 PRINT"Y=":FS:":GOTO150":DI
    MV(10):FORX=1TO10:PRINTCHR
    $(19) :rem 178
140 POKE 198,1:POKE631,13:END
    :rem 103
150 V(X)=Y:NEXT X:FOR X=1 TO 1
    0:PRINT X,V(X):NEXT X
    :rem 2

```

Notice how this program does a task which would be difficult or impossible without using the dynamic keyboard technique.

#### Loading Another Program

If you put a LOAD command in a program, the new program doesn't load in the usual way. Instead, it's *chained* to the old program. The new program retains the variables and arrays (if certain rules are observed), and the effect is that of two successive programs working continuously on a single job. That's not always what is wanted. Especially with menu programs or bootstraps (program-loading programs), your goal may be simply to start the new program without preserving



variables or data from the old one. That's what happens when you perform LOAD as a direct command. With the dynamic keyboard technique, we can simulate this from within a program.

Let's write a simple dynamic keyboard loading sequence. Again, the program is given for VIC-20 and Commodore 64 only. For other Commodore models, use the table above to change the POKE addresses in line 120.

```
100 PRINT "{CLR} {DOWN} PROGRAM L
LOADING":PRINT"PROGRAM
{2 DOWN}":PRINT"PROGRAM NA
ME":INPUTPS
110 PRINT "{CLR}":PRINT:PRINT:P
RINT"LOAD",CHR$(34);PS;CHR
$(34);":8":PRINT:PRINT
120 PRINT:PRINT:PRINT"RUN":PRI
NCHR$(19):POKE198,2:POKE6
31,13:POKE632,13
```

Note that there are two separate command lines: one for LOAD and one for RUN. Of course, it's important to position the lines correctly, but that's not hard to work out when you set up the program. You see everything happening on the screen, and, if you've placed your command a line too high or

low, the problem is easy to spot. (For the VIC, you must limit the length of the filename you enter to seven or fewer characters. Otherwise, an unrelated bug built into the VIC's INPUT statement causes the program to fail.)

## Tricks And Advanced Points

On computers with color capabilities, you can hide your dynamic keyboard tricks if you wish. If you print the direct-mode commands in the same character color as the screen background, they won't be visible to you, but the computer can still see and execute them. Your program can even change colors as it runs so that some parts of the commands are visible and some are not.

Occasionally, you'll want to use the dynamic keyboard technique to change a program as it runs. That's tricky, since any time you add or change a program line, the values of all variables are lost. It's hard to run a program when its variables disappear, but it can be done if handled carefully. The criti-

cal variables can be reentered using the dynamic keyboard technique, using lines such as X=7:L=120: GOTO 580. Another, somewhat more cumbersome method is to POKE the value of each variable into spare memory and PEEK the value later when needed.

Why would a program need to change itself? The most usual situation involves converting an ASCII program listing into tokenized BASIC format. It's common to list programs in ASCII (untokenized) form when translating from one computer to another. This is especially true when you transfer programs over the phone line with a modem. As each line of the ASCII listing arrives, it must be entered as if it were being typed, to store it in tokenized format. While it's possible to do the whole job by hand (by printing each line on the screen and pressing RETURN), the dynamic keyboard technique lets the computer do this busywork for you.

Next month, in Part 3, we'll cover the use of the dynamic keyboard technique for self-modifying programs in more detail.

## Program Your Own EPROMS

**VIC 20  
C 64 \$99.50**

PLUGS INTO USER PORT.  
NOTHING ELSE NEEDED.  
EASY TO USE. VERSATILE.

- Read or Program. One byte or 32K bytes!

OR Use like a disk drive, LOAD,  
SAVE, GET, INPUT, PRINT, CMD,  
OPEN, CLOSE—**EPROM FILES!**

Our software lets you use familiar BASIC commands to create, modify, scratch files on readily available EPROM chips. Adds a new dimension to your computing capability. Works with most ML Monitors too.

- Make Auto-Start Cartridges of your programs.
- The *promenade*™ C1 gives you 4 programming voltages, 2 EPROM supply voltages, 3 intelligent programming algorithms, 15 bit chip addressing, 3 LEDs and NO switches. Your computer controls everything from software!
- Textool socket. Anti-static aluminum housing.
- EPROMS, cartridge PC boards, etc. at extra charge.
- Some EPROM types you can use with the *promenade*™

2758	2532	462732P	27128	5133	X2816A*
2516	2732	2554	27256	5143	52813*
2716	27C32	2764	68764	2815*	48216P*
27C16	2732A	27C64	68766	2816	

► \*Commodore Business Machines

\*Derivat electrically erasable types

Call Toll Free: 800-421-7731  
In California: 800-421-7748

**JASON-RANHEIM**  
580 Parrott St., San Jose, CA 95112



**WIN!**  
Win a 1986 Corvette or one of 10,000 other prizes in the Nashua Sweepstakes! See your Nashua dealer for details. No Purchase Necessary.

# Nashua

## 3 1/2" Diskettes

**\$1<sup>89</sup>** each 100 qty. **\$1<sup>99</sup>** each 50 qty. **\$2<sup>09</sup>** each 30 qty.

## 5 1/4" Diskettes

**92¢** each SS/DD—100 qty. **97¢**—50 qty.  
**96¢** each DS/DD—100 qty. **\$1.01**—50 qty.

**CALL TOLL FREE  
1 800 USA-FLEX  
7 to 7 Central Time  
In Illinois 1 (312) 351-9700**

**USA-FLEX**

135 N. Brandon Dr., Glendale Heights, IL 60139

Shipping/handling additional! Visa, MasterCard and prepaid orders accepted. Corporations rated 342 or better and government accounts are accepted on a Net 30 basis. C.O.D. orders add \$4.00 special handling charge. APO, SPO, AK, HI & PR add additional 5 percent of the total amount of order to cover P&H and insurance. Illinois residents add 6 1/4 percent tax. Minimum order \$45.00.

# Simple Assembling With IBM DEBUG

Tim Victor, Editorial Programmer

*You don't need to buy an expensive assembler to write short machine language programs on an IBM PC or PCjr—a copy of PC-DOS already contains the basic tools you require. This article, which assumes some familiarity with hexadecimal numbers and machine language theory, shows how to make the most of the DEBUG utility when you're ready to tackle 8088 machine language.*

Tucked away on the DOS Supplemental Programs disk that came with your copy of PC-DOS is a file called DEBUG. DEBUG is a simple but powerful development tool for exploring your computer and writing short machine language (ML) programs. It includes a miniassembler, which converts assembly language instructions into machine language directly in memory, and a disassembler, which allows you to reverse this process and examine ML programs already in memory. DEBUG also has trace and breakpoint functions for testing ML programs, utilities for loading and saving programs on disk, and several other valuable features. Using these tools, we'll show how to write a small ML program.

To get started with DEBUG, boot up DOS from your master disk. When the DOS prompt A> appears, insert the DOS Supplemental Programs disk into drive A:, type DEBUG, and press ENTER. DEBUG loads and runs, replacing the DOS prompt with its own prompt, a hyphen (-). You can return to DOS at any time by putting your master disk back in the drive, typing Q for Quit, and pressing ENTER.

Since you should preserve your DOS Supplemental Programs disk as an archival backup, let's ask DEBUG to copy itself onto another disk. You could use the DOS COPY command, but using DEBUG is a good way to learn how to load and save machine language program files.

## Cloning DEBUG

DEBUG has three commands for disk operations: L (Load), W (Write), and N (Name). N creates a data structure called a *file control block* (FCB) that DOS uses for all disk operations, including DEBUG's Load and Write. The FCB contains the name of a file, along with information such as size and file organization. To learn more about the FCB, consult Appendix E of the DOS 2.00 Manual, or Chapter 6 of the DOS 2.10 Technical Reference Manual.

The first step in backing up DEBUG is to load another copy of it into memory. Type N DEBUG.COM and press ENTER. (You need to include the .COM extension because DEBUG doesn't make any assumptions about the file type.) DEBUG responds with another hyphen. Next, type L and press ENTER. The disk drive whirs, and then another hyphen appears. You've loaded a second copy of DEBUG.

Remove the Supplemental Programs disk. Replace it with a formatted disk that you'll be using for ML programs. Type W and press ENTER. The drive comes on again, and then DEBUG displays the message "Writing 2E80 bytes" and the hyphen prompt. You now have a copy of DEBUG.COM on your ML disk.

## A Sample Program

Let's try assembling a program with DEBUG. Start by typing A 100 to start assembling at address 100H. (IBM programmers generally denote hexadecimal numbers by appending an H to the number. All input and output with DEBUG is expressed in hexadecimal.) DEBUG responds with xxxx:0100, where xxxx is a four-digit hexadecimal number. This number is the current value of the *code segment register*. It's of minor importance right now and will be discussed in detail later.

Now type in the following program. DEBUG displays the memory address of each instruction for you. All you need to enter are the instructions.

```
MOV AH,09
MOV DX,109
INT 21
INT 20
DB "HELLO THERES"
```

Press ENTER to leave the assembler. This program is the ML equivalent of everyone's first BASIC program:

```
10 PRINT "HELLO THERE"
```

The ML version looks quite a bit longer, but it would be even more involved if it weren't for the INT 21H instruction, which calls a DOS function routine (Print String) by executing a software INTerrupt. Before calling this routine, the program takes two preparatory actions. The first instruction loads the AH register (an internal 8088 register) with the value 9. In 8088 machine language, instructions with two operands like MOV AH,09 operate from right to left—just as A=9 in

BASIC moves the value 9 into the variable A. You specify the destination operand first, then the source operand. This might seem a little backwards, but it's a common convention and you'll soon adjust to it.

AH is the high (most significant) byte of AX, the 16-bit (two-byte) accumulator register of the 8088. When a program calls Interrupt 21H, the value in AH indicates the function you're asking DOS to perform. Function 9, Print String, displays a string on the screen, starting with the character at the address contained in the DX register and ending with the character \$. The second instruction moves the address 109H into the DX register. The last instruction, INT 20H, ends the program by returning control to the program that called it—in this case, DEBUG.

Finally, we create the string we want to print using DB, a pseudo-opcode (*pseudo-op*). When the assembler sees a pseudo-op such as DB, it performs a function instead of generating code. This particular pseudo-op tells the assembler to store bytes of data in memory, beginning at the current location. The data can be either a list of hexadecimal numbers between 00 and FF, separated by spaces or commas, or a quoted string, as shown above. If the data is a string, the ASCII code for each character is entered in memory. The dollar sign at the end of the string is very important. Without this *delimiter*, the Print String function will keep printing whatever bytes it happens to find in memory following the message. It might be a long time before it comes across a \$ and stops.

## 8088 Memory Addressing

Now that the program is in memory, we can use the disassembler to examine it. Type U for Unassemble, and DEBUG displays several rows of text on the screen (the number of rows differs between 40- and 80-column displays). Notice that the disassembled code is aligned in four columns. The first column shows the address of each instruction as two four-digit hexadecimal numbers separated by a colon, just as was displayed when you entered the program. The first four-digit number is the current value of the

code segment register mentioned before, and the second is the value of the *instruction pointer*. To understand why two registers are needed to point to a single memory location requires some understanding of the 8088's addressing scheme.

The 8088 microprocessor can access up to one megabyte (1024K) of memory using 20-bit addresses. However, for compatibility with older Intel processors, the 8088 has only a 16-bit instruction pointer. Because a 16-bit (four hexadecimal digit) register can only have values between 0 and 65,535, another register, the code segment register, is needed to address the entire 1,048,576 bytes allowed by the 8088. The code segment register is also a 16-bit register, but instead of addressing individual bytes, it points to blocks of 16 bytes, called *paragraphs*. Any five-digit hexadecimal address that ends in a zero is the beginning of a paragraph. For example, the byte of memory at 5D320H is at the beginning of the paragraph addressed by a segment register containing 5D32H.

The code segment register points to the first paragraph of a 64K block of memory called the *code segment* (CS). There are three other segments, the *data segment* (DS), *stack segment* (SS), and *extra segment* (ES), plus a register that points to the beginning of each. In simple programs, however, all the segment registers usually have the same value as CS. To find the next byte of code to be fetched, the value in the instruction pointer is added to the address of the beginning of the code segment. The physical address of this byte can be found with this formula:

$$\text{Physical Address} = \text{IP} + (\text{CS} \times 16)$$

The effect of organizing memory this way is that a programmer doesn't have to know where the program will be loaded. When DOS loads a .COM program, it starts the code segment at the beginning of any available paragraph in memory. The program is loaded at an offset of 100H bytes above the start of the segment and the instruction pointer is set to 100H. The four segment registers, CS, DS, SS, and ES, all point to the start of the code segment.

The second instruction of the example program moves an address, 109H, into DX. This address is an offset into the current data segment. The string to be printed is located at an offset of 109H only if the data segment register is equal to the code segment register and the program starts at offset 100H. In practice, the CS register is rarely changed except by DOS and needs little or no attention in most programs.

## Displaying Binary Code

The second column of the disassembled listing on the screen contains four- or six-digit hexadecimal numbers. These are the contents of the memory locations, the binary code which the 8088 can execute. Notice that the first MOV instruction is one byte shorter than the second. The first instruction only loads half of a 16-bit register (AH is the upper half of AX), so the data occupies one byte, but the second MOV loads all of DX, which takes two bytes of data (a *word*).

The third column shows the *mnemonics*—symbolic names for each opcode instruction. The fourth column displays the operands. This program consists of four opcodes: two MOV instructions followed by two INT instructions. Notice that the DB pseudo-op doesn't show up in a disassembly. Instead of displaying your characters, DEBUG tries to convert the string into assembler mnemonics, and therefore prints several meaningless instructions. DEBUG is frequently fooled this way because program instructions and data are both stored as binary bytes. DEBUG has no way of knowing where the program ends and the data begins.

If you type another U, DEBUG continues to disassemble and display the next 16 or 32 bytes in memory (depending on your screen width). Since the program is only 21 bytes long, DEBUG starts displaying part of itself, still in memory from when you copied it. Type U 100 to disassemble from the beginning of your program again. DEBUG's U command also accepts both starting and ending addresses if you separate them with a space.

It's a good idea to save your program on disk before running it.



If the program causes something unexpected, like an infinite loop or a complete system crash, it's nice to have a copy saved. Then you can load it and search for the error without typing the program again from scratch.

As before, you need to tell DEBUG the name of your file. Type N HELLO.COM. Now there's one more thing to consider: How many bytes of memory should DEBUG write to disk? When we used the W command to copy DEBUG, it wrote the same number of bytes that it had loaded, but now we're saving a new program which has never been loaded. When DEBUG loads a file, it stores the size of the file in the CX register and the four least significant bits of the BX register. The same registers are used when DEBUG writes a file. So if your program is less than 65,536 bytes long (most are), the BX register should be set to zero.

To examine and change CX, type R CX. DEBUG prints the contents of CX (probably 2E80H, left over from copying DEBUG), then prints a colon at the beginning of the next line. You can press ENTER to leave the value unchanged, or type a new value. Since the new program is 21 bytes long, type 15 (the hexadecimal equivalent of 21) and press ENTER. Now type W to write the program to disk. DEBUG responds with the message "Writing 0015 bytes," then returns the prompt.

## Running And Debugging

Now that your program is safe on disk, run it by typing G and pressing ENTER. The screen should display HELLO THERE. Then DEBUG prints "Program completed normally" followed by its usual prompt. If your program completed but didn't print correctly, disassemble starting from 100H and check that all instructions are correct. If your program locked up the computer, reboot, restart DEBUG, and thank yourself for saving the program. Reload the program with N and L, then disassemble it to see what it looks like. If you don't know what's wrong, one technique is to try setting a *breakpoint*. This halts the program at a predetermined point so you can check the

contents of the registers.

For instance, to make the program stop before the INT 20H instruction, you can set one or more breakpoints. To set a breakpoint, type G followed by the addresses of one or more instructions in your program. If you set more than one breakpoint, separate the addresses with spaces. The program begins executing, but stops when the instruction pointer equals the address of a breakpoint. DEBUG displays the contents of all registers and flags and disassembles the instruction at the breakpoint (the instruction pointed to by the instruction pointer, the next instruction to be executed). Type G to restart the program at the instruction that the instruction pointer references.

If you stopped your program with a breakpoint but want to restart it from the beginning, type G=100. DEBUG sets the instruction pointer to 100H (or whatever address you specify) before starting. You can also set both the starting address and one or more breakpoints. Just include the breakpoint addresses on the same command line, separating them from the starting address and each other with spaces.

Keep this in mind: Before DEBUG executes a G command, it saves the values of all the registers, including the instruction pointer. If the program runs normally, and completes by executing INT 20H, DEBUG restores all the registers. This is great if your program runs all the way from beginning to end. You just type G and your program runs again. If, however, your program has just completed after being restarted from a breakpoint, the instruction pointer now points to the location where the breakpoint was set. Typing G starts it from the breakpoint again. To run the program from the beginning, type G=100.

## Learning More About DEBUG

You've now used DEBUG to load and store program files, to assemble and disassemble a new machine language program, and to execute a program. Some other useful commands we don't have room to cover are D (Dump), which displays the

contents of a block of memory as hexadecimal numbers and ASCII characters; E (Enter), to examine and change the contents of individual memory locations; and T (Trace), which executes an ML program one instruction at a time, displaying all registers and flags between instructions.

As you learn more about 8088 machine language, you'll find DEBUG a big help in testing your programs. Though you might use a separate assembler when your programs get larger, DEBUG remains useful for testing and modifying the assembled programs. If you want to know more, there is a complete description of each DEBUG command in Chapter 12 of the DOS 2.00 *Manual* and Chapter 8 of the DOS 2.10 *Manual*. Information on the DOS functions and interrupts can be found in Appendix D of the DOS 2.00 *Manual* and Chapter 5 of the DOS 2.10 *Technical Reference Manual*. To learn more about machine language programming on the IBM PC and PCjr, see COMPUTE!'s *Beginner's Guide to Machine Language on the IBM PC & PCjr*. ©

## IT MUST BE MAGIC! AFFORDABLE COMPUTER ACCESSORIES by MAGITRONIC®

IBM PC/XT COMPATIBLE MOTHERBOARD with 800+ 128K Memory installed Assembled & tested #92290	\$219.00	512K RAM CARD #92300	\$66.00
DISC NOTCHER #90050	\$4.95	SMARTTEAM MODEM - 1200/2400 BAUD #91090	\$179.00
6" COMPUTER TO PRINTER SHIELDED CABLE #92320	\$9.90	KEYBOARD COVER FOR IBM #90110	\$4.90
6" RS232C CABLE 25 PIN Male to male #92050	\$9.90	6" COMPUTER TO MODEM #90020	\$8.50
COLOR GRAPHIC CARD FOR IBM #92000	\$60.00	KEYBOARD IBM COMPATIBLE #90150	\$69.00
DISKETTE FILE #92000	\$11.95	MULTIPLE OUTLET #90140	\$13.00
1500 100 pins #92000	\$11.95	1500 WATT POWER SUPPLY #90150	\$95.00
QUENDER CHANGERS Male to Male - #90080 Female to Female - #90090 \$7.95 each (10 pins) \$8.95		SERIAL INTERFACE SWITCH #90160	\$36.00
		PARALLEL CONNECTOR SWITCH #90170	\$42.00
		IBM PC/XT TYPE CASE, Accessories C/XT type motherboards #90180	

\* MANY OTHER CABLES & ACCESSORIES AVAILABLE \*

## LET YOUR COMPUTER DO THE TALKING

#10005 MURA MODEM - FSK  
telephone interface allows  
computers to talk to each  
other over telephone lines.  
Compatible with all major  
personal & home computers  
& most time sharing systems.  
Sugg. Retail \$79.95

#10005  
NOW JUST \$18.00



## THE WHOLESALE OUTLET

DEPT. C - Interstate Ave., Albany, NY 12205  
1 800 344-4387 (non NYS residents). All other calls + NYS  
residents (\$16) 459-7883. (Our 800 # is a direct line to Order  
Operators only, who cannot transfer calls).

Customer pays freight & handling FOB Albany, NY  
VISA & MASTERCARD accepted. Personal & company checks on  
mail-in orders only. \$25.00 MINIMUM ORDER.

# Save-With-Replace: Debugged At Last

## Part 2

P.A. Slaymaker

Last month, Part 1 proved that a long-suspected bug in the Commodore Save-with-Replace command really exists. Using a program that demonstrated the bug on a 1541 disk drive, the article showed how disks can be scrambled when files are scratched and rewritten with Save-with-Replace. The article also offered a brief explanation of the bug and how to avoid it. This month, Part 2 examines the Save-with-Replace bug in greater detail for technically advanced readers. The author is the president of Quantum Software, which produces the Peek a Byte disk utility for the Commodore 64.

What actually causes the Save-with-Replace bug? When and how does it occur and is there a fix for it? We have performed extensive testing to determine exactly how the bug happens. As explained last month, we've determined that the bug is avoidable if the drive number (drive 0) is specified in all disk commands. If you don't always specify drive 0, the bug occasionally bites. That's significant information in itself—but we wanted to know *why*.

### DOS Theft

First, we should note that although the SAVE@ command deletes a disk file and saves a replacement in a single operation, it works differently than if you issued separate SCRATCH and SAVE commands. SAVE@ calls entirely different DOS routines—the SCRATCH and SAVE are executed as part of a con-

tinuous procedure, and the SAVE@ command therefore requires that more drive buffers be available.

DOS V2.6 has five internal buffers, numbered 0 to 4. These buffers start at memory pages \$300, \$400, \$500, \$600, and \$700, respectively. Normally an image of the disk's BAM (block availability map) is stored in the page at \$700, an image of the directory sector in use is stored at \$600, and the other three buffers are available for file use. As long as a buffer is active, it cannot be used for anything else. If DOS has assigned an internal channel to the BAM at \$700, then trying to open a direct channel to buffer 4 (from BASIC: OPEN 2,8,2,"#4") will produce a 70,NO CHANNEL,00,00 error.

Similarly, DOS assigns channels and buffers to the directory sector and file sectors which are being read or written. Normally DOS assigns two read or two write channels and uses only three of the five buffers. The SAVE@ command, however, requires all five buffers—two read, two write, and the BAM. If DOS can't find a free buffer, it tries to steal an assigned but inactive buffer. This thievery causes the SAVE@ command to occasionally fail—for reasons which will be discussed shortly.

Why does omitting the drive number in disk commands cause DOS to steal a buffer? When a file is opened or loaded via the OPEN routine (\$D7B4), DOS searches the internal directory to look for the specified filename (DOS routine names and addresses in this article conform to those listed in *Inside*

Commodore DOS, Datamost, 1984). ONEDRV (\$C312) determines whether a drive was specified. OPTSCH (\$C3CA) assigns a default or specified drive for each file in the command, and also calls AUTOI (\$C63D). AUTOI reads the BAM of the disk in the specified drive, and also tries to initialize drive 1 if no drive was specified. Usually buffer 3 (\$600) is allocated for the phantom drive 1 BAM, and a B1 SEEK command is issued to the disk controller. This results in an internal DRIVE NOT READY error in the disk controller. The error is trapped by AUTOI but not reported outside the disk drive. This leaves buffer 3 allocated but inactive. FFST (\$C49D) then reads the directory and tries to find the file.

The reason this inactive buffer assignment is important is that the SAVE@ command requires all five buffers, but only four are now available. Whenever DOS needs to allocate a buffer, it calls GETBUF (\$D28E). If one is not free, GETBUF tries to steal an inactive one by calling STLBUF (\$D339). If the drive number is always specified and no direct access buffers are allocated, STLBUF is never called. We verified this by modifying GETBUF after copying DOS onto an EPROM (Eraseable-Programmable Read Only Memory). If a channel can't be stolen, then a NO CHANNEL error occurs. But if STLBUF is called, the SAVE@ bug sometimes occurs.

### Stealing The Wrong Buffer

STLBUF can be called several times during a SAVE@ command. The

## THE CMO ADVANTAGE

- ✓ THE BEST PRICES!
- ✓ Next day shipping on all in stock items.
- ✓ Free easy access order inquiry.
- ✓ Orders from outside Pennsylvania and Nevada save state sales tax.
- ✓ Free technical support with our factory trained technical staff.
- ✓ There is no limit and no deposit on C.O.D. orders.
- ✓ There's no extra charge for using your credit card. Your card is not charged until we ship.
- ✓ No waiting period for cashers checks.
- ✓ We accept purchase orders from qualified corporations. Subject to approval.
- ✓ Educational discounts available to qualified institutions.
- ✓ FREE CATALOG MEMBERSHIP.

## ORDER LINE

**1-800-233-8950**  
In PA 1-800-242-4215

**CUSTOMER SERVICE  
& TECH SUPPORT**  
1-717-327-1450

Dept. A211

## MAILING ADDRESS

Computer Mail Order  
Dept. A211  
477 East Third Street  
Williamsport, PA 17701



MEMBER DIRECT MARKETING ASSOCIATION

## CREDIT CARDS



## SHIPPING

Add 3%, minimum \$5.00 shipping and handling on all orders. Larger shipments may require additional charges.

All items subject to availability and price change.

Returned shipments may be subject to a restocking fee.

## CANADIAN ORDERS

**1-800-268-3974**  
Ontario/Quebec

**1-800-268-4559**  
Other Provinces

**1-416-828-0866**  
In Toronto

**TELEX: 06-218960**

2505 Dunwin Drive,  
Mississauga, Ontario  
Canada L5L1T1

All prices shown are for U.S.A. orders.  
Call The Canadian Office for Canadian prices.

## HOME COMPUTERS

### ATARI

130XE (128K).....CALL	
520ST (512K).....CALL	



800XL 64K.....CALL	
850 Interface.....\$119.00	
1010 Recorder.....\$49.99	
1050 Disk Drive.....\$169.00	
1025 Dot Matrix Printer.....\$199.99	
1027 Letter Quality Printer.....\$269.99	
1030 Direct Connect Modem.....\$59.99	

### APPLE



APPLE IIe.....CALL	
APPLE IIc.....CALL	
MacINTOSH.....CALL	
IIC LCD Display.....CALL	

### Commodore

C128 Computer.....\$299.00	
C1271 Disk Drive for C128.....\$NEW	
C1602 (RGB 13" Monitor for C128).....\$NEW	
C1670 (Modem for C128).....\$NEW	

Commodore Plus 4.....\$199.00	
CBM 64.....\$149.00	
C1541 Disk Drive.....\$199.00	
C1530 Datasette.....\$39.99	
M-801 Dot Matrix Printer.....\$169.00	
MCS 803 Dot Matrix.....\$179.00	
C1702 Color Monitor.....\$189.00	
C1680 Auto Modem.....\$59.99	
DPS 1101 Daisy Printer.....\$339.00	

## PORTABLE COMPUTERS



41CV.....\$189.99	
41CX.....\$249.99	
HP 71B.....\$419.99	
HP 11C.....\$62.99	
HP 12C/15C/16C.....\$89.99	
HP 75D.....\$949.00	
HPIL Module.....\$96.99	
HPIL Cassette or Printer.....\$359.99	
Card Reader.....\$143.99	
Extended Function Module.....\$63.99	
Time Module.....\$63.99	

We stock the full line of  
HP calculator products

### NEC

PC-8401.....CALL	
PC-8201 Portable Computer.....\$289.00	
PC-8231 Disk Drive.....\$599.00	
PC-8221A Thermal Printers.....\$149.00	
PC-8281A Data Recorder.....\$99.99	
PC-8201 8K RAM Chips.....\$105.00	

### SHARP

PC-1350.....\$159.99	
PC-1261.....\$159.99	
PC-1260.....\$109.99	
PC-1500A.....\$165.99	
PC-1250A.....\$88.99	
CE-125 Printer/Cassette.....\$128.99	
CE-150 Color Printer Cassette.....\$171.99	
CE-161 16K RAM.....\$134.99	

8036 Atari Writer.....\$29.99	
Star Raiders.....\$4.99	
Missile Command.....\$4.99	
Defender.....\$4.99	
Gleaxan.....\$4.99	
Dig Dug.....\$4.99	
Donkey Kong.....\$4.99	
Joust.....\$4.99	
Eastern Front.....\$4.99	

## BOARDS FOR ATARI

Axlon 32K.....\$39.99	
Axlon 48K (400).....\$69.99	
Axlon 128K.....\$269.99	
Bit 3 Full View 80.....\$169.00	

## Macintosh Software

Lotus Jazz.....CALL	
Microsoft Excel.....CALL	
Microsoft Business Pak.....\$375.00	
Living Videotext.....	
ThinkTank 512.....\$159.00	
Manhattan Ready, Set, Go.....\$79.99	
Creighton Development.....	
Mac Spell.....\$69.99	
Monogram Dollars & Sense.....\$99.99	
Peachtree Back to Basics.....GL\$109.00	
FPS File & Report (New Version).....\$129.00	
Silicon Boech Airborn.....\$25.99	

## Professional Software

Fleet System II w/Spell.....\$49.99	
Trivia Fever.....\$29.99	
Word Pro 4 Plus/5 Plus each.....\$239.00	
Info Pro.....\$179.00	
Administrator.....\$399.00	

## BRODERBUND

The Print Shop.....\$29.99	
----------------------------	--



File (64).....\$59.99	
Report (64).....\$49.99	

NATURALLY INCLUDED	
PaperClip w/Spell Pack.....\$79.99	
The Consultant DBMS.....\$69.99	
Bus Card II.....\$139.00	
80 Col Display.....\$129.00	

## DISKETTES

maxell	
3 1/2" SS/DD.....\$39.99	
3 1/2" DS/DD.....\$54.99	
5 1/4" MD-1 w/Hardcase.....\$17.99	
5 1/4" MD-2 w/Hardcase.....\$23.99	
5 1/4" MD-2 HD for AT.....\$44.99	



Verbatim	
5 1/4" SS/DD.....\$21.99	
5 1/4" DS/DD.....\$29.99	
Disk Analyzer.....\$24.99	



Dennison	
Elephant 5 1/4" SS/SD.....\$13.99	
Elephant 5 1/4" SS/DD.....\$15.99	
Elephant 5 1/4" DS/DD.....\$16.99	
Elephant Premium DS/DD.....\$23.99	



IBM	
5 1/4" DS/DD Floppy Disks (Box of 10).....\$25.99	

## DISK HOLDERS

### INNOVATIVE CONCEPTS

Flip-in-File 10.....\$3.99	
Flip-in-File 50.....\$17.99	
Flip-in-File 50 w/lock.....\$24.99	
Flip-in-File (400/800 ROW).....\$11.99	

### AMARAY

50 Disk Tub 5 1/4".....\$9.99	
30 Disk Tub 3 1/2".....\$8.99	

## MODEMS



Volksmodem.....\$59.99	
Volksmodem 300/1200.....\$189.99	
Mark XII (1200 Baud).....\$259.00	
Signalman Express.....\$299.00	
Lightning 2400 Hayes.....\$399.00	



Smartmodem 300.....\$139.00	
Smartmodem 1200.....\$359.00	
Smartmodem 1200B.....\$359.00	
Smartmodem 2400.....\$629.00	
Microcom IIe.....\$149.00	
Smart Com II.....\$89.99	
Chronograph.....\$199.00	
Transet 1000.....\$309.00	



Reach 1200 Baud Full Card.....\$399.00	
--	--



MPP-1000E ADIAA (Atari).....\$79.99	
MPP-1064 ADIAA (C-64).....\$69.99	



Smart Cat Plus.....\$319.00	
J-Cat.....\$99.99	
Novation 2400.....CALL	
Apple Cat II.....\$229.00	
212 Apple Cat II.....\$379.00	
Apple Cat 212 Upgrade.....\$229.00	
Macmodem.....\$139.00	



Quadram II	
300/1200.....\$339.00	
300/1200/2400.....\$499.00	

## TELELEARNING

C64 300 Baud.....(Closeout).....\$39.99	
---	--

## GRAPHICS



IBM.....\$89.99	
Apple/Franklin.....\$79.99	



Palette.....\$1299.00	
-----------------------	--

## DRIVES

### HARD




PC Stor.....CALL	
------------------	--



5 meg Removable/Internal.....\$1399.00	
10 meg 5 Fixed/Internal.....\$1249.00	
15 meg 5 Removable/10 Fixed \$2149.00	
25 meg 5 Removable/20 Fixed \$2499.00	



10 meg Bernoulli Box.....\$1999.00	
20 meg Bernoulli Box.....\$2599.00	
5 meg "MacNodul".....\$1499.00	



12, 25, 35, 50, 80 meg (PC).....from \$1499.00	
--	--

## FLOPPY



Atari GT.....\$219.00	
C-64 GT.....\$229.00	



A1.5 Apple.....\$179.00	
A2 Apple.....\$179.00	



SD1 C-64 Single.....\$219.00	
SD2 C-64 Dual.....\$469.00	



320K 5 1/4" (PC).....\$119.00	
-------------------------------	--



320K 5 1/4".....\$109.00	
--------------------------	--

CALL TOLL-FREE



## MONITORS

## AMDEK

300 Green.....	\$129.00
300 Amber.....	\$139.00
310 Amber IBM-Plug.....	\$169.00
Color 300 Composite.....	\$179.00
Color 500 Composite/RGB.....	\$399.00
Color/ 600 Hi-Res (640x240).....	\$399.00
Color 700 Hi-Res (720x240).....	\$499.00
Color 710 Long Phosphor.....	\$579.00
Color 722 IBM Enhanced.....	\$579.00



12" Amber/Green Composite.....	\$99.99
12" Amber/Green TTL.....(ea.)	\$119.00

## NEC

JB 1260 Green.....	\$59.99
JB 1260 Green.....(ea.)	\$59.99
JB 1270 Green.....	\$139.00
JB 1275 Amber.....	\$149.00
JB 1280 G TTL/1285 A TTL.....	\$149.00
JC 1410 RGB.....	\$669.00

## PRINCETON

MAX-12E Amber.....	\$189.00
HX-9 "9" RGB.....	\$469.00
HX-9E Enhanced.....	\$519.00
HX-12 "12" RGB.....	\$469.00
HX-12E Enhanced.....	\$559.00
SR-12 Hi-Res.....	\$599.00
SR-12 P Enhanced.....	\$649.00

## TAXAN

115 12" Green Mono.....	\$119.00
116 12" Amber Mono.....	\$119.00
121 Green TTL.....	\$139.00
122 Amber TTL.....	\$149.00
420 Hi-Res RGB (IBM).....	\$429.00
440 Ultra Hi-Res RGB.....	\$559.00



8400 Quadchrome II.....	\$479.00
8410 Quadchrome II.....	\$429.00
8420 Quadchrome II.....	\$179.00
8500 Quad Screen.....	\$1499.00



ZVM 1220/1230.....(ea.)	\$99.99
ZVM 1240 IBM Amber.....	\$149.00
ZVM 130 Color.....	\$269.00
ZVM 131 Color.....	\$249.00
ZVM 133 RGB/Color.....	\$429.00
ZVM 135 RGB/Color.....	\$459.00
ZVM 136 RGB/Color.....	\$599.00

## INTERFACES

## AST

Multi I/O (Apple II).....	\$189.00
---------------------------	----------



GraphCard.....	\$79.99
Serial Card.....	\$99.99
Microbuffer II+.....	\$169.00
Microbuffer 32K.....	\$189.00



Microtizer.....	from \$139.00
Elazer (Epson).....	from \$79.99

## Orange Micro

Grappler C3 (C64).....	\$99.99
Grappler + (Apple).....	\$89.99
Grappler 16K+ (Apple).....	\$159.00

## DIGITAL DEVICES

Ape Face (Atari).....	\$49.99
U-Print A (Atari).....	\$54.99
U-A16/Buffer (Atari).....	\$74.99
U-Cal Interface (Atari).....	\$39.99
U-Call C (C64).....	\$49.99
P-16 Print Buffer.....	\$74.99
U-Print II Apple IIc.....	\$59.99

## TYMAC

C64 Epson.....	\$59.99
C64 Okidata.....	\$59.99
C64 Star.....	\$57.99

## PRINTERS

## Canon

A40.....	CALL
LBP-8A1 Laser.....	CALL

## CITIZEN

MSP-10 (90 col.).....	\$279.00
MSP-15 (132 col.).....	\$399.00
MSP-20 (90 col.).....	\$349.00
MSP-25 (132 col.).....	\$509.00

## CITIZEN

Prowriter 7500.....	\$219.00
Prowriter 8510P.....	\$299.00
Prowriter 8510 NLQ.....	\$329.00
Prowriter 1550P.....	\$449.00
Starwriter 10-30.....	\$459.00

## corona

Lazer LP-300.....	\$2799.00
-------------------	-----------

## DIABLO

D25 Delaywheel.....	\$649.00
630-108 Delaywheel.....	\$1749.00
D801F Delaywheel.....	CALL

## daisywriter

2000.....	\$749.00
-----------	----------

## EPSON

LX-80, LX-90, FX-85, FX-185	
JX-80, DX-10, DX-20, SQ 2000	
HS-80, HomeWriter 10.....	CALL

## JUKI

6100 Letter Quality.....	CALL
6100 Letter Quality.....	CALL
6300 Letter Quality.....	CALL

## NEC

8027 Transportable.....	\$299.00
2000 Series.....	\$699.00
3000 Series.....	\$1099.00
8000 Series.....	\$1449.00
ELF 360.....	\$449.00
Pimwriter 560.....	\$999.00

## OKIDATA

84, 182, 192, 193, 2410.....	CALL
Okimate 10 (Specify C64/Atari).....	\$189.00
Okimate 20 (IBM).....	CALL

## OLYMPIA

Needlepoint Dot Matrix.....	\$289.00
Compact RO.....	\$339.00
Compact 2.....	\$369.00

## Panasonic

KX1091.....	\$259.00
KX1092.....	\$389.00
KX1093.....	\$479.00



Quadjet.....	\$399.00
Quad Laser.....	CALL

## SILVER-REED

500 Letter Quality.....	\$279.00
550 Letter Quality.....	\$419.00
770 Letter Quality.....	\$759.00

## STAR

SG-10C (C64 Interface).....	\$NEW
SB/SD/SG/SR Series.....	CALL
PowerType Letter Quality.....	CALL

## Texas Instruments

T1850.....	\$529.00
T1851.....	\$799.00
T1855.....	\$1049.00

## TOSHIBA

1340 (80 column).....	\$589.00
P351 (132 column).....	\$1149.00

## PC COMPATIBLES

## IBM PC SYSTEMS

Configured to your  
specification.  
Call for Best Price!

## IBM-PC, IBM-PC II, IBM-XT, IBM-AT

## SOFTWARE FOR IBM



Electric Desk IBM-PC.....	\$199.00
Framework.....	\$369.00
dBase III.....	\$369.00



Turbo Pascal 3.0.....	\$49.99
-----------------------	---------



Copy II PC-Backup.....	\$29.99
------------------------	---------

## DECISION RESOURCES

Charmaster.....	\$259.00
Signmaster.....	\$179.00

## FOX &amp; CELLER

Quickcode II.....	\$169.00
-------------------	----------

## HUNK SOFTWARE

Sideways.....	\$39.99
*Hunk Software Inc.	
Harvard Project Manager.....	\$209.00
Total Project Manager.....	\$269.00
Human Edge™.....	\$99.99
Management Edge.....	\$119.00
Negotiation Edge.....	\$139.00
Sales Edge.....	\$119.00

## LIFETIME

Volkswriter Deluxe.....	\$156.00
-------------------------	----------

## LIVING VIDEOTEXT

Think Tank.....	\$109.00
-----------------	----------



Symphony.....	\$439.00
---------------	----------

## MECA SOFTWARE

Managing Your Money.....	\$109.00
--------------------------	----------

## MICROSUP

Crosstalk XVI.....	\$89.99
Microcut Retable.....	\$89.99



R-Base 4000.....	\$259.00
------------------	----------



WordStar 2000.....	\$249.00
--------------------	----------

## MICROSOFT

Word.....	\$239.00
Mouse.....	\$139.00
Fight Simulator.....	\$39.99
MultiPlan.....	\$129.00

## MultiMate

Multi Mate Word Proc.....	\$249.00
---------------------------	----------

## NOUMENON

Intuit.....	\$69.99
-------------	---------

## NORTON

Norton Utilities 3.0.....	\$59.99
---------------------------	---------



Peachtree 5000.....	\$159.00
PeachPack (GUAR/APR).....	\$219.00



Access.....	\$79.99
Write/Graph/File/Plan.....(ea.)	\$79.99
Report.....	\$74.99
Proof.....	\$59.99

## Professional Software

Wordplus-PC w/BoSS.....	\$249.00
-------------------------	----------

## ROBESOFF

Prokey.....	\$89.99
-------------	---------

## THE SOFTWARE GROUP

Enable.....	\$339.00
-------------	----------

## SATELLITE SYSTEMS

Word Perfect 4.0.....	\$219.00
-----------------------	----------

## SORCIM/IUS

Accounting.....	\$295.00
AP/AR/INVOIC.....(ea.)	\$295.00
SuperCalc III.....	\$195.00
EasyWriter II System.....	\$195.00
Super Project.....	\$195.00

## SPI

Open Access.....	\$379.00
------------------	----------

## THOUGHTWARE

Trigger.....	\$289.00
Sell, Sell, Sell.....	\$299.00
Training.....	\$299.00
Application.....	\$179.00



Sefan (7300).....	CALL
6300.....	CALL

## corona

PC-400 Dual Portable.....	\$1299.00
PBXKIT 10 meg Portable.....	\$1989.00
PC-4002 Dual Desktop.....	\$1399.00
PC-400-HD2 10 meg.....	\$1989.00

## ITT X-TRA

256K, 2 Drive System.....	CALL
256K, 10 meg Hard Drive System CALL	
XPS, 20 meg.....	CALL



MBC 550-2 Single Drive.....	\$699.00
MBC 555-2 Dual Drive.....	\$999.00
MBC 511 10 meg.....	\$1799.00
MBC 675 Portable.....	CALL
MBC 880 Desktop.....	CALL



PC-158-21 Single Desktop.....	CALL
PC-158-22 Dual Desktop.....	CALL
PC-158-53 10 meg Desktop.....	CALL
PC-181-21 Single Portable.....	CALL
PC-181-52 Dual Portable.....	CALL
Z 200 (AT).....	CALL
171 (Portable).....	CALL
138 (Transportable).....	CALL
148 (DeskTop).....	CALL

## MULTIFUNCTION CARDS

## AST

Six Pack Plus.....	\$239.00
Mega Plus II.....	\$269.00
IO Pack II.....	\$139.00
Advantage-AT.....	\$399.00
Graph Pack.....	\$599.00
Monograph Plus.....	\$399.00
Preview Mono.....	\$399.00
PC Net Cards.....	\$379.00
\$25111 On-line.....	\$759.00
\$25112 Remote.....	\$579.00
3780 Emulation Card.....	\$639.00
BSC Biscy.....	\$489.00



IRMA 3270.....	\$679.00
IRMA Pmt.....	\$999.00

## EVEREX

Color Card (Graphics Edge).....	\$299.00
Magic Card II.....	CALL
Edge Card.....	\$299.00



Graphics.....	\$299.00
Color.....	\$159.00



IDEAmix - ZPR, 64K, C, S, P.....	\$229.00
IDEAmint - YPR, C, S, P.....	\$189.00
IDEAmimix - MPR 128K.....	\$229.00
IDEashare Software.....	\$219.00
IDEA 3251.....	\$699.00

## MYLEX

The Chairman.....	\$479.00
-------------------	----------



Modular Graphics Card.....	\$279.00
Multi Display Card.....	\$229.00
Five Pack C, S.....	\$159.00



Bob Board.....	\$389.00
----------------	----------



Captain - 64.....	\$199.00
Captain Jr. 128K.....	\$279.00
Graphics Master.....	\$469.00



Quadport-AT.....	\$119.00
Quadring AT (128K).....	\$349.00
The Gold Quadboard.....	\$449.00
The Silver Quadboard.....	\$239.00
Expanded Quadboard.....	\$219.00
Quad 512+.....	\$229.00
Liberty.....	\$309.00
QuadSpring.....	\$499.00
QuadLink.....	\$399.00
Quadcolor 1.....	\$199.00
Quadtr. Expansion Chassis.....	\$469.00
Expansion Chassis Memory.....	\$199.00
Chronograph.....	\$79.99
Parallel Interface Board.....	\$64.99

result is that the BAM and directory sectors can be reassigned to different buffers during a single SAVE@. We have found the BAM and directory sectors in every drive buffer after different SAVE@ commands. We have found copies of the current directory sector in two different buffers, one an old sector and one properly updated, but the wrong one had been written to the disk. Somehow, the pointers to the BAM and directory sectors are not properly accounted for. Which buffer is stolen by STLBUL depends on prior buffer usage and the values stored in LRUTBL.Y (\$FA.Y), the least recently used table. It appears that STLBUL updates all pointers except LRUTBL.Y. This means that multiple calls to STLBUL may steal the wrong buffer—in this case the wrong buffer to steal is the BAM!

The BAM is stored in the drive in one of the buffers. STLBUL should not steal the drive 0 BAM, but should instead take back the unused buffer incorrectly assigned to drive 1. It never steals the drive 1 BAM, buffer 3 at \$600, because STLBUL cannot take a buffer which encountered a drive error. Remember that an internal DRIVE NOT READY error did occur, because there is no drive 1!

To test this, we copied into EPROM an altered version of DOS with STLBUL modified to allow stealing a buffer with this error. This allowed the phantom drive 1 BAM buffer to be freed, and the SAVE@ bug did not strike during tests with this modified DOS.

If this buffer-stealing occurs, why does SAVE@ work most of the time? We must dig deeper into DOS to answer this question. When a file is opened and blocks (or sectors) are written to a disk, the BAM is *not* directly updated in the drive memory. Instead, a BAM image for each of two tracks is stored at BAM (\$2A1-\$2B0). Each time a new block is allocated by WUSED (\$EF90), it is recorded in the BAM image. When a new track is tested for free sectors, DOS checks if it has a BAM image for it. If not, it calls SWAP (\$F05B), which first updates the BAM with the BAM image from the next-to-last track, copies the new track's BAM map into the BAM image, and then zeros that track in

the BAM. This all works perfectly—most of the time.

After the last file sector is written to the disk, the BAM still has not been written to the disk. In fact, the BAM in the drive is wrong because it has not yet been updated from the BAM images. When a file is closed, the disk directory is closed, CLSDIR (\$DBA5), by reading in the file's directory sector, testing for a replace file type, and then rewriting it to the disk. MAP-OUT (\$EEF4) is called to read the BAM off the disk, if necessary, and to then update it to the BAM images by calling PUTBAM (\$F0A5). The updated BAM is then written back to the disk.

During a SAVE@ command, DOS performs an additional step after reading the directory sector. The file type is designated as replace, so DELFIL (\$C87D) is called to delete the original version of the file from the BAM. It reads in the BAM if necessary when freeing the first sector, FRETS (\$EF5F), and then proceeds to trace through the file and delete sectors in the BAM images. The BAM is then written to the disk.

### Bungled BAM

Normally this procedure works correctly. But havoc results if the BAM buffer is stolen while the file is being closed. This can happen during a SAVE@ command because DELFIL requires two additional buffers. The BAM can be stolen at different points during the procedure, depending on which buffers were previously used—which, in turn, depends on the number of sectors in the file and the tracks on which it is stored.

After the BAM is stolen, it is read back in when needed and updated from the BAM images. Only two tracks can be updated, however, since there are only two images. If more than two tracks have been accessed by SAVE@, the BAM may *not* be correctly updated. A track could be updated correctly, left unchanged, or fully allocated, depending on when the BAM was stolen.

If extra sectors are allocated, the BAM is incorrect, but no permanent harm is done. A validate command will cure the problem. If sectors are not allocated, then a

new file will be saved on top of the old file's sectors. In the example program listed in Part 1, a fourth SAVE@ command would result in the file being written on top of the old file's first four sectors, and then the whole new file would be scratched—a tragic result, indeed.

Based on these findings, we recommend that you avoid the SAVE@ command when direct access channels to the drive are open or if you don't always specify the drive number in disk commands. You should also avoid SAVE@ when using programs or cartridges intended to speed up access on the 1541 disk drive. These programs often reserve internal drive buffers and may cause problems even if the drive number is specified. If you're using the DOS Wedge, we recommend issuing a >UI or >UJ command before each SAVE@ command to be sure all the buffer pointers are reset. Many word processors also allow you to send these commands to the drive. Otherwise, the drive should be turned off and then on before using SAVE@ (On the SX-64, press the drive reset button.)

During our studies we found several other minor bugs in DOS V2.6, including the subroutine which puts the value 2 at the drive memory location \$197. This bug does no harm since it affects a normally unused section of drive memory. However, we have found it can affect DOS routines downloaded into the drive. There may be other bugs or quirks which we have not found, so the Commodore DOS controversy may never be fully closed.

In Part 1 of this article, there was a minor error in the example to illustrate the problems caused by not specifying a drive number (using the DOS Wedge program). The article stated that giving the Wedge command >TEST results in a blinking disk error light if the file TEST does not exist on the disk. Actually, >TEST does not cause the error light to blink unless it is used twice in succession. The first >TEST correctly prints a blank directory of drive 0, but leaves the 1541 looking for the nonexistent drive 1 so that the second >TEST results in the DRIVE NOT READY error described last month.

©

# Atari REMover

Jeff Stefanski

*This short BASIC utility automatically removes REM statements from programs. It runs on the Atari 400/800, XL, and XE series computers.*

Many programmers use REMARK statements to document how their programs work—a good programming practice. Once the program is finished and debugged, however, the REMs can be deleted to save memory and slightly increase execution speed (although it's a good idea to save a version with the REMs in case you have to make modifications later). Scanning through a program and deleting REM statements one by one has always been a tedious job. But it's easy with "Atari REMover."

This short routine automatically removes the REMs from BASIC programs, leaving everything else intact. Type in Atari REMover as listed below, then save the program by LISTing it to disk or cassette. *You must store the program with LIST, rather than SAVE.* (Example: LIST "C:" for cassette or LIST "D:\filename.ext" for disk.) Since Atari REMover deletes itself from memory after running, be sure to save a copy before using it for the first time.

REMOVER is easy to use. First load the program from which you want to delete the REMs. Then ap-

pend REMover to the end of the first program by ENTERing it from disk or cassette. (Example: ENTER "C:" for cassette or ENTER "D:\filename.ext" for disk.) Type GOTO 32000 and press RETURN to activate REMover. The routine looks through your program and deletes each line that contains nothing but a REM statement. If a multistatement line ends with REM, the REM portion is cut off and the line is reentered.

It may take a while for REMover to delete all the REMs in a large program, so be patient. After the job is done, REMover deletes itself.

Note that REMover uses line numbers above 32000. If your program uses the same line numbers, renumber it before using this routine. If your program contains a GOTO or GOSUB to a REM line (poor programming practice in any case), change the line reference yourself after using REMover.

## Atari REMover

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

```
00 32000 CLR : GRAPHICS 0: STMTAB=PEEK(136)+PEEK(137)*256: POKE 82,2: POKE 83,39: DIM L$(14)
01 32001 LINE=PEEK(STMTAB)+PEEK(STMTAB+1)*256
```

```
AK 32002 IF LINE=32000 THEN 32015
FA 32003 PRINT CHR$(125): POSITION 2,6: LIST LINE
HH 32004 LOCATE 3+LEN(STR$(LINE)),7,A: LOCATE 4+LEN(STR$(LINE)),7,B: LOCATE 5+LEN(STR$(LINE)),7,C
CA 32005 IF A=B2 AND B=69 AND C=77 THEN 32009
OP 32006 L=1: FOR X=7 TO 9: FOR Y=2 TO 39: LOCATE Y,X,M:L$(L)=CHR$(M): L=L+1: NEXT Y: NEXT X
BI 32007 FOR X=1 TO 110: IF L$(X,X+3)=":REM" THEN 32012
ND 32008 NEXT X: STMTAB=STMTAB+PEEK(STMTAB+2): GOTO 32001
KH 32009 PRINT CHR$(125): POSITION 2,6: PRINT LINE
NC 32010 POSITION 0,0: POKE B42,13: POSITION 2,7: PRINT "CONT": POSITION 2,4: STOP
LN 32011 POKE B42,12: GOTO 32001
IN 32012 PRINT CHR$(125): POSITION 2,6: PRINT L$(1,X-1): PRINT "CONT"
FC 32013 POSITION 0,0: POKE B42,13: POSITION 2,4: STOP
JF 32014 POKE B42,12: STMTAB=STMTAB+PEEK(STMTAB+2): GOTO 32001
BI 32015 PRINT CHR$(125): POSITION 2,6: FOR X=32000 TO 32016: PRINT X: NEXT X: PRINT "PRINT CHR$(125): POKE B42,12: END"
BI 32016 POKE B42,13: POSITION 2,2: STOP
```



# Plus/Term

## For Commodore 1660 Modem

Mark Wood

By adding a few lines to COMPUTE!'s popular "Plus/Term" program, you can use it with a Commodore 64 and the Commodore 1660 direct-connect modem, dialing and hanging up under program control.

"Plus/Term," published in COMPUTE!, February 1985 (and in *Telecomputing on the Commodore 64*, COMPUTE! Books), is an excellent terminal program, offering an 80-column display mode (with "Screen-80," COMPUTE!'s GAZETTE, September 1984) and many other desirable features. However, since my Commodore 1660 is a direct-connect modem which doesn't allow manual dialing, I had no way to use Plus/Term. My solution was to add auto-dialing and hang-up routines to the program.

To include these new features in Plus/Term, you'll first need to type in the original program. Then type in the additional lines listed below. Once you're finished, resave the program (perhaps with a different name to distinguish it from the original Plus/Term).

Plus/Term now offers two additional options: You can dial a number from within the program (press D) or hang up the line whenever you want (H). After selecting Dial, type in the number you want, then choose between rotary and

tone dialing, depending on which service you have on your phone system. You may add spaces or dashes between the numbers if you like, but they're not necessary. If you press RETURN without entering a number, or enter a string that contains no numbers, Plus/Term simply returns you to terminal mode. Rotary dialing is simulated by rapidly disconnecting and reconnecting the line the correct number of times for each number. Tone dialing signals are generated with the 64's SID chip.

### Plus/Term Modifications

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing in Programs" published bimonthly in COMPUTE!.

```
10 DATA 152,85,74,60,117,77,168
   ,44,152,85,168,44,161,94,16
   ,8,44,117,77,85,49 :rem 156
20 DATA 152,85,85,49,161,94,85,
   ,49,117,77,150,54,152,85,150
   ,54,161,94,150,54 :rem 140
271 PRINT$ "H. HANG UP";
   :rem 68
272 PRINT$ "D. DIAL"; :rem 152
281 IFM1$="H" THEN POKE 56577,(PE
   EK(56577) OR 32) :rem 8
282 IFM1$="D" THEN 2020 :rem 133
685 DIM DIG(15):FOR WXE=0 TO 9:FOR
   COL=1 TO 4:READ SID(WXE,COL):
   NEXT: NEXT :rem 33
2020 ZX$="":AZ$="":INPUT "CLR
   {6 DOWN}{2 RIGHT}NUMBER T
   O DIAL":AZ$=IFLEN(AZ$)=0 T
   HEN 1760 :rem 120
2030 FORJ=1 TO LEN(AZ$):G$=MID$(
   AZ$,J,1):IFG$="0" ANDG$<=
   "9" THEN ZX$=ZX$+G$:rem 190
```

```
2040 NEXT:IFLEN(ZX$)=0 THEN 1760
   :rem 62
2050 PRINT " [DOWN]{2 SPACES}
   [RVS]R[OFF]OTARY OR [RVS]
   T[OFF]ONE?" :rem 232
2060 GETTY$=IFTY$<"R" ANDTY$<"
   T" THEN 2060 :rem 208
2070 FORWXE=1 TO LEN(ZX$):DIG(WX
   E)=VAL(MID$(ZX$,WXE,1)):N
   EXT :rem 154
2080 POKE 56579,(PEEK(56579) OR 3
   2):POKE 56577,(PEEK(56577)
   AND 223):FORJ=1 TO 600:NEXT
   :rem 127
2090 PRINT " {3 DOWN}{5 RIGHT}DI
   ALING...":IFTY$="R" THEN 21
   60 :rem 71
2100 POKE 54296,15:POKE 54276,16
   :POKE 54283,16:POKE 54277,0
   :POKE 54284,0 :rem 46
2110 POKE 54278,240:POKE 54285,2
   40:POKE 54295,0:FORWXE=1 TO
   LEN(ZX$) :rem 236
2120 POKE 54272,SID(DIG(WXE),1)
   :POKE 54273,SID(DIG(WXE),2
   ) :rem 13
2130 POKE 54279,SID(DIG(WXE),3)
   :POKE 54280,SID(DIG(WXE),4
   ) :rem 23
2140 POKE 54276,17:POKE 54283,17
   :FORDEL=1 TO 75:NEXT
   :rem 129
2150 POKE 54276,16:POKE 54283,16
   :FORDEL=1 TO 75:NEXT:NEXT:P
   OKE 54296,0:GOTO 1760:rem 9
2160 FORWXE=1 TO LEN(ZX$):VA=DIG
   (WXE):IFVA=0 THEN VA=10
   :rem 19
2170 FORCL=1 TO VA:POKE 56577,(PE
   EK(56577) OR 32):FORDEL=1 TO
   26:NEXT :rem 78
2180 POKE 56579,(PEEK(56579) OR 3
   2):POKE 56577,(PEEK(56577)
   AND 223):NEXT :rem 110
2190 FORDEL=1 TO 250:NEXT:NEXT:G
   OTO 1760 :rem 99
```

# Atari Animation With P/M Graphics

## Part 3

Robert Powell

*Animation with Atari player/missile graphics involves a number of programming techniques. Parts 1 and 2 in this series showed how to design a player/missile object, display it on the screen, control its color, and animate it horizontally. This month's article shows one method of vertical animation without resorting to machine language.*

As we saw in Part 2, horizontal animation with player/missile graphics is quite simple: A single POKE into the horizontal position register moves the P/M strip to any place on the screen. Last month, Program 2 demonstrated how easy it is to move a player horizontally with a joystick.

Vertical animation, however, is not so simple. There is no such thing as a vertical position register which corresponds to the horizontal position register. Since P/M objects are strips of memory taller than the screen, a vertical register wouldn't make sense—you couldn't see the strip moving, anyway. Instead, to achieve vertical animation your program must move the P/M shape you've designed through the strip of player memory.

Program 1 below is a slightly modified version of last month's program which defined player 0 as a happy face. It shows how a shape can be moved through P/M memory with a FOR-NEXT loop in

BASIC. Plug a joystick into port 1 to control the player's vertical movement. As you'll see, vertical animation in BASIC is disappointingly slow. BASIC just isn't fast enough to move the player shape through memory without a rippling "inchworm" effect.

There are two solutions to this problem. One is to write a machine language subroutine for vertical animation. Over the past five years, COMPUTE! has published several such routines which require no knowledge of machine language—you just drop the routine into your BASIC program and call it with a USR statement. The back issues are now out of print, but these and various other routines for vertical motion are discussed in several books (COMPUTE!'s *First Book of Atari Graphics*; *Mapping the Atari*; COMPUTE!'s *First Book of Atari Games*; and COMPUTE!'s *Second Book of Atari Graphics*).

Another solution which avoids machine language yet is comparable in speed takes advantage of BASIC's fast string-manipulation routines. We'll cover this method here.

### A Few Strings Attached

The string-animation technique depends on making the computer think that a BASIC string is located in the P/M memory area, rather than in the usual memory area where the computer stores strings. Therefore, when you redefine the string, P/M memory changes—and the P/M object changes along with it. You can use this technique to rapidly change the shape of a player, move it vertically, or erase it off the screen.

Program 2 shows how to fool the computer into thinking a long string is located in the P/M memory area. A full explanation is beyond the scope of this article; however, even if you don't understand this technique, you can use it in your own programs by copying lines 10-100. This module adjusts itself for single- or double-line P/M resolution when you change the statement in line 20. Set MODE=1 for single-line resolution, or MODE=2 for double-line resolution.

When you run this program, several things become apparent. First, it eliminates the usual delay

Player/Missile Addresses Using String Animation

	Double-Line Resolution	Single-Line Resolution
Missiles 0-3	1-128	1-256
Player 0	128-256	256-512
Player 1	256-384	512-768
Player 2	384-512	768-1024
Player 3	512-640	1024-1280

caused by using a FOR-NEXT loop to clear out P/M memory with zeros. Instead, the three statements in line 100 clear out P/M memory instantly. This trick works by setting A\$ to zeros after lines 10-90 fool the computer into thinking that A\$ coincides with P/M memory.

Second, the program does not define the player shape by POKE-ing into P/M memory, as does Program 1 and last month's programs. Instead, the bytes which form the player shape in line 120 are read into a string (B\$) in line 110. This is the key to the string-animation technique. Since the computer thinks that A\$ overlays P/M memory, the statement in line 130 copies the player shape in B\$ into the middle of the player 0 memory area. This places the shape at midscreen.

With a statement like A\$(Y,Y+LEN(B\$))=B\$, you can instantly change the player's vertical position. For an example of vertical animation, replace lines 130 and 140 in Program 2 with the following lines:

```
130 FOR Y=256 TO 512
140 A$(Y,Y+LEN(B$))=B$
150 NEXT Y
160 GOTO 130
```

It's a convincing demonstration that fast vertical motion can be easily achieved in BASIC using strings.

## Self-Erasing Players

If you look closely at the player shape bytes in line 120, you'll notice that a pair of zeros precedes and follows the series of numbers. Ordinarily, it doesn't make sense to see zeros in player shape data, because zeros show up blank on the screen. But these zeros have a special purpose. As the player shape moves through P/M memory, it would leave a trail of itself on the screen unless you erased it after every movement. Although it would be easy to erase the player shape by filling B\$ with zeros (using a formula like the one in line 100), this extra step would slow down the animation by a fraction of second. By tacking a zero onto each end of the player data, the shape erases itself as it moves.

In this case, two zeros surround the player data. This allows even faster vertical motion by moving the player shape two steps at a

time. To see this in action, add the above changes to Program 2 with this alteration to line 130:

```
130 FOR Y=256 TO 512 STEP
2
```

Now change STEP 2 to STEP 15. As you can see, you can have as many shapes displayed in the vertical band as will fit.

Another important advantage of string-animation is that you can store several different shapes in different strings (such as B\$, C\$, D\$, and so on). You can instantly flip between the shapes simply by reassigning A\$, as in A\$(Y,Y+LEN(D\$))=D\$.

## What About Diagonals?

Once you learn how to move P/M objects horizontally and vertically, it's easy to animate them diagonally as well. Just combine a horizontal step with each vertical step, interweaving them to achieve a diagonal path.

For an example, start with Program 2 and add these changes:

```
130 FOR Y=256 TO 511
140 A$(Y,Y+LEN(B$))=B$:PD
KE 53248,Y-256
150 NEXT Y
160 GOTO 130
```

If you experiment with these programs, you should be able to take it from here. All these examples use player 0, but the other players and missiles can be used in a similar manner. Just calculate the vertical screen position by figuring where A\$ overlaps the appropriate player/missile area, then position the player shape data at that point in A\$. (Refer to the accompanying table for a guide.)

Trying drawing a background screen with PLOT and DRAWTO, then move your players above or beneath it. Also, although P/M graphics are commonly used for games, try using these techniques to add interest and variety to your text programs as well. You can turn players or missiles into thin vertical lines to delineate data columns, or change them into cursors that change color to signal for input. This three-part series merely covers the basics—there's a lot more to Atari P/M graphics, such as priority registers and collision registers. The possibilities are endless.

For instructions on entering these listings, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

## Program 1: Vertical Movement With FOR-NEXT

```
#F 10 POKE 106,PEEK(106)-8
#F 20 POKE 54279,PEEK(106)
HD 30 GRAPHICS 0:SETCOLOR 2,
0,0
CN 40 PMBASE=PEEK(106)*256
HL 50 POKE 559,62
PK 60 POKE 53277,3
DP 70 POKE 704,68:POKE 705,1
98:POKE 706,168:POKE 7
07,148
PA 80 POKE 53248,160:POKE 53
249,170:POKE 53250,180
:POKE 53251,190
NS 90 FOR X=PMBASE+1024 TO P
MBASE+2048:POKE X,0:NE
XT X
L8 95 VERTICAL=PMBASE+1152
KD 100 RESTORE :FOR X=1 TO 1
3
DP 110 READ A
AH 120 POKE VERTICAL+X,A
CL 130 NEXT X
LP 140 DATA 0,24,60,126,90,2
19,255,219,195,102,60
,24,0
CF 150 S=STICK(0)
JK 160 IF S=13 THEN VERTICAL
=VERTICAL+1:GOTO 100
JD 170 IF S=14 THEN VERTICAL
=VERTICAL-1:GOTO 100
SD 180 GOTO 100
```

## Program 2: Vertical Movement With Strings

```
BL 10 DIM A$(1),B$(15)
GA 20 MODE=2:REM MODE=2 FOR
DOUBLE-RES, MODE=1 FOR
SINGLE-RES
FK 30 PMBASE=PEEK(106)-4*MOD
E:POKE 106,PMBASE:POKE
54279,PMBASE
CE 40 GRAPHICS 0:SETCOLOR 2,
0,0:PMBASE=256*PMBASE
EN 50 POKE 559,30+16*MODE:PO
KE 53277,3:POKE 53248,
160:POKE 704,68
HH 60 VTAB=PEEK(134)+256*PEE
K(135):ATAB=PEEK(140)+
256*PEEK(141)
CD 70 OFFSET=PMBASE+384*MODE
-ATAB:REM FIND OISTANC
E FROM ATAB START TO P
LAYER ZERO START
FB 80 HI=INT(OFFSET/256):LO=
OFFSET-256*HI:L=640*MO
DE:HL=INT(L/256):LL=L-
256*HL
AK 90 POKE VTAB+2,LO:POKE VT
AB+3,HI:POKE VTAB+6,LL
:POKE VTAB+7,HL
JD 100 A$(1)=CHR$(0):A$(640*
MODE)=CHR$(0):A$(2)=A
$
BB 110 FOR I=1 TO 15:READ A:
B$(I,I)=CHR$(A):NEXT
I
HF 120 DATA 0,0,24,60,126,90
,219,255,219,195,102,
60,24,0
KH 130 A$(190*MODE,190*MODE+
LEN(B$))=B$
SD 140 GOTO 140
```



# Amiga's Amazing Graphics

Charles Brannon, Program Editor

*Commodore's Amiga presents programmers with more graphics features than ever before—both an exciting prospect and a bewildering abundance. This overview covers the fundamentals of the Amiga's graphics capabilities and shows how they differ from those on previous personal computers.*

Graphics make the Amiga special. Although the Amiga's other features—such as its stereo sound, high-speed 68000 microprocessor, built-in 880K disk drive, and multitasking operating system—are certainly noteworthy, it's the graphics that first catch your eye. The 4,096 color variations allow nearly seamless transition between colors; the 640 X 400 high-resolution bitmap mode is close to broadcast TV quality; and the custom chips permit fast, complex animation. The Amiga is a machine for the artist in all of us.

Making the most of these features requires programmers to master some new techniques, however. There are some important differences between the way the Amiga handles graphics and the methods used on previous personal computers. Of course, there are many similarities, too.

## Mixing A Rainbow

Understanding any computer's graphics is easier if you know some

background about video displays. In any monitor or TV, video images are electronically painted by electron guns on the inside of the CRT (cathode ray tube, commonly known as the picture tube). From our point of view when looking at the screen, three electron beams sweep left to right, top to bottom, across the inside of the CRT. The CRT is coated with special phosphors that glow either red, green, or blue when hit by the stream of particles from the electron guns. Each phosphor dot can glow bright, dim, dark, or anywhere in between.

Once painted on the screen, the video image quickly fades away, so the electron beams repeat the cycle to draw a new frame 60 times per second. This *refresh rate* is more than fast enough to fool our eyes into seeing motion when the video images are changing each frame, as they are with TV shows and animated computer graphics.

Unlike most computers, the Amiga does not limit you to a fixed set of colors. Instead, you mix three primary colors—red, green, and blue—to create your own custom colors. Each primary color has 16 luminance, or brightness, levels, from 0 (no color) to 15 (very bright). This makes up to 4,096 combinations possible ( $16 * 16 * 16 = 4,096$ ).

To display all these colors, the Amiga requires a special monitor called *analog RGB* (red-green-blue).






The Amiga also works with another type of RGB monitor, called *digital RGB*, but these devices can display only 16 colors. (Digital RGB monitors are the type used with IBM computers and the Commodore 128.) If you plug the Amiga into a regular TV via its built-in RF modulator, 3,616 colors can be displayed.

With a maximum of 4,096 color combinations available using analog RGB, almost any hue can be closely approximated. Most colors can be separated into red, green, and blue components. Because video images appear as transmitted, not reflected light, the red-blue-yellow primary color mixing you may have learned does not always apply. For example, red, blue, and green combine to form white, not dark brown. To get brown you'd need to combine red and green to get a greenish red color which appears to be brown. Turning up the brightness of green and red gives yellow. Combine dark red and dark blue to get violet. Bright red and dark blue yields a pastel shade of purple.

## Color Indirection

In most of the Amiga's graphics modes, you cannot display all 4,096 colors simultaneously. Instead, you're limited to a palette of 16 or 32 colors, depending on the mode. However, you can choose which of the 4,096 colors will be available in the palette.

# SOFTWARE HARVEST



**Cadpak Enhanced Version** - Graphics design and drawing package. Create detailed designs with dimensioning, scaling, text, rotating, more. Use with or without lightpen. Hardcopy. \$39.95

**PowerPlan** - "one of the best programs ever written for the C-64" Commodore Magazine, Nov 1985. Complete spreadsheet with builtin graphics. Cell formatting, protection, windowing, HELP. \$39.95

**Chartpak** - Make professional quality pie, bar and line charts/graphs directly from your data. Instantly draw or redraw charts to your specifications. Statistics capabilities. Hardcopy. \$39.95

**Super C** - Complete C language development system. Enhanced full-screen editor, compiler, linker, library and extensive handbook. Used by thousands in schools and industry. \$79.95


**Xper** - First expert system for C-128 and C-64. Ordinary data bases play back facts, but XPER's *knowledge base* help you identify, diagnosis and select - in short helps make decisions. \$59.95

**Super Pascal** - Complete Pascal language development system. Full-screen editor, compiler, integrated assembler, graphics toolkit, fast DOS (3X faster than 1541) and handbook. \$59.95


Call now, for the name of your nearest dealer. Or order directly from ABACUS with your Mastercard, VISA or AMEX card. Add \$4.00 for postage and handling. Foreign orders add \$10.00 per product. Other software and books are also available. Call or write for free catalog. Dealer inquiries welcome - over 1200 dealers nationwide.

**Abacus  Software**  
P.O. Box 7211 Grand Rapids, MI 49510  
Tel. **616/241-5510** Telex 709-101


# AUTHORITATIVE, COMPREHENSIVE, DEFINITIVE booksbooksbooks




With ROM listings  
Avail. Nov. \$19.95



For the programmer  
Avail. Nov. \$19.95



With ROM listings  
Avail. Dec. \$19.95



Especially for the '128  
Avail. Dec. \$19.95

# ...and more books.



For two years a best seller. C-64 Internals w/ROM listings. \$19.95



Favorites among programmers. 75,000+ sold worldwide. \$19.95




Quickhitting, easy-to-use routines for every C-64 owner. \$14.95



All time best seller. Revised & expanded. ROM listings. \$19.95



Brand new! Complete maintenance and repair procedures \$19.95



Intro to computers and world of science. Real examples. \$19.95



CAD techniques using C-128/C-64. Many program examples. \$19.95



Learn to design and write your own compiler. With examples. \$19.95




Most in depth treatment available. Dozens of techniques. \$19.95



Intro to machine language geared to C-64. Assembler incl. \$14.95



Techniques never covered before. Interrupts, controllers, etc. \$14.95



All about using printers and 84. Graphics, text, interfaces. \$10.95



A must for cassette owner. Hi speed cassette system. \$19.95



Write your own adventures. Learn strategy, motivation. \$14.95



Dozens of interesting projects for your '64. Easy to read. \$12.95



**OPTIONAL DISKETTES** are also available for each of our book titles. Each diskette contains the programs found in the book to save you the time of typing them in at the keyboard. Price of each diskette is \$14.95.

**SAVE! Thru Nov 30th, receive the optional diskette for 1/2 price when ordered at the same time as any book. Only \$7.50**

Call now, for the name of your nearest dealer. Or order directly from ABACUS with your MC, VISA or AMEX card. Add \$4.00 for postage and handling. Foreign orders add \$6.00 per book. Other software and books are also available. Call or write for free catalog. Dealer inquiries welcome - over 1200 dealers nationwide. Call **616 / 241-5510**

## Abacus Software

P.O. Box 7211 Grand Rapids, MI 49510  
Phone **616/241-5510** Telex 709-101



The colors in the Amiga palette are determined by 32 memory registers. Each register is 12 bits wide (1½ bytes), the number of bits needed to hold a number from 0 to 4,095.

When the Amiga draws a video image, the dots that make it up derive their colors from the color registers. In the 320 × 200 or 320 × 400 modes, each dot on the screen can be colored from any of the 32 color registers. Therefore, 32 simultaneous colors are possible in these modes.

Some computers, such as the Commodore 64, store color information for the screen in a section of memory known as *color memory*. Color memory is a grid of memory cells. Each cell defines the color of an 8 × 8 pixel zone. The number in color memory is a number representing 1 of 16 fixed colors. Other computers, such as the Atari machines, store color information by another method known as *color indirection*. The Amiga uses the latter technique. The number representing the dot on the screen does not encode the color directly, but instead selects a particular color register. The dot gets its color indirectly through the color register. If you change the color register, everything drawn with that register instantly changes.

Color indirection is extremely powerful. Unique glowing effects are possible by cycling between all the colors at high speed. You don't have to redraw the entire screen, which takes a lot of time. You can merely change a color register to instantly modify the appearance of everything drawn in that color. A single memory change affects an entire screen, which makes possible some high-speed effects even in a relatively slow language like BASIC.

For example, if you draw a series of concentric circles, each circle deriving its color from a different color register, you could create a 3-D tunnel illusion by changing the color registers in sequence. You could fill all color registers with the same color, then change one color register at a time to create the illusion of growing circles. Objects can be made invisible by changing their color to the same color as the screen

background, then made to appear instantly by giving them a contrasting color.

## A Nybble Of Color

Color information is stored in the color registers by flipping certain bits on and off. Each 12-bit register assigns 4 bits for each primary color. (A group of 4 bits is called a *nybble*—half of a byte.) In the 320 × 200 and 320 × 400 modes, here is the format of the color registers:

11	10	9	8	7	6	5	4	3	2	1	0	bit number
blue		green						red				primary color

A handy formula for setting a color register in this mode is:

**BLUE\*256+GREEN\*16+RED**

where the luminance values of BLUE, GREEN, and RED range from 0–15.

The color registers for the hires 640 × 400 mode with an analog RGB monitor are a little trickier:

11	10	9	8	7	6	5	4	3	2	1	0	bit number
blue		green		rm	rl			rh		b	g	r color

As you can see, the color bits have been scattered all over the 12-bit range. Bits 9–11 define 3 bits of data for blue (range of 0–7); bits 6–8 define 3 bits of data for green (range 0–7). Bits 4 and 5 are the low and medium bits of data defining red, and bit 3 is the high bit of red data. (You would think the red bits would be arranged high-medium-low instead of high-low-medium, but the Amiga engineers must have had some reason for this strange order.) Bits 0–2 are the enable bits for the red, green, and blue electron guns.

The formula for setting a color register in this mode is also more complicated:

**BLUE\*512+GREEN\*64+INT(RED/2)\*  
16+(RED AND 4)\*2+BEN\*4+GEN  
\*2+REN**

This formula assumes RED, GREEN, and BLUE range from 0–7; REN, GEN, and BEN (the RGB enable bits) are either 0 or 1; that INT takes the integer result of its argument (as in BASIC); and that AND performs a bitwise AND.

## A Binary Tower

Each screen dot, or *pixel*, derives its color from one of these color registers. How are these dots laid out in memory? For a 32-color mode, each pixel is represented by a five-bit

binary quantity ( $2^5=32$ ). However, a five-bit quantity does not pack into a byte very well. Therefore, the Amiga maps its screen memory in a different way from most computers.

Traditionally, computers have laid out their screen memory serially, left to right, top to bottom. For instance, the Commodore 64's multi-color graphics mode fits four pixels into a byte, with each bit pair representing one pixel (00=color 0, 01=color 1, 10=color 2, 10=color 3). That's why the Commodore 64's 160 × 200 multicolor mode requires 8K of screen memory. With this memory scheme, to get more colors you would have to group more pixels together. But with five bits needed to store a single pixel on the Amiga, three bits would be wasted in every byte. If the Amiga used a serial scheme to store its display, it would take 64K to hold a 320 × 200 screen with 32 colors.

This problem was solved by grouping the bits a different way. Instead of using horizontally adjacent bits within the same byte to select a color register, the Amiga overlays bytes and reads the bits vertically. For example, all bits in bit position 7 from each of five overlaid bytes form a five-bit quantity. It's as if each pixel were a five-bit tower rising above the screen map. If you cross-section the vertical bytes making up the screen, you get five layers of bits called *bit planes*.

Each bit plane permits one bit of color definition. The simplest screen has only one bit plane, with one bit per pixel. This arrangement permits only on/off possibilities for each pixel. To get a broader range, you need to add another bit plane. That way, the bit on the primary bit plane and the bit in the corresponding position in the second bit plane permit two bits, or four possibilities of color definition. The accompanying figure shows how the Amiga uses bit planes for color selection, and the table gives a summary of the Amiga's screen modes.

Incidentally, the Amiga has no true text modes like those found on earlier computers. Text is drawn as graphics objects, usually in 640 × 200 graphics, the default mode used by the Amiga's operating system, Intuition.




0000	0001	0010	0011
------	------	------	------

0000	0000	0000	0000	0000	0000	0000	0000	0000	0000
0000	0000	0000	0000	0000	0011	0011	0010	0000	0000
0000	0000	0000	0000	0011	0011	0011	0010	0000	0000
0000	0000	0000	0011	0011	0000	0011	0010	0000	0000
0000	0000	0011	0011	0000	0000	0011	0010	0000	0000
0000	0011	0011	0001	0001	0001	0011	0010	0000	0000
0011	0011	0000	0000	0000	0000	0011	0010	0000	0000
0011	0000	0000	0000	0000	0000	0011	0010	0000	0000

This shows how screen memory is mapped serially. Every pixel is represented by a four-bit binary number. We can pack two pixels per eight-bit byte. This scheme is not efficient for packing pixel sizes of three, five, or seven bits.

Below, the pixels are represented as "binary towers." The planes on the right show the three-dimensional figure separated into two-dimensional bit-planes.



A more flexible and efficient way of representing multiple-bit objects (pixels) is to layer the bits "vertically." Each bit-plane is equivalent to one high-resolution screen. A pixel is represented by a single bit position, hence eight pixels per byte. To permit a pixel to represent more than just on or off, additional bit fields are layered. All bits in a corresponding bit position together define a four-bit value.

#### Amiga Screen Modes

Mode	Pixels	Bit Planes	Memory	Onscreen Colors
Normal res, noninterlaced	320 × 200	1 to 5	8K-40K	2 to 32
Normal res, interlaced	320 × 400	1 to 5	16K-80K	2 to 32
Hi res, noninterlaced	640 × 200	1 to 4	16K-64K	2 to 16
Hi res, interlaced	640 × 400	1 to 4	32K-128K	2 to 16
Hold and modify	320 × 200	5 or 6	48K	256 to 4,096
Hold and modify	320 × 400	5 or 6	96K	256 to 4,096

#### Bit Planes Save Memory

Although the bit planes are stacked together, don't think of them as multiple, transparent screens. The pile of bit planes creates only one screen. Bit planes are merely a way to make more efficient use of memory. If you don't need 32 colors, use fewer bit planes. Since each bit plane uses 8K in 320 × 200 resolution, memory usage can range from 8K (one bit plane, 2 colors) to 40K (five bit planes, 32 colors). Memory usage for the 320 × 400 mode can be up to 80K; for 640 × 200, 64K; and 640 × 400 uses as much as 128K. Again, these are only if all allowed bit planes are used. The minimum memory requirement for 640 × 200 is 16K, for a two-color mode.

The Amiga permits up to six bit planes, though only five are used at a time in 320 × 200 or 320 × 400 resolution. The hi-res 640 × 200 and 640 × 400 modes use only four bit planes, for a total of 16 colors. Although six bit planes are available, the video circuitry can't fetch more than five bits per pixel in 320 × 200 mode, or it would lag behind the speeding video beam. The video beam that refreshes the picture can't wait, so the video circuitry must keep up with the beam.

That's why 640 × 200 and 640 × 400 modes are limited to four bit planes, or 16 onscreen colors. The video circuitry just can't fetch memory fast enough to change twice as many pixels per line. In fact, adjacent pixels cannot always have different colors in the 640 modes. The adjacent values may point to different color registers, but it's not possible to fully change the hardware color output between even and odd pixels in the 640 mode. A dark green pixel to the right of a bright white one may appear gray ("dark white"). Only the luminance information can be effectively changed before the beam has left that pixel position.

#### Interlaced Modes

Most personal computers up to now have been limited to a vertical resolution of 200 scan lines (a scan line is the thin horizontal line painted on the CRT by the electron guns as they scan from left to right). However, the Amiga can make use

of *interlacing* to double the number of scan lines. A TV or monitor displays more than 400 visible scan lines, but normally uses only every other scan line of a screen, filling in the odd lines with data from the even lines. In interlace mode, alternate screen refreshes are shifted up or down by one scan line, permitting full vertical resolution.

Interlacing on the Amiga works like this: In 1/60 second, the first  $320 \times 200$  or  $640 \times 200$  screen is scanned. Before the phosphors fade, a second  $320 \times 200$  or  $640 \times 200$  screen is scanned, shifted down one line to interweave it with the previous screen. The first screen displays even lines, and the second displays the odd lines. The result is doubled resolution—400 scan lines instead of 200.

Because the total picture takes twice as long to display, the phosphors in the even lines begin to fade as the odd lines are drawn. Therefore, some flickering and jittering in the  $640 \times 400$  mode is visible. The only way to avoid this would be to redesign the monitor to refresh its screen at a faster rate than 1/60 second (a technique used by the Macintosh and Atari ST monochrome monitors).

The Amiga's video chip is smart enough to handle interlacing with ease. The bit planes are laid out in memory as if there were just one continuous  $320 \times 400$  or  $640 \times 400$  screen. You tell the video chip how far to skip ahead in memory to display the next line. By choosing an offset twice the normal line width, you can make the chip skip the odd lines of data for the first scan, then display the next screen from the odd lines, skipping the even lines. This greatly simplifies screen layout. The operating system actually takes care of these details, so you needn't even know how  $320 \times 400$  or  $640 \times 400$  are supported.

### Dual Field Mode

In the normal-res modes, you can set up and overlay two independent graphics screens. A portion of one screen can be transparent to show the underlying screen. You can specify which screen has priority over the other. Each screen can be manipulated independently, even resized and moved over or

under the other.

The overlay screens can use up to three bit planes each, since there are six available. However, you can use fewer bit planes if you want to save memory at the expense of color selection. Three bit planes permit only eight colors per screen, but each screen has its own color palette. And the palettes can contain any of the 4,096 hues, of course.

Dual playfields raise some exciting possibilities. In a game, one screen could show your cockpit window or starship control panel, with the windshield or viewport simply a transparent hole. The secondary screen could show your view of the sky or of the depths of space, visible through the transparent part of the primary screen.

Intuition uses this feature to let you slide down the top screen to see another behind it. For business applications, you could have two spreadsheets or documents running on the two screens simultaneously. Each screen can have its own windows, too.

### Fine Scrolling

Scrolling is a technique that lets an actual screen pan across a much larger virtual screen. The actual screen is what you see on the monitor; the virtual screen includes the portions which won't fit on the monitor but can be scrolled into view. Scrolling lets you work with a very large document, spreadsheet, or page of graphics, and also makes for exciting computer games (such as *Defender* or *Eastern Front*).

Some computers are limited to *coarse scrolling*—the actual screen can be scrolled over the virtual screen only in character-sized increments. *Fine scrolling* is a more difficult technique that scrolls the actual screen pixel by pixel.

Fine scrolling is easy on the Amiga. The start of the screen map is found in two memory registers which are bit plane pointers. To scroll the screen up, just change the registers to point one line higher in memory. To scroll down, you subtract the line width from the bit plane pointers, displaying from the previously off-screen line of data.

For horizontal scrolling, a single register lets you shift the screen by up to 16 positions. You must

fetch an extra data word per line to provide the pixels that should appear as the screen is scrolled. After you've scrolled 16 times, the program must perform a coarse scroll by repositioning the bit plane pointer to the next word of memory. The whole display appears to move, but you're really just displaying a different section of memory.

### 4,096 Colors At Once

A special video mode lets you display more than just 32 colors at a time. *Hold and modify* mode can display 4,096 colors simultaneously in the normal-res modes.

It's a difficult mode to use, though. Each pixel is defined as a modification of the color of the previous pixel. You can hold this value, and modify a portion of it (hence *hold and modify*). Instead of bit plane data defining a color register, the bits from bit planes 5 and 6 determine which portion of the previous color output should be modified, and the bits from bit planes 0-4 are substituted in the selected portion of the color output.

You can define an entire screen of color, even the background color, just by modifying a single color register in this mode. You could start with bright white, then set the blue bits to zero to select yellow. From yellow you can decrease the red level to get green. You could then turn off the green bits to get black, which can in turn be modified to get bright blue. You can modify only the R, G, or B portion, or start over with data from a new color register.

Since color in the hold and modify mode is dependent on previous values, changing one pixel could change the colors of all following ones. It's a difficult mode to use for dynamic displays, so it is best suited for static pictures that need 4,096 colors.

There's much more to the Amiga's graphics than we can cover in this article. We haven't even begun to discuss blitter animation, sprites, the copper (video coprocessor), and options like external video mixing, video digitizing, and frame-grabbing. It will probably be a while before programmers learn to take advantage of all these features. In the meantime, we'll have a lot to look forward to. ©



# A Better Way To POKE On The Commodore 64

Matthew MacKenzie

*This "program-writing program" for the Commodore 64 can speed up any BASIC routine that uses POKE to fill large areas of memory. Using clever programming techniques, it writes a new routine that employs fast PRINT statements in place of POKES.*

BASIC programs often require that you fill a certain memory area with data. The data may be a machine language routine, sprite shape definitions, a high-resolution graphics screen, or whatever. In most cases, the job is done with POKE statements: The program READs values from DATA statements and POKEs each value into the computer's memory. Unfortunately, POKE is one of BASIC's slower statements. In fact, it's so slow that some programs display countdown timers during memory-filling operations to tell you how much longer you'll have to wait.

PRINT, on the other hand, is very fast. Though it's intended for a different purpose than POKE, PRINT also puts new values into certain memory locations. After all, the screen is just another memory area in the computer: It consists of

1000 locations numbered from 1024 to 2023, with 1024 at the upper-left corner. When you PRINT the letter A in the upper-left corner of the screen, you're storing a new value in memory location 1024. Because of this similarity, it's possible to store values in memory with PRINT instead of POKE.

However, PRINT's memory-changing ability has certain limitations. Usually, you can print only in the 1000-character screen memory area. And after you've changed character 999, the screen begins to scroll. The top line of the screen disappears, and everything below that line moves up. Finally, POKE and PRINT use different codes to represent characters, requiring conversion from Commodore ASCII (for PRINT) to screen code values (for POKE).

## POKEing With PRINT

"Print Poker" solves all those problems. If you already have a routine that uses POKEs to fill memory, Print Poker can write a new, faster routine that does the same job with PRINTs. You don't have to understand how the special PRINT technique works to use Print Poker; it automatically creates new BASIC program lines containing every-

thing you need. Type in the program listed below, and then save it. Because this program does some unusual things, be sure to read the following instructions *before* you try to run it.

As an example, say you've written a routine that puts eight sets of sprite shape data in memory locations 12288-12798. Your routine works fine, but POKEing the data into those 511 locations causes a noticeable delay. The Print Poker program can write a new BASIC routine that uses PRINT to do the same job more quickly. Before you run it, however, *you must run your own routine* to put the sprite data in memory. (Print Poker works only when the needed data is already in the proper memory area.)

Once that's done, enter NEW. Now you can load and run Print Poker. The program first asks you for beginning and ending addresses. In this case, you want the special PRINT statements to fill locations 12288-12798, so you enter 12288 for the beginning address and 12798 for the ending. This tells the program which memory area to look at when creating the special PRINT statements.

Next, you're asked to enter a starting line number. This is the

first line number of the routine Print Poker is about to write for you. Use whatever line number is appropriate for your routine. Since Print Poker itself uses line numbers from 60000 to 60380, use numbers considerably below 60000 to prevent a conflict. The program also asks you for a line increment. Since you won't have any reason to edit the new routine after it's made, line increments of two or five are fine.

Finally, you're asked whether Print Poker should delete itself when it's finished. If you're creating only one new routine, press Y to answer yes. Press N for no if you're creating two or more sets of special PRINT statements in a single session. (Use RUN 60000 to run Print Poker a second time. You should always delete Print Poker the last time it's used.)

## One Program Writes Another

After you answer all the prompts, Print Poker goes to work, using the *dynamic keyboard* technique to write each line of your new routine. The program itself is writing another program. First, it puts a line number and the needed characters on the screen. Then it stores the line in BASIC memory just as if you'd moved the cursor to that line and pressed RETURN. When large memory areas are involved, this may take a couple of minutes. After the program stops and the blinking cursor reappears, your new routine is complete, ready to be saved and incorporated into a program.

The special PRINT statements look quite strange, of course. Because POKE can take any value from 0 to 255, the equivalent PRINT statement is usually a collection of graphics characters, including some nonprinting character values like CHR\$(2). Such lines are difficult if not impossible to edit. Thus, it's best to use Print Poker only when your data is in final form (after you've finished making changes in the sprite shapes and so on). If you must make a change, you'll find it much easier to change and rerun the POKE version of your routine, and then run Print Poker again.

It took some creative programming to overcome PRINT's limita-

tions. The value stored in location 648 tells the 64 where in memory PRINT should put its data. By carefully manipulating the value in 648, you can divert PRINT's output to any memory location in the computer and defeat screen scrolling as well. When Print Poker has finished its work, it sets everything back to normal with POKE 648, 4. Note that this technique does not work correctly in the highest 256 bytes of memory used by BASIC (locations 40740-40959). Use the conventional POKE method to put data in those locations. In addition, if you intend to put data at the top of BASIC user space, with Print Poker or without it, remember to move down the top-of-BASIC and top-of-string storage pointers to protect your data.

## Print Poker

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

```
60000 POKE53281,14:PRINT"[CLR]
[DOWN][BLK][9 SPACES]P R
I N T[3 SPACES]P O K E
[SPACE]R" :rem 6
60010 INPUT"[5 DOWN]STARTING A
DRESS";S :rem 32
60020 INPUT"[2 DOWN]ENDING ADD
RESS";E :rem 41
60030 INPUT"[2 DOWN]STARTING L
INE NUMBER";L :rem 211
60040 INPUT"[2 DOWN]LINE INCRE
MENT";I :rem 65
60050 INPUT"[2 DOWN]SELF-DEST
RUCT(Y/N)";D$ :rem 128
60060 V1=INT(S/256):V2=S-256*V
1:IFLEFT$(D$,1)="Y"THEND
=1 :rem 209
60070 PRINT"[CLR]"L"
[11 SPACES]P1=PE(648):PO
648,"V1":A$=CH(34):CH(34)
)+CH(20)" :rem 31
60080 L=L+1:PRINT"PRINTL"
[11 SPACES]? "CHR$(34)"
[HOME]"CHR$(34)";":IFV2
=0THEN60100 :rem 11
60090 PRINT:FORX=1TO"V2":?"CH
R$(34)"[RIGHT]"CHR$(34)"
":NE":PRINT:RL=60110:GOT
O60370 :rem 133
60100 PRINT:PRINT:RL=60110:GOT
O60370 :rem 203
60110 PRINT"[CLR]"L"PRINT"CHR$(
34)":PS=1024+POS(X):FOR
X=1TO12:PRINT"[6 SPACES]
":NEXT :rem 192
60120 PRINT:PRINT:FORX=0TO3:A$
(X)=MID$(CHR$(34)+"[A$]"
+CHR$(34),X+1,1):NEXT :rem 196
60130 S1=PEEK(S):IFS=ETHEN6024
0 :rem 77
60140 S1=PEEK(S):IFS1AND128AND
R=0THENPOKEPS,146:PS=PS+
1:R=1:GOTO60160 :rem 29
```

```
60150 IF(S1AND127)=S1ANDR=1THE
NPOKEPS,210:PS=PS+1:R=0
:rem 243
60160 IFS1=34ORS1=162THENFORX=
0TO3:POKEPS+X,ASC(A$(X))
:NEXT:PS=PS+3:GOTO60180
:rem 87
60170 POKEPS,(S1AND127):rem 62
60180 IF(S+1)/256=INT((S+1)/25
6)THENS2=INT(S/256)+1:GO
TO60220 :rem 180
60190 IFFS>1090THEN60210
:rem 98
60200 PS=PS+1:S=S+1:GOTO60130
:rem 139
60210 POKEPS+1,34:POKEPS+2,59;
RL=60110:S=S+1:GOTO60370
:rem 182
60220 POKEPS+1,34:POKEPS+2,59;
L=L+1:PRINT:PRINT"PRINTL"
"PO648,"S2":?":?";":rem 130
60230 PRINTCHR$(34)"[HOME]"CHR
$(34)";":RL=60110:PRINT:
S=S+1:GOTO 60370 :rem 144
60240 POKEPS+1,34:POKEPS+2,59;
PRINTL+"I"[11 SPACES]";
:rem 198
60250 PRINT"PO648,P1?:CHR$(34
)"[HOME]"CHR$(34)":RL=1:
IFDTHENRL=60280 :rem 8
60260 GOTO60370 :rem 55
60270 RL=60300:PRINT"[CLR]6000
0":PRINT"60010":PRINT"60
020":PRINT"60030" :rem 112
60280 PRINT"60040":PRINT"60050
":PRINT"60060":PRINT"600
70[DOWN]":GOTO60380
:rem 181
60290 RL=60320:PRINT"[CLR]6008
0":PRINT"60090":PRINT"60
100":PRINT"60110" :rem 130
60300 PRINT"60120":PRINT"60130
":PRINT"60140":PRINT"601
60[DOWN]":GOTO60380
:rem 91
60310 RL=60340:PRINT"[CLR]6017
0":PRINT"60180":PRINT"60
135":PRINT"60200" :rem 133
60320 PRINT"60210":PRINT"60220
":PRINT"60230":PRINT"602
40[DOWN]":GOTO60380
:rem 92
60330 RL=60360:PRINT"[CLR]6025
0":PRINT"60260":PRINT"60
270":PRINT"60280" :rem 143
60340 PRINT"60290":PRINT"60300
":PRINT"60310":PRINT"603
20[DOWN]":GOTO60380
:rem 99
60350 RL=-1:PRINT"[CLR]60330":
PRINT"60340":PRINT"60350
":PRINT"60360" :rem 236
60360 PRINT"60370":PRINT"60380
":PRINT"60390":PRINT"601
05[DOWN]" :rem 1
60370 PRINT"S="S"[LEFT]:E="E"
[LEFT]:L=L+1:[LEFT]:I="I"
[LEFT]:D="D"[LEFT]:R="R"
:rem 251
60380 PRINT"[CLR]:GOTO"RL"
[DOWN]":POKE631,19:FORX=
632TO640:POKEX,13:NEXT:P
OKE198,10 :rem 94
```

# Adding TIME\$ To Atari

Kenneth S. Szajda

*Here's a useful routine that adds a missing feature to Atari BASIC: TIME\$. Now your programs can have realtime clocks and timed loops without PEEKs or POKEs. Requires only 8K RAM for cassette or 16K RAM for disk (with DOS 2.0, 2.5, and 3.0).*

Atari BASIC is a very versatile and useful language. However, like all computer languages, it is not perfect. One useful feature that Atari BASIC lacks is the TIME\$ function. For beginners, TIME\$ provides a method to accurately time loops; for advanced programmers, TIME\$ is a useful tool for avoiding the system timers, saving a lot of extraneous coding.

Timing from BASIC usually comes in two forms: TIME\$ and TI (or some other appropriate numeric variable). Both supply the same information, but TIME\$ represents the time as "HH:MM:SS" (or "HHMMSS") and TI represents the time in jiffies (1/60 second). In general, TIME\$ is more useful because it is already formatted and ready for printing. Program 1 adds the TIME\$ function to Atari BASIC, giving you easy access to the time without ever touching the system timers.

## A Few Rules

Since we're patching this function into Atari BASIC, there are a few rules to follow for it to work properly. First, TIME\$ must be DIMensioned like any other string variable, and it *must* be the first variable of any kind to appear in

your program. To DIMension it, always use DIM TIME\$(8). To activate the routine, use A=USR(1536) after it has been loaded into memory. (The routine automatically changes the dimension to eight and the length to eight no matter what you specify in the DIM statement, but it is best to use the correct value to avoid slight inaccuracies rippling throughout BASIC as a result.)

Second, TIME\$ must always be the first variable BASIC sees when you LOAD or ENTER a program. If a new program is typed in with TIME\$ as the first variable, no problems will result. However, adding TIME\$ to a program already on tape or disk is a little tricky, but not very difficult. First, load your program into the computer (using LOAD or ENTER). When the READY prompt appears, add DIM TIME\$ (8): A=USR(1536) as the very first executable (non-REM or DATA) line in your program. Then add any features using TIME\$ to your program. (This step can be done at any time as long as the first line is already in the program.) Then store the program on tape or disk with the LIST command.

Using SAVE instead of LIST disables TIME\$ when the program is loaded, because TIME\$ will not be the first variable in BASIC's *variable name table* (which holds the name of every variable in your program). If you want to store the program with SAVE rather than LIST, just type NEW (to clear the variable name table) and reENTER the program after you have LISTed it to tape or disk. This rewrites the variable name table in the order that

the variables appear in the program: TIME\$ should be first.

Once TIME\$ is first in the variable name table, subsequent SAVES will not change its position, and everything will work smoothly.

The last rule, and probably the most important, is to avoid the CLR command. When CLR is executed while TIME\$ is activated, the time will be lost and TIME\$ will show "junk." Then you'll have to either type NEW and repeat the steps above or simply rerun the program (since RUN clears all variables and cleans things up).

## An Autoboot Routine

The A=USR(1536) statement after the DIM statement actually sets TIME\$ to "00:00:00" and activates the routine. The time will be expressed in military format, from 00:00:00 to 23:59:59. Then it returns to 00:00:00 and begins to count upward again.

The TIME\$ program was written to be used as an autoboot file—AUTORUN.SYS with disk and a boot tape with cassette. For a disk-based system, run Program 1 and specify disk at the prompt. Remember, however, that this will erase an existing AUTORUN.SYS file on the disk, unless the AUTORUN.SYS file is locked, in which case the SAVE will fail.

For cassette-based systems, run Program 1 and specify cassette. The loader program will modify the TIME\$ routine to make a boot tape.

In either case, loading the program on power up is simple. For disk, just boot up with the disk containing the AUTORUN.SYS file.



The routine loads into memory and can be activated with the DIM TIME\$(8):A=USR(1536) sequence. For cassette, boot the program by holding down the START button while turning on the computer. Press RETURN when the buzzer sounds, and the program automatically loads into memory. Again, activate the routine with the DIM TIME\$(8): A=USR(1536) sequence.

You can set the time by using normal string manipulations. For example, to set TIME\$ to 11 a.m., just type TIME\$="11:00:00". If you press SYSTEM RESET, the time will not be stopped. Once started, the only way to stop the time is to use NEW. As long as TIME\$ remains first in the variable name table, the counter will continue to update the time. No other special commands or techniques are required.

To see TIME\$ at work, try running Program 2 after TIME\$ is activated. The program asks for the current time and the time to sound an alarm (both in HH:MM:SS format). The computer displays the time until the alarm time arrives and then sounds five bell characters. Program 2 shows how TIME\$ can be used like any other string variable.

## How TIME\$ Ticks

The TIME\$ routine takes advantage of the Atari's timers. Atari computers contain many timers, but the ones most often used are the five two-byte timers at memory addresses 536-545 (\$218 to \$221 hex). Each timer is set up in the usual 6502 least significant byte (LSB), most significant byte (MSB) order.

Unlike most of the other system timers, however, these timers count down to zero instead of counting up from zero. During each vertical blank period, each timer is decremented. Since a vertical blank occurs every 1/60 second and the highest timer value possible is 65535, the timers can time a maximum of 18 minutes, 12 1/4 seconds each. When a timer counts down to zero, one of two things happens: Either a flag is set or a JSR (machine language Jump to SubRoutine) is executed. For timers 3, 4, and 5, a flag is set: CDTMF3 (address 554,

\$22A hex) for timer 3, CDTMF4 (556, \$22C hex) for timer 4, and CDTMF5 (558, \$22E hex) for timer 5. When timer 1 or 2 counts down to 0, a JSR is executed through CDTMA1 (550 and 551, \$226 and \$227 hex) for timer 1, and CDTMA2 (552 and 553, \$228 and \$229 hex) for timer 2.

TIME\$ uses timer 2. Timer 3, 4, or 5 would require another routine to monitor the appropriate flag. Timers 2 through 5 are stopped during critical vertical blanks, which occur during input/output with peripherals. Timer 1 seems ideal, since it's the only timer that isn't affected by the critical vertical blanks. However, the serial input/output handler (SIO) uses it as a device timeout timer (to provide us with the ever-famous ERROR-138). So the TIME\$ routine is forced to use timer 2.

Furthermore, to create an interrupt every second, the routine stores a value of 60 into the timer (remember, the timer is decremented every 1/60 second), and the interrupt service routine resets the timer to 60 at each interrupt. The only drawback is that input/output with peripherals temporarily stops the timer, and TIME\$ will be slightly behind the true time (but can be easily changed as shown above).

## Startup Routines

The initial call to the startup routine checks to see if TIME\$ is the first variable and, if so, sets up the vector for the interrupt update routine, intercepts the SYSTEM RESET initialization vector (to keep the interrupt routine going after a SYSTEM RESET), determines the address of TIME\$, sets its length and dimension to eight, initializes TIME\$ to 00:00:00, and returns to BASIC. The interrupt service routine again checks to make sure TIME\$ is the first variable (just in case a NEW was executed), determines the address of TIME\$ again (since its address may change as a result of additions and corrections to the program in memory), sets the length and dimension to eight (just in case), and resets the timer value to 60 to cause another interrupt one second later.

Of course, during this entire process, TIME\$ is updated to reflect

the change in time. If a NEW has been executed since the last interrupt, the value of TIME\$ is not updated and the timer is not reset to 60. In other words, if a NEW occurs, the routine effectively dismantles itself. The routine must be restarted with another DIM TIME\$(8):A=USR(1536) sequence.

The program traps NEW but not CLR because it is difficult to tell when a CLR has been executed—CLR does not cause any actions within BASIC's tables that could not be caused by some other command or routine. Since NEW effectively blocks the variable name table, it is relatively simple to check for.

Please refer to "COMPUTE!'s Guide to Typing In Programs" before entering these listings.

## Program 1: TIME\$ BASIC Loader

```

10 DIM TIME$(8)
11 GRAPHICS 0:POKE 752,1:
12 "PROCESSING..."
13 CHECKSUM=0:RESTORE
14 FOR X=1536 TO 1758:REA
15 A:CHECKSUM=CHECKSUM+
16 A:POKE X,A:NEXT
17 IF CHECKSUM<>25068 THE
18 N? :? "C2 BELL"***ERR
19 OR IN DATA STATEMENTS*
20 **":END
21 OPEN #2,A,0,"K":? :? "
22 Cassette or Disk?":G
23 ET #2,A
24 IF A<>67 AND A<>68 THE
25 N CLOSE #2:GOTO 60
26 IF A#67 THEN 160
27 ? :? "Type Y to create
28 AUTORUN.SYS":? "CO
29 Existing AUTORUN.SYS
30 will be deleted"
31 GET #2,A:IF A<>89 THE
32 N END
33 TRAP 120:XID 33,#1,0,
34 #D:AUTORUN.SYS"
35 TRAP 65535:OPEN #1,8,
36 #D:AUTORUN.SYS":PUT
37 #1,255:PUT #1,255:PU
38 T #1,0
39 PUT #1,6:PUT #1,222:P
40 UT #1,6
41 FOR X=1536 TO 1758:PU
42 T #1,PEEK(X):NEXT X:C
43 LOSE #1
44 ? :? "AUTORUN.SYS is
45 now on disk":POKE 752
46 ,0:NEW
47 ? :? "Position tape,
48 press [RE] and [F]?:
49 "and press [RE]...
50 ":GET #2,A
51 POKE 1528,0:POKE 1529
52 ,2:POKE 1530,248:POKE
53 1531,5:POKE 1532,255
54 :POKE 1533,5
55 POKE 1534,24:POKE 153
56 ,5,96
57 POKE 1601,2:POKE 1605
58 ,3:POKE 1741,234:POKE

```

```

1742,234:PDKE 1743,2
34
BI 200 PDKE 764,0:DPEN #1,8,
128,"C":PDKE 764,255
BA 210 PDKE 850,11:PDKE 852,
248:PDKE 853,5:PDKE 8
56,231:PDKE 857,0
BE 220 A=USR(ADR("hhhlllVt"),
16)
BH 230 CLDSE #1: ? "Boot f
ile is now on tape":P
DKE 752,0:NEW
LP 240 DATA 104,169,0,133,17
8,160
FP 250 DATA 4,177,130,217,21
8,6
JF 260 DATA 208,56,136,16,24
6,32
HA 270 DATA 156,6,165,178,20
8,9
KO 280 DATA 160,8,169,48,145
,176
MO 290 DATA 136,16,251,169,5
8,160
FI 300 DATA 2,145,176,160,5,
145
FH 310 DATA 176,169,71,141,4
0,2
CO 320 DATA 169,6,141,41,2,1
69
OJ 330 DATA 2,162,0,160,60,3
2
HA 340 DATA 92,228,169,198,1
33,12
BF 350 DATA 169,6,133,13,96,
160

```

```

BH 360 DATA 4,177,130,217,21
8,6
MH 370 DATA 208,66,136,16,24
6,216
BH 380 DATA 32,156,6,169,58,
160
BC 390 DATA 2,145,176,160,5,
145
JJ 400 DATA 176,160,7,177,17
6,24
LH 410 DATA 105,1,145,176,21
7,210
BI 420 DATA 6,144,25,169,48,
145
PO 430 DATA 176,136,177,176,
24,105
FK 440 DATA 1,145,176,217,21
0,6
KE 450 DATA 144,8,169,48,145
,176
JJ 460 DATA 136,136,16,219,1
69,2
CH 470 DATA 162,0,160,60,32,
92
DI 480 DATA 228,96,169,2,162
,0
JF 490 DATA 160,0,32,92,228,
96
HA 500 DATA 160,0,169,129,14
5,134
BB 510 DATA 160,4,169,8,145,
134
BH 520 DATA 200,200,145,134,
136,169
KO 530 DATA 0,145,134,200,20
0,145

```

```

IN 540 DATA 134,160,2,177,13
4,24
BH 550 DATA 101,140,133,176,
200,177
PB 560 DATA 134,101,141,133,
177,96
MC 570 DATA 169,255,133,178,
32,17
HA 580 DATA 6,32,64,21,24,96
AP 590 DATA 51,52,48,54,58,4
8
BF 600 DATA 54,58,84,73,77,6
9
EN 610 DATA 164

```

## Program 2: Sample TIME\$ Program

```

AD 10 DIM TIME$(8),A$(8):A=U
SR(1536)
DO 20 GRAPHICS 0
DO 30 ? "Enter current time
":INPUT TIME$
JA 40 ? :? "Enter time to so
und alarm ":INPUT A$
ON 50 GRAPHICS 1
EL 60 PDSITIDN 5,9: ? #6:TIME
$:PDKE 708,INT(PEEK(53
770)/16)*16+8
ON 70 IF TIME$=A$ THEN PDSIT
IDN 5,9: ? #6:TIME$: ? "
(5 BELL)<CLEAR>It's ti
me...":PDKE 708,40:END
BH 80 BDTD 60

```

# Apple Program Protector

Boris Troyanovsky

*Do you have an Applesoft BASIC program you want to protect from prying eyes? With this technique, you can keep other people from listing your programs—while still giving them the freedom to make copies. For all Apple II-series computers with DOS 3.3.*

"Apple Program Protector" is an easy to use utility that keeps other people from listing your BASIC and machine language programs. It works by moving the disk catalog on the protected disk to another track, and by preventing users from breaking out of the program by pressing CTRL-C or RESET. The only requirement is that your program must run itself when the user boots the disk.

It's easy enough to ensure that

the program runs automatically when the disk is booted. DOS 3.3 always loads and runs a BASIC program whenever a disk is booted if the program is named HELLO. Only a single BASIC program can be started in this way. If you wish to have more than one BASIC program on the protected disk, you must make HELLO a menu program that allows you to select the desired program from the disk. If the program you wish to protect is written in machine language, you can use HELLO to start it. For example, if you want to protect a program named MLGAME, your HELLO program might be simply:

```
10 PRINT CHR$(4);"BRUN MLGAME"
```

The next step is defend against CTRL-RESET and CTRL-C. In each BASIC program on the disk you

wish to protect, add these two lines:

```
0 POKE 1011,0:ONERR GOTO 63999
63999 RESUME
```

The POKE in line 0 defends against the CTRL-RESET key (or just RESET on some Apples). If the CTRL-RESET key is pressed, any Applesoft BASIC program in memory is erased and the computer reboots.

Since the CTRL-C interrupt code (which is used to stop program execution) is considered an error by Applesoft BASIC, the ONERR GOTO statement in line 0 transfers program control to line 63999 when CTRL-C is encountered. If your program uses ONERR to test for other conditions, include the statement IF PEEK(222)=255 THEN 63999 in your error testing. This ensures that CTRL-C is still trapped.

Machine language programs can be protected in this way, too. Just add these lines to your source code:

```
LDA #000
STA $03F3
```

Like the BASIC lines above, these instructions erase the program from memory and reboot the computer if CTRL-RESET is pressed.

## Preparing A Protected Disk

Begin by preparing a disk containing the program or programs you wish to protect. If the disk is to contain only one program, load it into memory, insert a new disk, type INIT HELLO, and hit RETURN. If you wish to have several programs on the disk, the HELLO program must be a menu program and the others can simply be saved on disk in the usual manner. Remember to add to each program the lines mentioned above to protect against CTRL-RESET and CTRL-C. *Make sure all programs are fully tested and debugged before you run Program Protector.* To be safe, you should always keep backup copies of the programs on an unprotected disk.

Next, type in Program 1 below and save a copy on a separate disk. Use the filename PROTECTOR. With the built-in machine language monitor, enter the data from Program 2. (If you are unsure about using the monitor, consult your user's manual.) Save the machine language onto the same disk with Program 1 using the command BSAVE IOB, A\$0300, L\$40.

The Program Protector disk is now ready to use. To protect one of your disks against intrusion by outsiders, follow these steps:

1. Insert the Program Protector disk into the drive (the drive should be addressed as slot 6, drive 1).
2. Type BLOAD IOB.
3. Type RUN PROTECTOR.
4. Program Protector is now loaded into memory. You should see the prompt DESTINATION TRACK: on the screen. Remove the disk with Program Protector and insert the disk that you'd like to protect into drive 1. Type the number of the track to which you want to move the catalog and press RETURN. The number must be

greater than or equal to 3 (DOS occupies tracks 0-2), and less than or equal to 34, since there are only 35 tracks (numbered 0-34) on the disk. Also, the number can't be 17, because that's where the catalog is already.

5. The disk drive whirs a bit, then the Applesoft I prompt reappears. The disk is now protected. If you type CATALOG, you'll be shown an empty directory. If you try to load a program from the protected disk or save an additional program to it, you'll get nothing but a DISK FULL error message. However, if you now boot the protected disk, the HELLO program loads and runs normally, except that CTRL-C no longer stops the program and CTRL-RESET only reboots the system.

There is a way to regain access to the programs on the protected disk. Boot a normal disk, then enter POKE 44033, n (substitute for n the number of the track to which the catalog was moved). You can now display the catalog and load and save programs. You can also use this technique if the program you're protecting needs to access another program on a different disk. To let the program know where the catalog of the new disk is, POKE 44033 with the catalog track of the disk you'd like to access.

Don't try to relocate the catalog on a disk more than once. The results are unpredictable.

## Program 1: Apple Program Protector

For instructions on entering this listing, please refer to "COMPUTE!'s Guide to Typing In Programs" published bimonthly in COMPUTE!.

```
78 10 HIMEM: 8191
80 20 HOME : HTAB 11: INVERSE :
      PRINT "PROGRAM PROTECTOR":
      NORMAL : VTAB 10: INPUT "
      DESTINATION TRACK: ";OT
82 30 IF OT < 3 OR OT > 34 OR DT
      = 17 THEN PRINT "ILLEGAL
      TRACK NUMBER": FOR A = 0 T
      O 600: NEXT A: RUN
84 40 REM **MOVE TRACKS**
85 50 SS = 0: SE = 15: TR = 17: BU
      = B192: OP = 1: GOSUB 380:
      REM READ CATALOG TRACK
87 60 GOSUB 180
88 70 O1 = PEEK (OT * 4 + 56 + B
      192): O2 = PEEK (OT * 4 + 5
      7 + B192): O1 = PEEK (17 *
      4 + 56 + B192): O2 = PEEK (
      17 * 4 + 57 + B192)
89 80 POKE 17 * 4 + 56 + B192, O1
      : POKE 17 * 4 + 56 + B192,
      2, O2: POKE OT * 4 + 56 + B
      192, O2
```

```
8A 90 SS = 0: SE = 15: TR = OT: BU
      = 16384: OP = 1: GOSUB 380:
      REM READ NEW TRACK
8C 100 REM **ALTPPOINT ROUTINE**
8D 110 TV = B192
8E 120 FOR TX = 0 TO 15: POKE TV
      + 1, OT: TV = TV + 256: NE
      XT TX
8F 130 SS = 0: SE = 15: TR = OT: BU
      = B192: OP = 2: GOSUB 380
      : REM WRITE CATALOG TRACK
8F 140 SS = 0: SE = 15: TR = 17: BU
      = 16384: OP = 2: GOSUB 380
      : REM WRITE NEW TRACK
8F 150 SS = 11: SE = 11: TR = 18: BU
      = B192: OP = 1: GOSUB 380
      : POKE B193, OT: SS = 11: SE
      = 11: TR = 1: BU = B192: OP
      = 2: GOSUB 380: REM CHAN
      GE DOO
8F 160 GOSUB 230
8F 170 END
8F 180 REM **ALTER CATALOG'S T/S
      POINTERS**
8F 190 BF = B192 + 256
8F 200 FOR FR = 11 TO 221 STEP 3
      : IF PEEK (BF + FR) = OT
      THEN POKE BF + FR, 17
8F 210 NEXT FR: BF = BF + 256: IF
      BF < > 12288 THEN GOTO 2
      00
8F 220 RETURN
8F 230 REM **CHANGE T/S LISTS**
8F 240 BF = B192 + 256
8F 250 FOR FR = 11 TO 221 STEP 3
      : IF PEEK (BF + FR) < >
      0 THEN GOSUB 290
8F 260 NEXT FR
8F 270 BF = BF + 256: IF BF < >
      12288 THEN GOTO 250
8F 280 RETURN
8F 290 REM **DIRTY WORK**
8F 300 LT = PEEK (BF + FR): LS =
      PEEK (BF + FR + 1)
8F 310 SS = LS: SE = LS: TR = LT: B
      U = 16384: OP = 1: GOSUB 3
      80: BU = BU - 256
8F 320 FOR CT = 12 TO 254 STEP 2
      : IF PEEK (BU + CT) = OT
      THEN POKE BU + CT, 17
8F 330 NEXT CT
8F 340 IF PEEK (BU + 1) = OT THEN
      N POKE BF + 1, 17
8F 350 OP = 2: SS = LS: SE = LS: TR
      = LT: BU = 16384: GOSUB 3
      80: BU = BU - 256
8F 360 IF PEEK (BU + 1) < > 0 THEN
      EN LT = PEEK (BU + 1): LS =
      PEEK (BU + 2): GOTO 310
8F 370 RETURN
8F 380 REM **DISK ACCESS**
8F 390 FOR SA = SS TO SE
8F 400 POKE 78B, TR: POKE 789, SA:
      POKE 796, OP
8F 410 HB = INT (BU / 256): LB =
      BU - (HB * 256)
8F 420 POKE 792, LB: POKE 793, HB
8F 430 CALL 768: BU = BU + 256: N
      EXT SA
8F 440 RETURN
```

## Program 2: IOB Routine

Enter this listing with the machine language monitor.

```
0300- A9 03 A0 10 20 09 03 60
030B- 00 00 00 00 00 00 00 00
0310- 01 60 01 00 11 0F 3A 03
031B- 00 20 00 00 01 00 FE 60
0320- 01 00 00 00 00 00 00 00
032B- 00 00 00 00 00 00 00 00
0330- 00 01 EF 0B 00 00 00 00
033B- 00 00 00 00 00 00 00 00
```





# The Beginners Page

Tom R. Halfhill, Editor

## Variable Accuracy

There are a few more points about integer variables that we didn't cover last month—including some important exceptions to general rules.

Note that in some versions of BASIC, such as Commodore BASIC, you aren't allowed to use integer variables as counters in FOR-NEXT loops. In other words, a statement such as `FOR X%=1 TO 10:NEXT X%` would cause an error. However, integer variables *can* be used as counters in IBM BASIC. Just remember that because integer variables are restricted to a minimum value of -32,768 and a maximum of 32,767, you'll have to make sure your loops don't exceed those limits.

In some BASICs, there's also one exception to the rule about denoting all integer variables with the % symbol. In IBM BASIC, for instance, you can insert a `DEFINT` (*define integer*) statement near the beginning of the program to define a whole group of variable names as integer variables by default. The statement `DEFINT A-M` declares that all variable names beginning with the letters A through M are automatically integer variables. Since integer variables execute faster and consume less memory on the IBM than regular variables, a `DEFINT` statement can improve a program's performance. (Remember from last month that integer variables don't save memory and actually run slower on Commodore and Apple computers.)

Incidentally, another way to speed up your programs is to replace frequently used constants with variables. In most Microsoft BASICs, variables execute faster than constants (the reverse is true of Atari BASIC). By predefining the most commonly used numbers (usually 0-10) as variables, statements such as `Y=Y+1` can be changed to `Y=Y+C1`. And if you're programming on an IBM, you can define them as integer vari-

ables and pick up even more speed. Try this technique in your next program and see if it adds a little zip.

### Improving Precision

Another type of variable is provided in some BASICs to improve mathematical accuracy. Called *double-precision* variables, they can help avoid the small rounding errors that sometimes accumulate and cause strange results. (Rounding errors are slight discrepancies that can crop up when the computer converts our everyday decimal numbers to its internal system of binary numbers, performs some arithmetic, and then converts the answer back into decimal again.)

Double-precision variables are available in IBM BASIC and some versions of TRS-80 BASIC, but not in Commodore BASIC, Applesoft, Atari BASIC, or TI BASIC. Even if your BASIC doesn't have double-precision variables, however, they're worth learning about. As personal computers grow more powerful, you're sure to encounter such features sooner or later.

Here's an example which demonstrates a common type of rounding error—in this case, on the IBM PC/PCjr. This program initializes the variable Y to 100, then subtracts the value .05 ten times using a FOR-NEXT loop. The final value of Y is printed after the loop is finished.

```
10 Y=100
20 FOR X=1 TO 10
30 Y=Y-.05
40 NEXT X
50 PRINT Y
```

The answer, of course, should be 99.5. Instead, here's the program's answer:

```
99.49997
```

If you swap the statements in lines 40 and 50 so the program prints the current value of Y after each pass through the loop, you'll see that the rounding error starts

with the second calculation and keeps increasing until the final result is off by .00003. That's not a huge discrepancy—but still, if this were some kind of banking program that was subtracting a nickel-a-day service charge from customer accounts over a period of time, someone might be cheated out of a penny now and then. (It's happened to me, by the way.)

Fortunately, you can program the computer to deliver a better answer. To convert Y from a regular (single-precision) variable into a double-precision variable, add the # symbol to every occurrence of Y in lines 10, 30, and 50. The modified program yields this result:

```
99.499999999254942
```

Well, even computers aren't perfect. This time the rounding error starts with the first calculation, although the errors are smaller and the final answer is off by only .0000001192093. For even greater accuracy, we can define the value of .05 as a *double-precision constant* by adding the # symbol to .05 in line 30. Here's the result:

```
99.499999999999999
```

This is even more accurate; now the computer is off by only .000000000000001. Furthermore, by switching lines 40 and 50 to see the results of each calculation through the loop, you'll notice that all the intermediate answers are exactly correct. That still leaves us with an infinitesimal error in the final answer, however. If you're a stickler for absolute accuracy, there are ways to get around these runaway fractions—but that's a topic for a future column. ©



# Computers and Society

David D. Thornburg, Associate Editor

## Personal Computers And Personal Freedom

Last July I spent a day in Colonial Williamsburg, Virginia, catching a glimpse of life as it was in the mid-1700s. The publishing exhibit particularly caught my attention. One could see paper being made by hand—a process that required skill and strength on the part of the craftsman, and which took a long time. In the print shop one could see the pages of a book being printed from hand-set type—another expensive and time-consuming process. The bindery exhibit showed how the printed pages were folded into signatures and stitched together by hand before being bound in leather.

It was clear from this exhibit that access to books was limited to the wealthy. The cost of spreading the printed word was quite high, and yet this period gave us a rich collection of people who had much of importance to say—Patrick Henry and Thomas Paine, to name just two.

As I thought about our advances in communication technology since that period—typewriters, copiers, computers, and so on—it became clear that the reduced cost of communication was one of the main reasons that literacy could spread to the public at large. The printed word has spread like wildfire, carrying messages into homes that would have been bookless in the 1700s.

The freedom to communicate is one of our most treasured freedoms. There are nations on this planet where individual ownership of copiers and computers is forbidden. It is easy to see why—it's important for a totalitarian government to control the flow and distribution of information. Otherwise, individuals could create, publish, and distribute their own ideas without the censorship of the state.

### Computer Publishing

Prior to the widespread sale of personal computers, we had restric-

tions of our own that limited the widespread dissemination of ideas.

Before an opinion can be expressed in printed form, the author must either convince a publisher that it is worth expressing, or must elect to publish it alone. Even if a publisher accepts a work, it will reach an audience only if stores decide to stock it.

Suppose you've written something you think others might like to read—a collection of poetry, for example, or a political treatise. You may find that traditional publishers are not interested in your material because your market is too specialized. Or, you may find that they are interested, but that if you wait the four to six months (or longer) that it takes for your words to be printed, your material will have lost its currency and impact.

In this case, you may elect to publish the material yourself.

Prior to the personal computer, you might be restricted to running copies of your material at the local print shop. Depending on the size of your document, you may find that it costs several dollars per copy to have it printed.

But, in an era where personal computers are increasingly commonplace, there's another way of publishing your ideas—especially if what you have to say is of particular value to others who own computers. You can publish your ideas on a disk! Disks are inexpensive, reusable, and can be duplicated as needed. Publishing your material on disk lets you fix mistakes quickly without having to wait for a new printing. Your material might consist of text files that can be read with a word processor, or you can write your own program that lets people read or print your files as they choose.

However, along with the freedom to publish your own materials in the privacy of your home using

nothing more than your personal computer there comes a responsibility. It is correctly said that the pen is mightier than the sword. As your own publisher, you can say anything you wish, but you must always keep in mind that the printed (or displayed) word is very powerful. Think your ideas through carefully before publishing them.

### Talking Books

I recently used this publication technique for my book *In Search of the One-Minute Megatrends—Surviving the Bad Times in Silicon Valley* (Innovision Press, \$12.95). While the information in this book is of potential interest to a broader audience, I initially made it available on a Macintosh disk, since that's the computer with which I do most of my writing. As I was creating the book, it occurred to me that this method of publishing had much greater flexibility than the printed page. For example, readers could change the typeface and size if they desired.

I also included a set of files on the disk that lets the book read itself aloud to the user with the Smooth-Talker speech synthesizer from First Byte. This not only provides another alternative for reading the book, but also makes the material available to those with impaired vision.

While this book is not available in stores, I have been able to sell it quite well through direct mail by placing inexpensive advertisements in regional computer-interest newspapers. The success of this venture convinces me that anyone with a message of interest to computer owners can be an author and a publisher as well.

If only the founding fathers could see us now! ©



# Telecomputing Today

Arlan R. Levitan

## Faster Than A Speeding Byte

Last month I mentioned Fastlink, a new 10,000 bits per second modem from Digital Communications Associates. Not only is it five times faster than the latest "high-speed" 2400 bps modems, it even works over regular telephone lines. Until now, anything close to 10,000 bps required you to lease special data-grade lines from the phone company. But not the DCA Fastlink. Although the Fastlink's \$2,000 price tag is a little rich for most casual users' blood, there has been a fair amount of incredulous reaction like "how the heck can they do 10,000 bits per second?" from readers of this column (and even from my editor).

While the subject is a bit technical, I've distilled an explanation that will either satisfy your curiosity or teach you never to ask me about this sort of thing again. To get started, let's review our old friend, the ordinary 300 bps modem.

Modems exchange information over phone lines by transmitting and receiving audio tones. A 300 bps modem transmits over two channels, one for each direction. Each second of time is divided into 300 slices, and each slice is called a *baud*. A 300 bps modem packs one bit into each baud (1200 and 2400 bps modems both operate at 600 baud and pack 2 and 4 bits into each baud, respectively). One channel transmits signals in the audio range of 1070-1270 hertz, and the other at 2025-2225 hertz. That means each channel has a fairly wide bandwidth (200 hertz), and they're separated by a guard band of no signal (755 hertz wide) that makes it easy for the modem circuitry to differentiate between the two channels.

DCA's Fastlink uses a very low 7.3 baud rate, so it can drastically narrow the channel bandwidths and guard bands. The Fastlink also uses the entire 0-4000 hertz audio spec-

trum of normal phone lines. When two Fastlink modems link up, they attempt to establish a maximum of 512 separate channels, each 7.8 hertz apart. They analyze each channel to determine which ones are noise-free enough to handle transmission techniques that pack 4 or 6 bits into each time slice, or baud.

Then the Fastlink transmits data by using a hybrid parallel/serial system (300 bps modems send data in a serial stream of bits—one bit after another with one bit per baud). The bits carried by all channels in use during one baud are considered a single packet of information. Outgoing data bits are assigned to channels as they're prepared for sending (with either 4 or 6 bits per channel), beginning with the channels at the lowest frequencies. Once the packet is assembled, it's sent across the active channels. So the data is sent in parallel within the packets, and the packets themselves are sent serially.

### Blistering Speed

Using the Fastlink method, the maximum theoretical throughput is  $512 \text{ channels} \times 6 \text{ bits per baud} \times 7.3 \text{ baud per second}$ , or more than 20,000 bps. Given the quality of most voice-grade lines, that limit is very theoretical. Most channels operate at only 4 bits per baud, and throughput is further limited by the overhead of error detection and correction, which is automatically handled by Fastlink. All these factors reduce the Fastlink's actual throughput to a blistering 10,000 bps on local phone lines. A Fastlink modem operating on lines provided by the most popular long-distance carrier should work at about 8,000 bps. On the lines provided by other common carriers, the Fastlink averages about 7,000 bps.

The Fastlink monitors the quality of the phone line during the

linkup, shutting down channels that become marginally acceptable or opening up channels if quality improves. DCA refers to the process as DAMQAM, or *Dynamically Adaptive Multicarrier Quadrature Amplitude Modulation* (say it five times fast). To handle all this data manipulation and line monitoring, the Fastlink is actually a full-fledged, highly specialized computer with a megabit of memory and two central processing units—a Motorola 68008 working in tandem with a Texas Instruments 320.

There are some fine points to keep in mind while daydreaming about cruising along at 10,000 bps. The Fastlink dynamically assigns channels to incoming or outgoing data based on the volume going back and forth. If there is an equal amount of data moving in both directions, the Fastlink channels would be equally divided between incoming and outgoing data, resulting in an effective maximum speed of only 5,000 bps for each data stream.

In practice, the data flow is usually quite lopsided, with ratios of 99 to 1 more common than 50:50. So the bulk of data flow on a Fastlink is assigned the lion's share of channels, resulting in throughput that is very close to the 10,000 bps ideal.

Fastlink modems currently come in two flavors. An internal version for the IBM PC and compatibles goes for \$1,995 and includes a special version of Microsoft's *Crosstalk* program adapted for the Fastlink. An outboard RS-232 Fastlink is priced at \$2,395. Both modems are also capable of communicating at plain old 300 or 1200 bps with non-Fastlink modems. If you're still curious, you can get even more information by contacting DCA at 1000 Alderman Drive, Alpharetta, GA 30201. ©





# The World Inside the Computer

Fred D'Ignazio, Associate Editor

## The Case Of The Phantom Programmers

Earlier this year I wrote about one of my high school assistants—Howard Bogges, my "Computer Handyman." This time I'd like to introduce you to another one of my assistants—Hunter Baker, my "Phantom Programmer."

Like Howard, Hunter came to me from David James's computer science class at Patrick Henry High School, here in Roanoke, Virginia. When Hunter arrived at my house on the first day, I took him and his mother to the dark, hot attic where Howard had rescued several broken-down computers (see "The World Inside The Computer," *COMPUTE!*, January 1985). "This is your first task," I said, with a sweep of my arm. "If you can clean this attic, then I know you can do anything."

Hunter is a quiet, mild-mannered person. He simply nodded when I told him to clean the attic. But this was no ordinary attic. And I worried about him every day when he trudged up the attic stairs.

I shouldn't have worried. Sending Hunter into the attic was like sending Cinderella into her stepmother's kitchen, or Hercules into the Augean stables. In a month, Hunter had the attic better organized than the rest of the house. He had everything filed away in labeled filing cabinets and had built a computer database so we could instantly know where to look for our long underwear, computer manuals, extension cords, extra paper, Christmas tree lights, winter gloves and mittens, and RS-232 cables.

Then Hunter moved downstairs. When he first confronted the downstairs office, computer software was piled to the ceiling and computer cables and circuit cards spilled out the door into the middle of the living room. But, for Hunter, after facing the horrors of the attic, this awful mess was no more than a tasty dessert. In only a couple of

weeks everything was cataloged, labeled, and filed. The mess had vanished, and Hunter was hard at work at one of the computers.

### Computer Trivia

One day I walked into the room, looked over Hunter's shoulder at a BASIC program on the display screen, and asked him what he was doing. He explained that he and his friend Amy Powell were doing a computer project for National History Day. They planned to create a history trivia game on the IBM computer, and Hunter asked if he and Amy could start coming over to our house after hours to work on the program. "Of course," I said, since I was sure he was only talking about a couple of evenings and maybe a weekend or two.

Ha! After watching Hunter clean the attic and the office, I should have been wiser. Hunter doesn't do anything halfway, and this project was no exception. For the next month, he and Amy came over almost every night after dinner, and most Saturdays and Sundays. They rarely left until the wee hours of the morning.

One night I was awakened around 2 a.m. by strange clicking noises. Alarmed, I tiptoed to the bedroom closet and grabbed the machete my parents had bought me in the Dominican Republic. (The machete was duller than a letter opener, and it had a parrot inscribed on its side, but it looks deadly, especially when I wave it threateningly above my head.)

I made my way cautiously down the stairs. I noticed a light was switched on in the downstairs office. I guessed that a thief must be inside stealing one of my beloved computers!

Leaping down the remaining stairs, I burst into the office, screaming and waving the machete.

It took a moment for my eyes

to adjust to the bright lights in the room. When they did, I noticed Hunter and Amy seated at two IBM computers, working on their History Day program. "We're sorry we're here so late," said Hunter politely.

"Tomorrow's the competition," explained Amy. ©





# INSIGHT: Atari

Bill Wilkinson

## Deactivating BASIC

My coworkers and I have received many requests from owners of the Atari 600XL, 800XL, and 130XE for a simple way to turn off the BASIC built into those computers. Of course, the method recommended by Atari is to hold down the OPTION button when you boot the system. If you forget to do this when booting a program that doesn't require BASIC, the ROM-based BASIC occupies address space that costs you more than 8,000 bytes of RAM. There are other reasons for turning off BASIC as well. For instance, you might like to turn it off temporarily to gain extra memory while duplicating a few files or disks. These jobs take less time and fewer disk swaps if the computer can use the 8K of memory vacated by disabling BASIC. And avoiding a reboot or two can save time, too.

Our solution is a pair of short machine language programs that let you turn BASIC on and off from DOS. (Note that they can't turn off a BASIC cartridge—or any other cartridge, for that matter—so they serve no purpose on the Atari 400, 800, and 1200XL computers.) Atari manuals suggest that turning off the built-in BASIC is as simple as changing one bit in the XL/XE memory control location (which used to control joystick ports 3 and 4 in the 400 and 800). That may be true if you're writing a machine language program that takes over complete control of the computer, but in many cases it doesn't work.

First, whenever you press the RESET button, the operating system restores the built-in BASIC to the state in which you booted it. Second, if you're using ordinary graphics mode screens (without a custom display list, etc.), the screen handler doesn't use the memory freed by removing BASIC. It thinks you're still using a 40K machine.

Going the other way—turning on BASIC after booting without it—can be even messier. If you suddenly enable BASIC without doing something about the screen, you'll find yourself staring at garbage as BASIC blithely wipes out the display list, screen memory, and perhaps more. Fortunately, all of these problems can be solved by following these few steps:

1. Turn the built-in BASIC off or on.
2. Tell the operating system you did so.
3. Change the master top-of-RAM pointer.
4. Close channel 0, the screen editor.
5. Reopen channel 0.

We can tell the operating system we changed the state of BASIC via the flag in memory location 1016 (\$3F8). The master top-of-RAM pointer is RAMTOP at location 106 (\$6A). Channel 0 is closed and reopened to force the screen driver to use the highest available memory. Don't worry if that sounds a bit arcane. The program listed here automatically creates two machine language programs that do all the work for you. Be sure to save a copy before you run it.

```

00 100 DIM NAME$(20)
M1 110 LINE=800:GOSUB 210
M0 120 LINE=900:GDSUB 210
01 130 END
02 210 CHECK=0:RESTORE LINE
03 220 FOR CNT=1 TO 57:READ
    BYTE
04 230 CHECK=CHECK+BYTE:NEXT
    CNT
05 240 READ TEST:IF CHECK<>T
    EST THEN STDP
06 250 READ NAME$:OPEN #1,B,
    0,NAME$
07 260 RESTORE LINE
08 270 FOR CNT=1 TO 57:READ
    BYTE
09 280 PUT #1,BYTE:NEXT CNT
10 290 CLDSE #1
11 300 RETURN
12 B10 DATA 255,255,0,4,44,4
    ,173,1,211,9,2,141,1
    
```

```

03 B30 DATA 211,169,1,141,24
    8,3,169,12,32,24,4
04 B40 DATA 169,192,133,106,
    169,3,141,66,3,169,42
10 B60 DATA 141,68,3,169,4,1
    41,69,3,162,0,76,86
05 B70 DATA 228,69,58,0,226,
    2,227,2,0,4
11 B80 DATA 5045,D:BASICOFF.
    CDM
12 910 DATA 255,255,0,4,44,4
    ,173,1,211,41,253,141
13 930 DATA 1,211,169,0,141,
    248,3,169,12,32,24,4
14 940 DATA 169,160,133,106,
    169,3,141,66,3,169,42
10 950 DATA 141,68,3,169,4,1
    41,69,3,162,0,76,86
06 970 DATA 228,69,58,0,226,
    2,227,2,0,4
15 980 DATA 5295,D:BASICDN.C
    DM
    
```

The program writes two binary files to disk on drive 1, naming them BASICON.COM and BASIC OFF.COM. The first turns BASIC on and the second turns it off. To use either of them from DOS, simply choose the L (load binary file) option and enter the filename when prompted. (OS/A+ and DOS XL users need only type BASICON or BASICOFF in response to the D1: prompt.)

The next time you need to duplicate a disk or large file, load BASICOFF.COM first, copy the disk or file, then load BASICON.COM to reactivate BASIC. You'll save time, especially on a single-drive system. If you're writing machine language programs, call BASICOFF as a subroutine when you start your program. ©



# IBM Personal Computing

Donald B. Trivette

## A Promise Of Things To Come

When I saw the advertisement for the Key Tronic KB 5152V, I knew it was a product designed with me in mind. Who hasn't dreamed of using a typewriter that will type every word you speak—or better yet, a computer that can understand spoken commands? The KB 5152V speech-recognition keyboard for the IBM PC, manufactured by Key Tronic of Spokane, Washington, seemed to hold just that promise. While waiting for a demonstration unit to arrive, I had visions of a new, laid-back life. Since my hands would no longer be needed for typing, I could dictate prose while holding a beverage and munching pretzels. Nor would I be restricted to a sitting position. This very column—in the interest of evaluating the product, of course—would be written from my bed.

The new keyboard arrived and plugged right into the socket vacated by the original IBM keyboard. It's an enhanced keyboard with separate numeric keypad and LED indicator lights on the Caps Lock and Num Lock keys. And, of course, there's one other enhancement: A telephone operator's headset that plugs into the back of the keyboard. Without bothering to read the manual, I spoke: "Now type this." Nothing happened, nor had I really thought it would.

The first step to using the keyboard is to teach it a vocabulary. Key Tronic supplies a menu-driven BASIC program that creates a standard ASCII text file—the vocabulary. For example, the vocabulary entry for the color BLUE might appear as BLUE;BLUE. The word to the left of the semicolon is the prompt—the word you speak; the word to the right of the semicolon is what is sent to the PC, just as though it had been typed on the keyboard. It's called the response. Thus, saying "blue" types BLUE. But that doesn't have to be true.

You can teach the keyboard that blue is red and red is white, and it won't be the wiser.

The response characters can be more than one word and may contain characters in braces to represent keys, such as Enter, Backspace, and the special function keys. You can also define responses by keyboard scan codes or ASCII codes, so every key and key combination is accessible.

Once the written vocabulary is defined, the keyboard must be taught to recognize each word—or, more accurately, how the user pronounces each word. This is accomplished with a training session using the same BASIC program. As the computer displays each word from the vocabulary, you pronounce it at least three times. Of course, the keyboard doesn't know whether the pronunciation is correct—it can't even distinguish English from Greek or Chinese. It merely associates your pronunciation with the vocabulary word.

### Voiceprinting

How does this work? The keyboard converts the sound into a pattern of zeros and ones called a *voiceprint*. As you speak, the keyboard tries to match what it hears with a previously recorded voiceprint stored in its memory. If it finds a match, the keyboard sends the appropriate word to the PC, just as though the word had been typed.

Voiceprints are stored on disk so you won't have to retrain the keyboard each morning, and the keyboard lets you mix spoken and typed input.

Following this procedure, I trained my keyboard for six words and said, "Now type this." The screen remained blank.

The manual advises, "Your voiceprints in the morning are slightly different from your voiceprints in the afternoon. Therefore

you can train a vocabulary in the morning, then in the afternoon update it a few passes to build some variation into the voiceprints." With that in mind, I built variation into my vocabulary, and tried again: "Now type this." The keyboard responded by typing *this* on the computer screen.

On the subject of recognition, the manual continues, "First-time users of speech recognition products usually have poor recognition for the first few days. After working with the equipment, the ability to achieve good recognition improves dramatically. The reason for this improvement is learning to relax." When I relaxed and spoke more slowly (and stopped eating pretzels and drinking beer), the keyboard performed beautifully: *type this now type blue now type this blue*. But there's only so much that can be written with six or even 160 words. And 160 words is the vocabulary limit.

Of course, the keyboard has more serious uses than accommodating a lazy writer. As a relatively inexpensive (\$995) speech-recognition product for the IBM PC, it has both industrial and personal applications. Voice recognition can be a big help to the physically handicapped. One of Boeing Computer Systems' sharpest programmers is a quadriplegic who uses a workstation built around an IBM PC-XT and a Key Tronic speech-recognition keyboard. He writes programs in BASIC and Pascal and develops spreadsheets using Lotus 1-2-3.

Voice recognition for the IBM PC is not advanced enough that I could comfortably write this column from a horizontal position—but surely the Key Tronic keyboard is a promise of things to come.

©





# Programming the TI

C. Regena

## The States Of The Union

I have previously written programs to identify the states and their capitals in certain regions ("Southern States," COMPUTE!, August 1984; "Western States" and "New England States," *Programmer's Reference Guide to the TI-99/4A*, COMPUTE! Books). Now, after numerous requests, I'll demonstrate a program for the middle Atlantic states.

The central portion of the United States can be outlined on a map as I did with the Southern States and Western States programs. However, some of the middle Atlantic states such as Delaware, Maryland, and New Jersey are too small to outline adequately on the TI-99/4A. The color-blinking method used in the New England States program won't work, either, because more color sets are needed than are available. Therefore, I've used a slightly different method for the region which includes Delaware, Maryland, New Jersey, New York, Pennsylvania, Virginia, and West Virginia. The states are drawn in high-resolution graphics with some color sets used for more than one state.

When a question mark appears on a state, the student types in the state's name. If the response is correct, the program asks for the state capital.

Be careful typing the DATA statements—make sure the commas are placed correctly. Lines 290-380 contain definitions for graphics characters. Lines 820-840 contain sets of row, column, and character numbers for drawing the graphics.

If you wish to save typing effort, you can obtain a copy of this program by sending a blank cassette or disk, a stamped, self-addressed mailer, and \$3 to:

C. Regena  
P.O. Box 1502  
Cedar City, UT 84720

Please be sure to specify the title ("Middle Atlantic States") and that you need the TI version.

### Middle Atlantic States

```

100 REM NORTH ATLANTIC
110 CALL CLEAR
120 PRINT "*****"
    *****;" "TA
    B(25);" "
130 PRINT " * IDENTIFY T
    HE STATES *;" "TA
    B(25);" "
140 PRINT "*****"
    *****"
150 PRINT :"(3 SPACES)NO
    RTH ATLANTIC STATES"
160 PRINT :;"TYPE THE NA
    ME OF THE STATE THEN
    PRESS <ENTER>."
170 PRINT :;"IF THE STATE
    IS CORRECT,
    (4 SPACES)TYPE THE CA
    PITAL CITY."
180 PRINT :;"NAMES MUST BE
    SPELLED(7 SPACES)COR
    RECTLY TO BE ACCEPTED
    ."
190 PRINT :;"PRESS FCTN 8
    REOO TO ERASE."
200 CALL CHAR(33,"3F3F3F3
    F3F3F3F3")
210 CALL CHAR(35,"FFFFFFF
    FFFFFFFF")
220 CALL CHAR(43,"F8F8F8F
    BF8F8F8F")
230 CALL CHAR(45,"F0F0F0F
    BF8F8F8F")
240 CALL CHAR(47,"FFFFFFF
    FFFFFFFF")
250 FOR C=96 TO 159
260 READ C$
270 CALL CHAR(C,C$)
280 NEXT C
290 DATA FFFFFFFF8F8F8F8F
    ,F0F0F0F0F8F8F8F8F,FFF
    FFEFCFCFCF8F8F,3F3F3F3
    F3F3F3F3F,0
300 DATA 0,,00000103073F
    FFFF,03030707676FFFFF
310 DATA 0000010103030F0F
    ,0F0F0F0F0F0F0703,C0C
    000000000E0E0E,0F8F8F8
    F0F0E0C0B,FFFFFFF8F8F8F
    8F8F
320 DATA F0E0602,80F8FEFF
    FFFFFFFF,F7E0C00000B,
    F0E0C0B,FFFFFFF8F8F8F2F
    0C
330 DATA FFFFFFFF8F8F8F8F

```

```

,F0F0F0F0C,FFFFFFF8F
    F8,F8F3F3F3F3F3F1F,030
    3030303030303
340 DATA FFFFFFFF8F8F8F,FF
    FF,,,,,FFFFFFF8F3F1
    F1F,0F070301,FF7FFFFF
    FF3F1F0F,FFFEF8,,,,,F
    FFFFFFFF8F8F8F
350 DATA DF0F9F9F9F9F9F9F
    ,9F9F9F9F9F8F8F8F7,,,
    ,FFFFFFF8F8F8F8F8F,00
    00000000030F3F,000000
    01071FFFFF
360 DATA 00000098FCFF8F8F
    ,8F8F8F8F8F8F8F8F,FFF
    FFFFFFFF8F8F8F8F8F8F
    C0000C0,00000000C0E0F
    0F
370 DATA FFFFE7E1E0E,FCF
    CFCFCFCFCFCFC,0103070
    F1F3F7FFF,0103071F3FF
    FFFFF,00000000000FFF
    F
380 DATA 0000000003F3F1F
    ,1F0F0F0F0F1F3FFF,010
    303070F0F0F0F
390 CALL COLOR(1,7,1)
400 CALL COLOR(9,7,12)
410 CALL COLOR(10,12,1)
420 CALL COLOR(11,12,3)
430 CALL COLOR(12,14,12)
440 CALL COLOR(13,14,3)
450 CALL COLOR(14,14,1)
460 CALL COLOR(15,3,1)
470 CALL COLOR(16,3,1)
480 RESTORE 490
490 DATA NEW YORK,ALBANY,
    7,25,PENNSYLVANIA,HAR
    RISBURG,10,21,NEW JER
    SEY,TRENTON,11,26
500 DATA WEST VIRGINIA,CH
    ARLESTON,15,17,MARYLA
    ND,ANNAPOLIS,13,23
510 DATA DELAWARE,DOVER,1
    4,25,VIRGINIA,RICHMON
    D,17,21
520 FOR L=1 TO 7
530 READ S$(L),CAP$(L),X(
    L),Y(L)
540 NEXT L
550 PRINT :;"PRESS <ENTER>
    TO START.";
560 CALL KEY(0,K,S)
570 IF K<>13 THEN S60
580 CALL CLEAR
590 CALL SCREEN(8)
600 CALL COLOR(2,16,1)
610 PRINT TAB(16);"*****
    ***"
620 PRINT TAB(16);"*****
    *p"
630 PRINT TAB(16);"*****
    *ad1"

```

```

640 PRINT TAB(16);"c#####
#bdm"
650 PRINT TAB(15);"hdxyz
(3 SPACES)+n"
660 PRINT TAB(14);"iddddq
(3 SPACES)-o"
670 PRINT TAB(13);"jdddsr
(4 SPACES)/"
680 PRINT TAB(13);"kddt"
690 PRINT TAB(13);"wvu":
:
:
:
700 CALL VCHAR(3,27,153,3
)
710 CALL VCHAR(6,27,144,4
)
720 CALL VCHAR(3,26,144,7
)
730 CALL VCHAR(4,25,144,5
)
740 CALL VCHAR(5,24,144,4
)
750 CALL HCHAR(7,21,144,3
)
760 CALL HCHAR(8,20,144,4
)
770 RESTORE 820
780 FOR I=1 TO 28
790 READ R,C,G
800 CALL HCHAR(R,C,G)
810 NEXT I
820 DATA 3,25,154,4,24,15
4,6,23,155,6,22,156,6
,21,156,6,20,157,7,20
,158,8,19,159,10,27,1
52,10,28,146
830 DATA 10,29,147,13,22,
128,13,23,136,13,24,1
36,14,22,129,14,23,13
6,14,24,137,15,23,130
,15,24,138
840 DATA 16,25,131,16,24,
151,16,23,144,17,24,1
50,17,23,149,18,23,14
8,18,24,147,18,14,146
,17,15,145
850 CALL VCHAR(15,22,144,
4)
860 CALL VCHAR(15,21,144,
4)
870 CALL VCHAR(16,20,144,
3)
880 CALL VCHAR(16,19,144,
3)
890 CALL HCHAR(18,15,144,
4)
900 FOR C=1 TO 7
910 T=0
920 RANDOMIZE
930 R=INT(7*RND)+1
940 IF S*(R)=" THEN 930
950 CALL GCHAR(X(R),Y(R),
G)
960 CALL HCHAR(20,1,100,1
60)
970 FOR L=1 TO 7
980 CALL HCHAR(21,2+L,ASC
(SEG$("STATE ?",L,1)))
)
990 CALL HCHAR(X(R),Y(R),
32)
1000 CALL HCHAR(X(R),Y(R),
63)
1010 NEXT L
1020 CALL HCHAR(21,11,100
,15)
1030 S1$=""
1040 CALL SOUND(150,1397,
2)
1050 FOR L=1 TO 15
1060 CALL KEY(0,K,S)
1070 IF S<1 THEN 1060
1080 IF K=13 THEN 1130
1090 IF K=6 THEN 1020
1100 CALL HCHAR(21,10+L,K
)
1110 S1$=S1$+CHR$(K)
1120 NEXT L
1130 CALL SOUND(100,880,2
)
1140 IF S*(R)=S1$ THEN 12
60
1150 CALL SOUND(100,330,2
)
1160 CALL SOUND(100,262,2
)
1170 T=T+1
1180 IF T<2 THEN 1020
1190 CALL HCHAR(21,11,100
,15)
1200 FOR L=1 TO LEN(S*(R)
)
1210 CALL HCHAR(21,10+L,A
SC(SEG$(S*(R),L,1)))
1220 NEXT L
1230 GOSUB 1600
1240 C=C-1
1250 GOTO 1570
1260 GOSUB 1670
1270 FOR L=1 TO 9
1280 CALL HCHAR(23,2+L,AS
C(SEG$("CAPITAL ?",L,1)))
)
1290 NEXT L
1300 T=0
1310 CALL HCHAR(23,13,100
,15)
1320 S1$=""
1330 CALL SOUND(150,1397,
2)
1340 FOR L=1 TO 15
1350 CALL KEY(0,K,S)
1360 IF S<1 THEN 1350
1370 IF K=13 THEN 1430
1380 IF K=6 THEN 1310
1390 CALL HCHAR(23,12+L,K
)
1400 S1$=S1$+CHR$(K)
1410 NEXT L
1420 CALL SOUND(100,880,2
)
1430 IF CAP$(R)=S1$ THEN
1550
1440 CALL SOUND(100,330,2
)
1450 CALL SOUND(100,262,2
)
1460 T=T+1
1470 IF T<2 THEN 1310
1480 CALL HCHAR(23,12,100
,15)
1490 FOR L=1 TO LEN(CAP$(
R))
1500 CALL HCHAR(23,12+L,A
SC(SEG$(CAP$(R),L,1)))
)
1510 NEXT L
1520 GOSUB 1600
1530 C=C-1
1540 GOTO 1570
1550 GOSUB 1670
1560 S*(R)="
1570 CALL HCHAR(X(R),Y(R),
G)
1580 NEXT C
1590 GOTO 1720
1600 FOR L=1 TO 11
1610 CALL HCHAR(24,20+L,A
SC(SEG$("PRESS ENTER
",L,1)))
)
1620 NEXT L
1630 CALL KEY(0,K,S)
1640 IF K<>13 THEN 1630
1650 CALL HCHAR(24,21,100
,11)
1660 RETURN
1670 CALL SOUND(100,262,2
)
1680 CALL SOUND(100,330,2
)
1690 CALL SOUND(100,392,2
)
1700 CALL SOUND(200,523,2
)
1710 RETURN
1720 CALL CLEAR
1730 PRINT "TRY AGAIN? Y
OR N"
1740 CALL KEY(0,K,S)
1750 IF K=89 THEN 480
1760 IF K<>78 THEN 1740
1770 CALL CLEAR
1780 END

```

# COMPUTE!'s Guide To Typing In Programs

Before typing in any program, you should familiarize yourself with your computer. Learn how to use the keyboard to type in and correct BASIC programs. Read your manuals to understand how to save and load BASIC programs to and from your disk drive or cassette unit. Computers are precise—take special care to type the program *exactly* as listed, including any necessary punctuation and symbols, except for special characters as noted below. To help you with this task, we have implemented a special listing convention as well as a program to help check your typing—the "Automatic Proofreader." Please read the following notes before typing in any programs from COMPUTE!. They can save you a lot of time and trouble.

Commodore, Apple, and Atari programs can contain some hard-to-read (and hard-to-type) special characters, so we have developed a listing system that indicates the function of these control characters. (There are no special control characters in our IBM or TI-99/4A listings.) You will find Commodore and Atari special characters within curly braces; *do not type the braces*. For example, {CLEAR} or {CLR} instructs you to insert the symbol which clears the screen on the Atari or Commodore machines. For Commodore, Apple, and Atari, a symbol by itself within curly braces is usually a control key or graphics key. If you see {A}, hold down the CTRL key and press A. This will produce a reverse video character on the Commodore (in quote mode), a graphics character on the Atari, and an invisible control character on the Apple. Commodore computers also have a special control key labeled with the Commodore logo. Graphics characters entered with the Commodore logo key are enclosed in a special bracket that looks like this: [A]. In this case, you will hold down the Commodore logo key as you type A. Our Commodore listings are in uppercase, so shifted symbols are underlined. A graphics heart symbol (SHIFT-S) would be listed as S. One exception is (SHIFT-SPACE). When you see this, hold down SHIFT and press the space bar. If a number precedes a symbol, such as {5 RIGHT}, {6

S}, or {<8 Q>}, you would enter five cursor rights, six shifted S's, or eight Commodore-Q's. On the Atari, inverse characters (printed in white on black) should be entered after pressing the inverse video key.

Since spacing is sometimes important, any more than two spaces will be

listed. For example, {6 SPACES} means to press the space bar six times. Our listings never leave a space at the end of a line, instead moving it to the next printed line as {SPACE}. For your convenience, we have prepared this quick-reference chart for the Commodore and Atari special characters:

## Atari 400/800/XL/XE

When you see	Type	See
{CLEAR}	ESC SHIFT <	↵ Clear Screen
{UP}	ESC CTRL -	↑ Cursor Up
{DOWN}	ESC CTRL =	↓ Cursor Down
{LEFT}	ESC CTRL +	← Cursor Left
{RIGHT}	ESC CTRL *	→ Cursor Right
{BACK S}	ESC DELETE	␣ Backspace
{DELETE}	ESC CTRL DELETE	⌫ Delete character
{INSERT}	ESC CTRL INSERT	⌵ Insert character
{DEL LINE}	ESC SHIFT DELETE	⌫ Delete line
{INS LINE}	ESC SHIFT INSERT	⌵ Insert line
{TAB}	ESC TAB	↵ TAB key
{CLR TAB}	ESC CTRL TAB	⌵ Clear tab
{SET TAB}	ESC SHIFT TAB	⌵ Set tab stop
{BELL}	ESC CTRL 2	🔔 Ring buzzer
{ESC}	ESC ESC	⌫ ESCape key

## Commodore PET/CBM/VIC/64/128/16/+4

When You Read:	Press:	See:	When You Read:	Press:	See:
{CLR}	SHIFT CLR/HOME	⌫	[ 1 ]	COMMODORE 1	⌫
{HOME}	CLR/HOME	⌵	[ 2 ]	COMMODORE 2	⌵
{UP}	SHIFT ↑ CRSR	↑	[ 3 ]	COMMODORE 3	⌫
{DOWN}	↓ CRSR	↓	[ 4 ]	COMMODORE 4	⌵
{LEFT}	SHIFT ← CRSR	←	[ 5 ]	COMMODORE 5	⌫
{RIGHT}	→ CRSR	→	[ 6 ]	COMMODORE 6	⌵
{RVS}	CTRL 9	⌛	[ 7 ]	COMMODORE 7	⌫
{OFF}	CTRL 0	⌛	[ 8 ]	COMMODORE 8	⌵
{BLK}	CTRL 1	⌛	{ F1 }	⌵	⌛
{WHT}	CTRL 2	⌛	{ F2 }	SHIFT ⌵	⌛
{RED}	CTRL 3	⌛	{ F3 }	⌵	⌛
{CYN}	CTRL 4	⌛	{ F4 }	SHIFT ⌵	⌛
{PUR}	CTRL 5	⌛	{ F5 }	⌵	⌛
{GRN}	CTRL 6	⌛	{ F6 }	SHIFT ⌵	⌛
{BLU}	CTRL 7	⌛	{ F7 }	⌵	⌛
{YEL}	CTRL 8	⌛	{ F8 }	SHIFT ⌵	⌛
		⌛		⌵	⌛



## The Automatic Proofreader

We have developed a series of simple, yet effective programs that can help check your typing. Type in the appropriate Proofreader program listed below, then save it for future use. On the VIC, 64, or Atari, run the Proofreader to activate it, then enter NEW to erase the BASIC loader (the Proofreader remains active, hidden in memory, as a machine language program). Pressing RUN/STOP-RESTORE or SYSTEM RESET deactivates the Proofreader. You can use SYS 886 to reactivate the VIC/64 Proofreader, or PRINT USR(1536) to reactivate the Atari Proofreader. On the Apple, the Proofreader automatically erases the BASIC portion of itself after you activate it by typing RUN, leaving only the machine language portion in memory. It works with either DOS 3.3 or ProDOS. Disable the Apple Proofreader by pressing CTRL-RESET before running another BASIC program. The IBM Proofreader is a BASIC program that simulates the IBM BASIC line editor, letting you enter, edit, list, save, and load programs that you type. Type RUN to activate.

Once the Proofreader is active, try typing in a line. As soon as you press RETURN, either a decimal number (on the Commodore), a hexadecimal number (on the Apple), or a pair of letters (on the Atari or IBM) appears. The number or pair of letters is called a *checksum*. Try making a change in the line, and notice how the checksum changes.

All you need to do is compare the value provided by the Proofreader with the checksum printed in the program listing in the magazine. In Commodore listings, the checksum is a number from 0 to 255. It is set off from the rest of the line with *rem*. This prevents a syntax error if the checksum is typed in, but the REM statements and checksums need *not* be typed in. It is just there for your information.

In Atari, Apple, and IBM listings, the checksum is given to the left of each line number. Just type in the program one line at a time (without the printed checksum) and compare the checksum generated by the Proofreader to the checksum in the listing. If they match, go on to the next line. If not, check your typing: You've made a mistake. On the Commodore, Atari, and Apple Proofreaders, spaces are not counted as part of the checksum, so be sure you type the right number of spaces between quote marks. The Commodore and Atari Proofreaders do not check to see that you've typed the characters in the right order, so if characters are transposed, the checksum still matches the listing. Because of the checksum meth-

od used, do not type abbreviations, such as ? for PRINT. The IBM Proofreader is the pickiest of all; it will detect errors in spacing and transposition. Be sure to leave Caps Lock on, except when typing lowercase characters.

## IBM Proofreader Commands

Since the IBM Proofreader replaces the computer's normal BASIC line editor, it has to include many of the direct-mode IBM BASIC commands. The syntax is identical to IBM BASIC. Commands simulated are LIST, LLIST, NEW, FILES, SAVE, and LOAD. When listing your program, press any key (except Ctrl-Break) to stop the listing. If you type NEW, the Proofreader prompts you to press Y to be sure you mean yes.

Two new commands are BASIC and CHECK. BASIC exits the Proofreader back to IBM BASIC, leaving the Proofreader in memory. CHECK works just like LIST, but shows the checksums along with the listing. After you have typed in a program, save it to disk. Then exit the Proofreader with the BASIC command, and load the program in BASIC as usual (this replaces the Proofreader in memory). You can now run the program, but you may want to resave it to disk. The version of your program that you resave from BASIC will take up less space on disk and will load faster, but it can no longer be edited with the Proofreader. If you want to convert a program to Proofreader format, save it to disk with SAVE "filename", A.

## Special Proofreader Notes For Commodore Cassette Users

The Proofreader resides in a section of memory called the cassette buffer, which is used during tape LOADS and SAVES. Therefore, be sure to press RUN/STOP-RESTORE to get the Proofreader out of the way before saving or loading a program. If you want to use the Proofreader with tape, run the Proofreader, then enter these two lines exactly as shown, pressing RETURN after each one:

```
AS="PROOFREADER.T":BS="--(10
SPACES)"FOR X=1 TO 4:AS=AS
+B$;NEXT
FOR X=886 TO 1018:AS=AS+CHR$
(PEEK(X)):NEXT:OPEN I,L,AS:
CLOSEL
```

Then insert a blank tape and press RECORD and PLAY to save a special version of the Proofreader. Anytime you need to reload the Proofreader after it has been erased—for example, after you reload a partially completed program—just rewind the tape, type OPEN1:CLOSE1, then press PLAY.

You'll see the message FOUND PROOFREADER.T, but not the familiar LOADING message. Don't worry; the Proofreader is in memory. When READY comes back, enter SYS 886.

## Program 1: VIC/64 Proofreader

By Charles Brannon, Program Editor

```
10 PRINT"[CLR]PLEASE WAIT..."
FOR I=886 TO 1018:READA:CK=CK+A:POKEI,A:NEXT
20 IF CK<>17539 THEN PRINT
[DOWN]YOU MADE AN ERROR:"PR
INT"IN DATA STATEMENTS."EN
D
30 SYS886:PRINT"[CLR]{2 DOWN}P
ROOFREADER ACTIVATED."NEW
40 DATA 173,036,003,201,150,20
8,001,096,141,151,003,173
50 DATA 037,003,141,152,003,16
9,150,141,036,003,169,003
60 DATA 141,037,003,169,000,13
3,254,096,032,087,241,133
70 DATA 251,134,252,132,253,00
8,201,013,240,017,201,032
80 DATA 240,005,024,101,254,13
3,254,165,251,166,252,164
90 DATA 253,040,096,169,013,03
2,210,255,165,214,141,251
100 DATA 003,206,251,003,169,0
00,133,216,169,019,032,210
110 DATA 255,169,018,032,210,2
55,169,032,210,255,166
120 DATA 254,169,000,133,254,1
72,151,003,192,087,208,006
130 DATA 032,205,189,076,235,0
03,032,205,221,169,032,032
140 DATA 210,255,032,210,255,1
73,251,003,133,214,076,173
150 DATA 003
```

## Program 2: Atari Proofreader

By Charles Brannon, Program Editor

```
100 GRAPHICS 0
110 FOR I=1536 TO 1700:RE
AD A:POKE I,A:CK=CK+A
:NEXT I
120 IF CK<>19072 THEN ? "
Error in DATA State
nts. Check Typing."
END
130 A=USR(1536)
140 ? I:"Automatic Proof
reader Now Activated.
"
150 END
160 DATA 104,160,0,185,26
3,201,69,240,7
170 DATA 200,200,192,34,2
08,243,96,200,169,74
180 DATA 153,26,3,200,169
,6,153,26,3,162
190 DATA 0,189,0,228,157,
74,6,232,224,16
200 DATA 208,245,169,93,1
41,78,6,169,6,141
210 DATA 79,6,24,173,4,22
8,105,1,141,95
```

```

220 DATA 6,173,5,228,105,
    0,141,96,4,169
230 DATA 0,133,203,96,247
    ,238,125,241,93,6
240 DATA 244,241,115,241,
    124,241,76,205,238
250 DATA 0,0,0,0,0,32,62,
    246,0,201
260 DATA 155,240,13,201,3
    2,240,7,72,24,101
270 DATA 203,133,203,104,
    40,96,72,152,72,138
280 DATA 72,160,0,169,128
    ,145,88,200,192,40
290 DATA 208,241,165,203,
    74,74,74,74,24,105
300 DATA 161,160,3,145,88
    ,165,203,41,15,24
310 DATA 105,161,200,145,
    88,169,0,133,203,104
320 DATA 170,104,168,104,
    40,96

```

### Program 3: IBM Proofreader

By Charles Brannon, Program Editor

```

10 'Automatic Proofreader Ver
    sion 2.00 (Lines 270,510,5
    15,517,620,630 changed fro
    m V1.0)
100 DIM L$(500),LNUM(500):COL
    OR 0,7:KEY OFF:CLS:MAX=
    0:LNUM(0)=65536!
110 ON ERROR GOTO 120:KEY 15,
    CHR$(4)+CHR$(70):ON KEY(1
    5) GOSUB 600:KEY (15) ON:
    GOTO 130
120 RESUME 130
130 DEF SEG=&H40:W=PEEK(&H4A)
140 ON ERROR GOTO 630:PRINT:P
    RINT"Proofreader Ready."
150 LINE INPUT L$:Y=CSRLIN-IN
    T(L$(L$)/W)-1:LOCATE Y,1
160 DEF SEG=0:POKE 1050,30:P
    KE 1052,34:POKE 1054,0:P
    KE 1055,79:POKE 1056,13:P
    OKE 1057,28:LINE INPUT L$
    :DEF SEG:IF L$="" THEN 15
    0
170 IF LEFT$(L$,1)="" THEN L
    $=MID$(L$,2):GOTO 170
180 IF VAL(LEFT$(L$,2))=0 AND
    MID$(L$,3,1)="" THEN L$
    =MID$(L$,4)
190 LNUM=VAL(L$):TEXT$=MID$(L
    $,LEN(STR$(LNUM))+1)
200 IF ASC(L$)>57 THEN 260 'n
    o line number, therefore
    command
210 IF TEXT$="" THEN GOSUB 54
    0:IF LNUM=LNUM(P) THEN GO
    SUB 560:GOTO 150 ELSE 150
220 CKSUM=0:FOR I=1 TO LEN(L$
    ):CKSUM=(CKSUM+ASC(MID$(L
    $,I)*I) AND 255:NEXT:LOC
    ATE Y,1:PRINT CHR$(65+CKS
    UM/16)+CHR$(65+(CKSUM AND
    15)*4)+"L$
230 GOSUB 540:IF LNUM(P)=LNUM
    THEN L$(P)=TEXT$:GOTO 15
    0 'replace line
240 GOSUB 580:GOTO 150 'inser
    t the line
260 TEXT$="":FOR I=1 TO LEN(L
    $):A=ASC(MID$(L$,I)):TEXT
    $=TEXT$+CHR$(A+32(A>96 A
    ND A<123)):NEXT

```

```

270 DELIMITER=INSTR(TEXT$," "
    ):COMMAND$=TEXT$:ARG$=""
    :IF DELIMITER THEN COMMAND
    $=LEFT$(TEXT$,DELIMITER-1
    ):ARG$=MID$(TEXT$,DELI
    METER+1) ELSE DELIMITER=INST
    R(TEXT$,CHR$(34)):IF DELI
    METER THEN COMMAND$=LEFT$
    (TEXT$,DELIMITER-1):ARG$=
    MID$(TEXT$,DELIMITER)
280 IF COMMAND$<>"LIST" THEN
    410
290 OPEN "scrn:" FOR OUTPUT A
    S #1
300 IF ARG$="" THEN FIRST=0:P
    =MAX-1:GOTO 340
310 DELIMITER=INSTR(ARG$,"-")
    :IF DELIMITER=0 THEN LNUM
    =VAL(ARG$):GOSUB 540:FIR
    S T=P:GOTO 340
320 FIRST=VAL(LEFT$(ARG$,DELI
    METER)):LAST=VAL(MID$(ARG
    $,DELIMITER+1))
330 LNUM=FIRST:GOSUB 540:FIR
    S T=P:LNUM=LAST:GOSUB 540:I
    F P=0 THEN P=MAX-1
340 FOR X=FIRST TO P:P$=MID$(
    STR$(LNUM(X)),2)+""
350 IF CKFLAG=0 THEN A$="" :GO
    TO 370
360 CKSUM=0:A$=N$+L$(X):FOR I
    =1 TO LEN(A$):CKSUM=(CKSU
    M+ASC(MID$(A$,I)*I) AND
    255:NEXT:A$=CHR$(65+CKSUM
    /16)+CHR$(65+(CKSUM AND 1
    5)*4)+" "
370 PRINT #1,A$+N$+L$(X)
380 IF INKEY$<>" " THEN X=P
390 NEXT :CLOSE #1:CKFLAG=0
400 GOTO 130
410 IF COMMAND$="LLIST" THEN
    OPEN "lpt1:" FOR OUTPUT A
    S #1:GOTO 300
420 IF COMMAND$="CHECK" THEN
    CKFLAG=1:GOTO 290
430 IF COMMAND$<>"SAVE" THEN
    450
440 GOSUB 600:OPEN ARG$ FOR O
    UTPUT AS #1:ARG$=A$:GOTO
    300
450 IF COMMAND$<>"LOAD" THEN
    490
460 GOSUB 600:OPEN ARG$ FOR I
    NPUT AS #1:MAX=0:P=0
470 WHILE NOT EOF(1):LINE INP
    UT #1,L$:LNUM(P)=VAL(L$):
    L$(P)=MID$(L$,LEN(STR$(VA
    L(L$))+1):P=P+1:WEND
480 MAX=P:CLOSE #1:GOTO 130
490 IF COMMAND$="NEW" THEN IN
    PUT "Erase program - Are
    you sure":L$:IF LEFT$(L$,
    1)="" THEN L$(1)="" :Y="Y"
    THEN MAX=0:GOTO 130:ELSE
    130
500 IF COMMAND$="BASIC" THEN
    COLOR 7,0,0:ON ERROR GOTO
    0:CLS:END
510 IF COMMAND$<>"FILES" THEN
    520
515 IF ARG$="" THEN ARG$="A:"
    ELSE SEL=1:GOSUB 600
517 FILES ARG$:GOTO 130
520 PRINT"Syntax error":GOTO
    130

```

```

540 P=0:WHILE LNUM>LNUM(P) AN
    D P<MAX:P=P+1:WEND:RETURN
560 MAX=MAX-1:FOR X=P TO MAX:
    LNUM(X)=LNUM(X+1):L$(X)=L
    $(X+1):NEXT:RETURN
580 MAX=MAX+1:FOR X=MAX TO P+
    1 STEP -1:LNUM(X)=LNUM(X-
    1):L$(X)=L$(X-1):NEXT:L$(
    P)=TEXT$:LNUM(P)=LNUM:RET
    URN
600 IF LEFT$(ARG$,1)<>CHR$(34
    ) THEN 520 ELSE ARG$=MID$(
    ARG$,2)
610 IF RIGHT$(ARG$,1)=CHR$(34
    ) THEN ARG$=LEFT$(ARG$,LE
    N(ARG$)-1)
620 IF SEL=0 AND INSTR(ARG$,"
    .")=0 THEN ARG$=ARG$+".BA
    S"
630 SEL=0:RETURN
640 CLOSE #1:CKFLAG=0:PRINT"S
    topped.":RETURN 150
650 PRINT "Error #":ERR:RESUM
    E 150

```

### Program 4: Apple Proofreader

By Tim Victor, Editorial Programmer

```

10 C = 0: FOR I = 768 TO 768 +
    68: READ A:C = C + A: POKE I
    ,A: NEXT
20 IF C < > 7258 THEN PRINT "ER
    ROR IN PROOFREADER DATA STAT
    EMENTS": END
30 IF PEEK (1700 * 256) < > 76 T
    HEN POKE 56,0: POKE 57,3: CA
    LL 1002: GOTO 50
40 PRINT CHR$(4):"IN#A$300"
50 POKE 34,0: HOME: POKE 34,1:
    VTAB 2: PRINT "PROOFREADER
    INSTALLED"
60 NEW
100 DATA 216,32,27,253,201,141
110 DATA 208,60,138,72,169,0
120 DATA 72,189,255,1,201,160
130 DATA 240,8,104,10,125,255
140 DATA 1,105,0,72,202,208
150 DATA 238,104,170,41,15,9
160 DATA 48,201,58,144,2,233
170 DATA 57,141,1,4,138,74
180 DATA 74,74,74,41,15,9
190 DATA 48,201,58,144,2,233
200 DATA 57,141,0,4,104,170
210 DATA 169,141,96

```

# MLX Machine Language Entry Program

## For Commodore 64

Charles Brannon, Program Editor

*MLX is a labor-saving utility that allows almost fail-safe entry of machine language programs published in COMPUTE!. You need to know nothing about machine language to use MLX—it was designed for everyone. At least 8K expansion memory is required.*

MLX is a new way to enter long machine language (ML) programs with a minimum of fuss. MLX lets you enter the numbers from a special list that looks similar to BASIC DATA statements. It checks your typing on a line-by-line basis. It won't let you enter illegal characters when you should be typing numbers. It won't let you enter numbers greater than 255 (forbidden in ML). It won't let you enter the wrong numbers on the wrong line. In addition, MLX creates a ready-to-use tape or disk file.

### Using MLX

Type in and save the appropriate version of MLX (you'll want to use it in the future). When you're ready to type in an ML program, run MLX. MLX for the 64 asks you for two numbers: the starting address and the ending address. These numbers are given in the article accompanying the ML program.

When you run MLX, you'll see a prompt corresponding to the starting address. The prompt is the current line you are entering from the listing. It increases by six each time you enter a line. That's because each line has seven numbers—six actual data numbers plus a checksum number. The checksum verifies that you typed the previous six numbers correctly. If you enter any of the six numbers wrong, or enter the checksum wrong, the computer rings a buzzer and prompts you to reenter the line. If you enter it correctly, a bell tone sounds and you continue to the next line.

MLX accepts only numbers as input. If you make a typing error, press the INST/DEL key; the entire number is deleted. You can press it as many times as necessary back to the start of the line. If you enter three-digit numbers as listed, the computer automatically prints the comma and goes on to accept the next number. If you enter less than three digits, you can press either the space bar or RETURN key to advance to the next number. The checksum automatically appears in inverse video for emphasis.

To simplify your typing, MLX redefines part of the keyboard as a numeric keypad (lines 581-584):

```

U I O          7 8 9
H J K L become 0 4 5 6
M , .          1 2 3

```

### 64 MLX Commands

When you finish typing an ML listing (assuming you type it all in one session), you can then save the completed program on tape or disk. Follow the screen instructions. If you get any errors while saving, you probably have a bad disk, or the disk is full, or you've made a typo when entering the MLX program itself.

You don't have to enter the whole ML program in one sitting. MLX lets you enter as much as you want, save it, and then reload the file from tape or disk later. MLX recognizes these commands:

```

SHIFT-S: Save
SHIFT-L: Load
SHIFT-N: New Address
SHIFT-D: Display

```

When you enter a command, MLX jumps out of the line you've been typing, so we recommend you do it at a new prompt. Use the Save command to save what you've been working on. It will save on tape or disk, as if you've finished, but the tape or disk won't work, of course, until you finish the typing. Remember what address you stop at. The next time you run MLX, answer all the prompts as you did before, then insert the disk or tape. When you get to the entry prompt, press SHIFT-L to reload the partly completed file into memory. Then use the New Address command to resume typing.

To use the New Address command, press SHIFT-N and enter the address where you previously stopped. The prompt will change, and you can then continue typing. Always enter a New Address that matches up with one of the line numbers in the special listing, or else the checksum won't work. The Display command lets you display a section of your typing. After you press SHIFT-D, enter two addresses within the line number range of the listing. You can abort the listing by pressing any key.

### 64 MLX: Machine Language Entry

```

10 REM LINES CHANGED FROM MLX
   {SPACE}VERSION 2.00 ARE 750
   ,765,770 AND 860 :rem 50
20 REM LINE CHANGED FROM MLX V
   ERSION 2.01 IS 300 :rem 147
100 PRINT "[CLR][63]";CHR$(142);
   CHR$(8);:POKE53281,1:POKE5
   3280,1 :rem 67

```

```

101 POKE 788,52:REM DISABLE RU
   N/STOP :rem 119
110 PRINT"[RVS]";[39 SPACES]";:
   :rem 176
120 PRINT"[RVS]";[14 SPACES]
   [RIGHT][OFF][E*3][RVS]
   [RIGHT][RIGHT][2 SPACES]
   E*3[OFF][E*3][RVS]E[RVS]
   [14 SPACES]";:rem 250
130 PRINT"[RVS]";[14 SPACES]
   [RIGHT][E3][RIGHT]
   [2 RIGHT][OFF][E[RVS]E
   E*3[OFF][E*3][RVS]
   [14 SPACES]";:rem 35
140 PRINT"[RVS]";[41 SPACES]"
   :rem 120
200 PRINT"[2 DOWN][PUR][BLK] M
   ACHINE LANGUAGE EDITOR VER
   SION 2.02[5 DOWN]";:rem 238
210 PRINT"[E5]";[2 UP]STARTING AD
   DRESS?;[8 SPACES]";[9 LEFT]";:
   :rem 143
215 INPUTS:F=1-F:C$=CHR$(31+11
   9*F) :rem 166
220 IFS<256OR(S>40960)ANDS<4915
   2)ORS>53247;THENGOSUB3000:G
   OTO210 :rem 235
225 PRINT:PRINT:PRINT:rem 180
230 PRINT"[E5]";[2 UP]ENDING ADDR
   ESS?;[8 SPACES]";[9 LEFT]";:I
   NPUTS:F=1-F:C$=CHR$(31+119
   *F) :rem 20
240 IFE<256OR(E>40960)ANDE<4915
   2)ORE>53247;THENGOSUB3000:G
   OTO230 :rem 183
250 IFE$THENPRINTC$;";[RVS]END
   IG <START[2 SPACES]";:GOS
   UB1000:GOTO 230 :rem 176
260 PRINT:PRINT:PRINT:rem 179
300 PRINT"[CLR]";CHR$(14):AD=S
   :rem 56
310 A=1:PRINTRIGHT$( "0000"+MID
   $(STR$(AD),2),5);":":
   :rem 33
315 FORJ=AT06 :rem 33
320 GOSUB570:IFN=-1THENJ=J+N:G
   OTO320 :rem 228
390 IFN=-211THEN 710 :rem 62
400 IFN=-204THEN 790 :rem 64
410 IFN=-206THENPRINT:INPUT"
   [DOWN]ENTER NEW ADDRESS";Z
   :rem 44
415 IFN=-206THENIFZ<SORZZ>ETH
   ENPRINT"[RVS]OUT OF RANGE"
   :GOSUB1000:GOTO410:rem 225
417 IFN=-206THENAD=Z2:PRINT:GO
   TO310 :rem 238
420 IF N<>-196 THEN 480 :rem 133
430 PRINT:INPUT"DISPLAY:FROM";
   F:PRINT,"TO";:INPUT"
   :rem 234
440 IFF<SORF>EORT<SORT>ETHENPR
   INT"AT LEAST";S;";[LEFT], N
   OT MORE THAN";E:GOTO430
   :rem 159
450 FORI=FTOTSTEP6:PRINT:PRINT
   RIGHT$( "0000"+MID$(STR$(I
   ),2),5);":":rem 30
451 FORI=0TOS:N=PEEK(I+K):PRIN
   TRIGHT$( "00"+MID$(STR$(N),
   2),3);":":rem 66

```



# Software That Works For Generations

## 6 Types of Charts and Sheets Indices User Fields

## Notes, Footnotes and Sources No Limits

## Adapts to Your Hardware Comprehensive Easy to Use

## And Much, Much More

Send for brochure and sample printouts.

Family Roots includes detailed manual and 2 full diskettes of programs for your Apple II, IBM PC, Commodore 64 and CP/M.

Other commodity software also available.

Price \$185. Satisfaction Guaranteed.

American Express, Visa & Mastercard Accepted

\*Trademarks for  
Apple Computer,  
Inc., International

Business Machines,  
IBM, Inc., & Digital  
Research.



QUINSEY, INC.

P.O. Box 216, Lexington, MA 02173  
(617) 641-2930

## CONVERSE WITH YOUR COMPUTER

AT LAST! A FULL IMPLEMENTATION of the original ELIZA program is now available to run on your personal computer!

Created at MIT in 1966, ELIZA has become the world's most celebrated artificial intelligence demonstration program. ELIZA is a non-directive psychoanalyst who analyzes each statement as you type it and then responds with her own comment or question—and her remarks are often amazingly appropriate!

Designed to run on a large mainframe, ELIZA has never before been available to personal computer users except in greatly stripped down versions lacking the sophistication which made the original program so fascinating.

Now, our new personal computer version possessing the FULL power and range of expression of the original is being offered at the introductory price of only \$45. And to let you find out how she does it (or to teach her to do more) we have included the complete SOURCE PROGRAM (written in BASIC) at no extra cost.

Order your copy of ELIZA today and you'll never again wonder how to respond when you hear someone say, "Okay, let's see what this computer of yours can actually do!"

READ WHAT THE EXPERTS SAY ABOUT OUR VERSION OF ELIZA: "Much more than a mere game... You'll be impressed with ELIZA. A convincing demonstration of Artificial Intelligence."

—PC MAGAZINE

"Delightful entertainment. An ideal medium for showing off your system."  
—MICROCOMPUTING MAGAZINE

"ELIZA is an astounding piece of software. A fascinating program to use and study."  
—BARON'S MICROCOMPUTER REPORTS

"ELIZA is a great way to introduce your friends to computers. A very funny party game."  
—FETTER & MCGILLIVRAIS

"ELIZA is an exceptional program, one that's fun to use, shows off your machine, and has great historical interest."  
—POPULAR COMPUTING MAGAZINE

"This version of ELIZA is the best we have seen. As a party game, it is unmatched."  
—HOME APPLICATIONS FOR THE C-64

ELIZA IS AVAILABLE IN THE FOLLOWING FORMATS:

- IBM PC, PCjr, PC-XT and all compatibles.
- All Apple II computers (II Plus, IIe, IIfx, etc.)
- Apple Macintosh (Microsoft BASIC required)
- Commodore 64 (speech disk or cassette)
- 5 1/4 inch or 8 inch disk for all CP/M systems

All versions are \$45 and include a six page users manual! Please add \$2.00 shipping and handling to all orders.

(California residents please add 6% sales tax)

ARTIFICIAL INTELLIGENCE RESEARCH GROUP

921 North La Jolla Avenue, Dept. M

Los Angeles, CA 90048

(213) 656-7368 (213) 654-2214

MC, Visa and checks accepted



```

460 GETA$:IFA$>"THENPRINT:PRI
NT:GOTO310      :rem 25
470 NEXTK:PRINTCHR$(20);:NEXTI
:PRINT:PRINT:GOTO310
                  :rem 50
480 IFN<0 THEN PRINT:GOTO310
                  :rem 168
490 A(J)=N:NEXTJ      :rem 199
500 CKSUM=AD-INT(AD/256)*256:F
ORI=1TO6:CKSUM=(CKSUM+A(I)
)AND255:NEXT      :rem 200
510 PRINTCHR$(18);:GOSUB570:P
INTCHR$(146);:rem 94
511 IFN=-1THENA=6:GOTO315
                  :rem 254
515 PRINTCHR$(20):IFN=CKSUMTHE
N530      :rem 122
520 PRINT:PRINT"LINE ENTERED W
RONG : RE-ENTER":PRINT:GO$
UB1000:GOTO310      :rem 176
530 GOSUB2000      :rem 218
540 FORI=1TO6:POKEAD+I-1,A(I):
NEXTI:POKE54272,0:POKE54273
,0      :rem 227
550 AD=AD+6:IF AD<E THEN 310
                  :rem 212
560 GOTO 710      :rem 108
570 N=0:Z=0      :rem 88
580 PRINT"£££";      :rem 81
581 GETA$:IFA$="THEN581
                  :rem 95
582 AV=- (A$="M")-2*(A$=",")-3*(
A$=",")-4*(A$="J")-5*(A$=
"K")-6*(A$="L")      :rem 41
583 AV=AV-7*(A$="U")-8*(A$="I"
)-9*(A$="O"):IFA$="H"THENA
$="0"      :rem 134
584 IFAV>0THENA$=CHR$(48+AV)
                  :rem 134
585 PRINTCHR$(20);:A=ASC(A$):I
FA=13ORA=44ORA=32THEN670
                  :rem 229
590 IFA>128THENN=-A:RETURN
                  :rem 137
600 IFA<20 THEN 630      :rem 10
610 GOSUB900:IFI=1ANDT=44THENN
=-1:PRINT"OFF"[LEFT
]      :rem 62
620 GOTO570      :rem 109
630 IFA<48ORA>57THEN580
                  :rem 105
640 PRINTA$:N=N*10+A-48
                  :rem 106
650 IFN>255 THEN A=20:GOSUB100
0:GOTO600      :rem 229
660 Z=Z+1:IFZ<3THEN580      :rem 71
670 IFZ=0THENGOSUB1000:GOTO570
                  :rem 114
680 PRINT":":RETURN      :rem 240
690 S$=PEEK(209)+256*PEEK(210)
+PEEK(211)      :rem 149
691 FORI=1TO3:T=PEEK(S$-I)
                  :rem 67
695 IFT<44ANDT<58THENPOKES$-
I,32:NEXT      :rem 205
700 PRINTLEFT$("{3 LEFT}","I-1
):RETURN      :rem 7
710 PRINT"[CLR][RVS]*** SAVE *
**[3 DOWN]"      :rem 236
715 PRINT"[2 DOWN](PRESS [RVS]
RETURN[OFF] ALONE TO CANCE
L SAVE)[DOWN]"      :rem 106
720 F$="":INPUT{DOWN} FILENAM
E":F$:IFF$="THENPRINT:PRI
NT:GOTO310      :rem 71
730 PRINT:PRINT"[2 DOWN][RVS]T
[OFF]APE OR [RVS]D[OFF]ISK
:(T/D)"      :rem 228
740 GETA$IFA$>"T"ANDA$<"D"
HEN740      :rem 36
750 DV=1-7*(A$="D"):IFDV=8THEN

```

```

F$="0":"+F$:OPEN15,8,15,"S"
+F$:CLOSE15      :rem 212
760 T$=F$:ZK=PEEK(53)+256*PEEK
(54)-LEN(T$):POKE782,ZK/25
6      :rem 3
762 POKE781,ZK-PEEK(782)*256:P
OKE780,LEN(T$):SYS65469
                  :rem 109
763 POKE780,1:POKE781,DV:POKE7
82,1:SYS65466      :rem 253
765 K=8:POKE254,K/256:POKE269,
K-PEEK(254)*256:POKE780,25
3      :rem 17
766 K=E+1:POKE782,K/256:POKE78
1,K-PEEK(782)*256:SYS65466
                  :rem 235
770 IF(PEEK(783)AND1)OR(191AND
ST)THEN780      :rem 111
775 PRINT"[DOWN]DONE.[DOWN]:"G
OTO310      :rem 113
780 PRINT"[DOWN]ERROR ON SAVE.
{2 SPACES}TRY AGAIN."!FVDV
=1THEN720      :rem 171
781 OPEN15,8,15:INPUT#15,EL$,E
Z$:PRINTEL$:EZ$:CLOSE15:GO
TO720      :rem 103
790 PRINT"[CLR][RVS]*** LOAD *
**[2 DOWN]"      :rem 212
795 PRINT"[2 DOWN](PRESS [RVS]
RETURN[OFF] ALONE TO CANCE
L LOAD)"      :rem 82
800 F$="":INPUT{2 DOWN} FILEN
AME":F$:IFF$="THENPRINT:G
OTO310      :rem 144
810 PRINT:PRINT"[2 DOWN][RVS]T
[OFF]APE OR [RVS]D[OFF]ISK
:(T/D)"      :rem 227
820 GETA$IFA$<"T"ANDA$>"D"
HEN820      :rem 34
830 DV=1-7*(A$="D"):IFDV=8THEN
F$="0":"+F$      :rem 157
840 T$=F$:ZK=PEEK(53)+256*PEEK
(54)-LEN(T$):POKE782,ZK/25
6      :rem 2
841 POKE781,ZK-PEEK(782)*256:P
OKE780,LEN(T$):SYS65469
                  :rem 107
845 POKE780,1:POKE781,DV:POKE7
82,1:SYS65466      :rem 70
850 POKE780,0:SYS65493      :rem 11
860 IF(PEEK(783)AND1)OR(191AND
ST)THEN870      :rem 111
865 PRINT"[DOWN]DONE." :GOTO310
                  :rem 96
870 PRINT"[DOWN]ERROR ON LOAD.
{2 SPACES}TRY AGAIN.[DOWN]
!FVDV=1THEN880      :rem 172
880 OPEN15,8,15:INPUT#15,EL$,E
Z$:PRINTEL$:EZ$:CLOSE15:GO
TO800      :rem 102
1000 REM BUZZER      :rem 135
1001 POKE54296,15:POKE54277,45
:POKE54278,165      :rem 207
1002 POKE54276,33:POKE 54273,6
:POKE54272,5      :rem 103
1003 FORT=1TO200:NEXT:POKE5427
7,32:POKE54273,0:POKE5427
2,0:RETURN      :rem 202
2000 REM BELL SOUND      :rem 101
2001 POKE54296,15:POKE54277,0:
POKE54278,247      :rem 152
2002 POKE 54276,17:POKE54273,4
0:POKE54272,0      :rem 86
2003 FORT=1TO100:NEXT:POKE5427
7,16:RETURN      :rem 57
3000 PRINTC$":{"RVS]NOT ZERO P
AGE OR ROM":GOTO1000
                  :rem 89

```



Copy Atari 400/800/XL Series Cartridges to Disk  
and run them from a Menu

## ATARI CARTRIDGE-TO-DISK COPY SYSTEM \$69.95

SuperCart lets you copy ANY cartridge for the Atari 400/800/XL Series to disks, and thereafter run it from your disk drive. Enjoy the convenience of selecting your favorite games from a "main screen" rather than swapping cartridges in and out of your computer. Each cartridge copied by SuperCart functions exactly like the original. SuperCart includes:

- **DISKETTE with:**  
COPY PROGRAM - Copies the cartridge to a diskette (up to 9 cartridges will fit on one disk.)  
MENU PROGRAM - Automatically runs and displays a menu prompting user for a ONE keystroke selection of any cartridge on the disk.

- **CARTRIDGE:**  
"Tricks" the computer into thinking that the original "copy protected" cartridge has been inserted.

To date there have been no problems duplicating and running all of the protected cartridges that we know of. However, FRONTLINER cannot guarantee the operation of all future cartridges. SuperCart is user-friendly and simple to use and requires no modifications of your hardware. **PIRATES TAKE NOTE:** SUPERCARD is not intended for illegal copying and for distribution of copyrighted software. Sorry!!

### SYSTEM REQUIREMENTS:

Atari 400/800 or XL Series Computer / 48K Memory / One Disk Drive  
Available at your computer store or direct from FRONTLINER. DEALER INQUIRIES ENCOURAGED  
**TOLL FREE ORDER LINE:** (24 Hrs.) 1-800-648-4780 (In Nevada or for questions Call: (702) 786-4600  
Personal checks allow 2-3 weeks to clear. M/C and VISA accepted.

**FRONTLINER COMPUTER INDUSTRIES**  
319 California Ave., Suite #712, Reno, Nevada 89509 - (702) 786-4600  
Others Make Claims... SUPERCARD makes copies!!!  
ATARI is a trademark of Warner Communications, Inc.

To receive additional  
information from  
advertisers in this issue,  
use the handy reader  
service cards in the  
back of the magazine.

## PARTS / SERVICE FOR ATARI\* COMPUTERS

Flat Service Rates Below Include Parts & Labor, 60 Day Warranty

800 Computer Repair .....	\$49.50	810 Disk Drive Repair .....	\$79.50
850 Interface Repair .....	\$49.50	800XL Computer Repair .....	\$49.50
800XL Computer Repair .....	\$49.50	1050 Disk Drive Repair .....	\$85.00
1200XL Computer Repair .....	\$49.50	800 Keyboard Repair .....	\$35.00

Above units repaired or exchanged with refundable exchange. Include \$7.00 return shipping and insurance.

### INTEGRATED CIRCUITS

GTIA Chip - C014805	
upgrade with instructions	\$11.50
10K Rev. B DS Upgrade - for 400/800	
3 Chip ROM set with instructions	\$10.00
C012294	\$8.50
C012296	\$9.50
C014765	\$8.50
C014806	\$10.00
C010745	\$10.00
C010750	\$9.50

### BARE BOARDS

With parts lists	
<b>850 INTERFACE BOARD</b> .....	\$16.50
Build your own interface!	
810 Analog Board .....	\$3.50
810 Rear Board .....	\$5.00

### DISK DRIVES, Etc.

<b>810 Custom Disk Drive</b> .....	\$145.00
<b>850 Custom Interface</b> .....	\$79.50
Replacement transformer for 800/400	\$70.00
810, 1050, 1200XL, 1020 .....	\$15.00
800XL/800XL/130XE	
Editor/Assembler	\$25.00
SAMS Service Manual	
for 800/400 or 800XL .....	\$19.95
De Re Repair Card .....	\$7.50
Inside Atari Basic .....	\$6.50

### SOFTWARE

Basic Cart .....	\$15.00
Editor/Assembler	\$15.00
D*bert Cart .....	\$12.50
Popeye Cart .....	\$12.50
Kindercomp Cart .....	\$10.00
Buck Rogers Cart .....	\$7.50
Jumbo-Jet Pilot .....	\$10.00
Crestline Cart .....	\$5.00
Chicken Cart .....	\$5.00

### MODULES/CIRCUIT BOARDS

complete with IC's

16KRAM Memory Module - CX853	\$15.00
800 10K Rev. B DS Module .....	\$15.00
800/400 CPU Board with GTIA	\$19.50
800 Main Board .....	\$24.50
400 Main Board .....	\$20.00
800 Power Supply Board .....	\$10.50
810 Data Separator Board	
upgrade with instructions	\$25.00
810 Side Board w/ Serp. & 1771 .....	\$43.50
810 Rear Power Board .....	\$25.00
810 Analog Board .....	\$16.00
810 Rear Board/Analog Board Upgrade	
with 10 pin jumper	
and instructions	\$37.50
800 DK Board Set .....	\$65.00
810 Board Set .....	\$89.50
800 48K Board Set .....	\$79.50

### AMERICAN TV

— 415-352-3787

Mail Order and Repair .....

15338 Inverness St., San Leandro, CA 94579  
Retail Store .....

1986 Washington Avenue, San Leandro, CA 94577  
Terms: We accept money orders, personal checks or C.O.D.s. — VISA, MasterCard okay on orders over \$20.00. No personal checks on C.O.D.

Shipping \$4.00 shipping and handling on orders under \$150.00. Add \$2.00 for C.O.D. orders. California residents include 5 1/2% sales tax. Overseas shipping extra.

Prices subject to change without notice. We reserve the right to limit quantities. Sales limited to stock on hand. Foreign shipping extra.

Much more!  
Send SASE for free price list.

\*Atari is a registered trademark of Atari Corp.

# CAPUTE!

Modifications or Corrections  
To Previous Articles

## Commodore 64 Disk Commander

This program from the September issue (p. 80) has a bug in the DOPEN command. Do not use DOPEN until you correct the problem. If you disassemble the relocated "Disk Commander" code, you'll notice the instruction CMP \$062D,X at location \$A797 in the DOPEN routine. The instruction should be CMP \$026D,X. This portion of the routine is intended to assign a unique secondary address to each opened file, but the bug causes all files to be opened with the same secondary address. If you never DOPEN more than one file at a time, there's no problem. However, multiple DOPENs lead to improperly closed files, which are denoted in the disk directory by an asterisk next to the filename. If you see any of these so-called poison files on your disk, you should remove them with the VALIDATE command (OPEN 1,8,15,"V0:" :CLOSE 1), not the SCRATCH command.

To fix "Disk Commander," first enter POKE 44,20:POKE 5120,0:NEW to reconfigure memory, then load and run "MLX". Use the MLX Load command (SHIFT-L) to load your existing version of Disk Commander. Next, use the New Address command (SHIFT-N) to move to line 3591, then enter the following new data:

3591 : 048,007,221,109,002,240,122

Now press SHIFT-S to call the MLX Save feature and save a copy of the corrected program.

Our thanks to reader Franz Paulsen for uncovering this bug.

## Atari Animation With P/M Graphics, Part 2

Part of line 90 is missing in the program example in the first column on page 102 of this article from the October issue. It should read as follows:

90 FOR X=PMBASE+1024 TO PMBASE+2048:  
POKE X,0:NEXT X

## The Last Warrior

A number of readers have had difficulties with line 480 in the IBM version of this game program from the September issue (p. 54). The first character within quotes in that line is the lowercase letter l, not the numeral 1. The two characters do have a similar appearance in the listing, but 164 is not a reasonable parameter for a PLAY statement, while 164 is. ©

## Word Processor For IBM

Professional Software has introduced *Write 'n Spell*, a \$149 word processor which contains an integrated 90,000-word dictionary that checks and corrects spelling. In addition to standard features found in most sophisticated word processors, *Write 'n Spell* also contains built-in mail-merge, graphing, and simultaneous typing-while-printing capabilities. The program will merge with Lotus 1-2-3, *pfs:File*, *Multiplan*, and many other popular application programs. The word processor also has pull-down HELP and OPTION windows.

*Write 'n Spell* is available for the IBM PC, PCjr, AT, and compatible computers.

Professional Software, Inc., 51 Fremont Street, Needham, MA 02194.  
Circle Reader Service Number 220.

## World War II Air War

Strategic Studies Group (SSG), creators of *Reach for the Stars* and *Carriers at War* strategy games, has released *Europe Ablaze: The Air War Over England and Germany 1939-1945*. This historical simulation contains three major scenarios, selected from the various phases of the air war, and also a game design kit that lets you create your own scenarios. Major bombing missions are planned twice each day, and players are required to select targets, plot course and speed, determine H-hour, and allocate squadrons. Fighter aircraft patrol and intercept in response to ground and radar sightings.

*Europe Ablaze* is available for Apple II-series computers (with 64K RAM) and for the Commodore 64, at a suggested retail price of \$50.

Strategic Studies Group, 1747 Orleans Court, Walnut Creek, CA 94598.  
Circle Reader Service Number 221.

## Apple II Spreadsheet

*Mouse Calc*, a mouse-controlled spreadsheet for the Apple IIc and 128K Apple IIe, has been announced by International Solutions, Inc. The program includes integrated graphics, mouse-operated editing and selecting

techniques, pull-down menus, and color display. *Mouse Calc* is the first in a series of application programs from International Solutions.

Users can perform 24 of the most commonly used arithmetic, logical, search, and other spreadsheet functions with *Mouse Calc*. The program provides rounding and logical functions such as AND/OR and TRUE/FALSE. *Mouse Calc* can merge two or more files, and it can read files created with *VisiCalc*, *AppleWorks*, and other programs using the DIF format.

The program requires a mouse controller, such as the AppleMouse II, and a second disk drive is recommended. Suggested retail is \$149.95, and includes a 90-day warranty.

International Solutions, Inc., 910 West Maude Avenue, Sunnyvale, CA 94086.

Circle Reader Service Number 222.

## Educational, Entertainment Programs

Among the software titles recently introduced by CBS Software are several educational and entertainment programs. Included are *The Body in Focus*, a self-paced color-graphics human anatomy program for the Apple II+, IIe, IIc, Commodore 64, and IBM PC (\$39.95 each); *Success with Math*, a series of math tutorials for ages 6 through 18 for the Apple II+, IIe, IIc, Commodore 64, and IBM PC/PCjr (\$24.95 each); *Success with Algebra*, a similar series covering algebra for grades 7-12 for the Apple II series, Commodore 64, and IBM (\$34.95); and *Quink*, a game of pattern recognition and knowledge for ages ten and older, for the Apple II series, 64, and IBM PC/PCjr (\$34.95).

CBS Software, One Faucett Place, Greenwich, CT 06836.

Circle Reader Service Number 223.

## 64 Bulletin Board

Bozart Co. has introduced two telecommunications packages for the Commodore 64: *Bozboard*, a full-featured bulletin board program, and *Bozterm*, an all-purpose terminal program. *Bozboard* is set to run with one or two 1541 disk drives or the MSD SD-2 dual drive.

It is compatible with the Commodore 1650 Automodem and also with the Westridge 6420, TeleLearning, Mitey Mo, and HES II modems. The system requires a printer.

With *Bozboard* (\$40), you have a choice of eight subboards, public messages, electronic mail, uploading, downloading, and a magazine feature which allows the system operator (sysop) to publish a color/graphics electronic magazine on the BBS. The program transfers files using the standard XMODEM protocol and its own Bozart protocol. The Bozart protocol is capable of transferring high-resolution graphics and allows the bulletin board user to view the graphics screen as it is downloaded.

*Bozterm* (\$20) offers the user the option of automatic dialing or manual dialing. Seven of the function keys can be defined to automatically transmit any 80-character message, read the disk directory, upload buffer contents, capture incoming data to the buffer, print it to the screen or a printer, or save it to disk as an edited or unedited file.

Bozart Co., 7818 Summerfield Road, Summerfield, NC 27358.

Circle Reader Service Number 224.

## Atari Interface

Integrated Computer Equipment Company (ICECO) has introduced the ICEPIC (ICE's Parallel Interface Converter), a printer interface for Atari computers which also includes graphics software drivers.

The ICEPIC converts parallel-interface (Centronics-compatible) printers to a joystick interface (joystick port 2 or 4) which can be used by Atari 400/800 and XL computers with no hardware modifications. The ICEPIC requires no 850 Interface Module, no cable, and no external power supply. The software supports any printer in text mode and provides graphic functions for Epson or Okidata 92/93 graphics compatible printers. The ICEPIC works with most Atari programs, such as most BASIC programs, *AtariWriter*, *Letter Perfect*, *B/GRAPH*, *Koala Micro Illustrator*, and *AtariArtist*. Several utility programs are included with



Circle Reader Service Number 225.


Circle Reader Service Number 226.

Circle Reader Service Number 227.

Comrex, a division of Epson, has released the CR-128 intelligent printer buffer. Features include 128K buffer

**Circle Reader Service Number 228.**

*Under Fire*, from Avalon Hill, combines the depth of a war game simulation with the colorful graphics of an arcade game. Authentic armies, weapons, and maps from World War II add to the game's realism. Different maps and scenarios are included on disk; players can also create their own.



*Under Fire* is available for the Apple II series. A joystick is optional for the Apple IIc and IIe, but required for the II+. Suggested retail price is \$59.95.

Avalon Hill Game Company, 4517  
Hartford Rd., Baltimore, MD 21214.  
Circle Reader Service Number 229.

Data files can be converted from the Master Disk File to the *Disk Data Base* format. Also featured are numerous prompts and an online dictionary of terms. *Disk Data Base* requires Extended BASIC, a 32K memory expansion unit, and a disk drive and controller. A printer and second disk drive are recommended. Price: \$15.

Circle Reader Service Number 230.

Circle Reader Service Number 231.

Circle Reader Service Number 232.

Circle Reader Service Number 233.

A new program from Psychometric

Software provides assistance in identifying goals and organizing time. Developed by a psychiatrist, *Life/Time Manager* is based on psychological and time management principles. It consists of three sections: Goals, Activities, and Schedules. Included are a prioritized daily To Do List and a weekly schedule analysis.

The program runs on the IBM PC, PCjr, or AT, with at least 128K RAM; or on the Apple II+, IIc, or IIe. Suggested price is \$49.95.

Psychometric Software, Inc., 2050 S. Patrick Dr., Indian Harbour Beach, FL 32937.

Circle Reader Service Number 234.

### Nutrition And The Apple

The Center for Science in the Public Interest, a nonprofit consumer group, has developed *Nutrition Express*. This game teaches the basic concepts of nutrition and diet through a series of questions and clues. Action takes place in the land of FodaFoda, where the student answers questions correctly in order to earn currency for the grocery store and to invite friends from FodaFoda back home. The game is geared toward youngsters aged nine and up.

*Nutrition Express* comes with a user's guide, teaching suggestions, and a "Nutrition Scoreboard" wall chart. For the Apple II series; price is \$39.95.

Center for Science in the Public Interest, 1501 Sixteenth St., NW, Washington, DC 20036.

Circle Reader Service Number 235.

### Titling Videos

A new program from Videoware can put titles, custom messages, colored screens, and leaders onto videotapes. *Video Title Editor* offers a menu of more than 20 different displays, including some for weddings, birthdays, and video mail. Also included are displays for Presented By, Starring, and Credits.

The program requires a videocassette recorder and either an Apple II, Atari, Commodore 64, VIC-20, or IBM PC/PCjr. Price is \$29.95.

Videoware, 1977 W. 12 Mile Rd., Suite 180, Southfield, MI 48076.

Circle Reader Service Number 236.

### New IBM Telecommunications Utility

*Mastercom*, a new release from The Software Store, is a full-featured smart terminal and file transfer utility for the IBM PC and PCjr. It turns the computer into a terminal on a time-sharing system, captures data onto a disk and/or printer from almost any computer, and can send files to almost any type of

computer. *Mastercom* supports most communication protocols including Christensen XMODEM, xon/xoff, line at a time, and no protocol. Other features of *Mastercom* include auto dial, auto answer, batch file transfer, and host mode unattended operation.

For the IBM PC, PCjr, and most compatibles. Suggested retail price is \$49.

The Software Store, 706 Chippewa Square, Marquette, MI 49855.

Circle Reader Service Number 237.

### Multi-Color Printing Package

A black-and-white printer can now make up to 80 full-color prints using an Apple computer and *Prince*, a new program from Baudville. The program's library of fonts can be used to make color T-shirt transfers, banners, letterheads, and labels. *Prince* can also capture any standard or double hi-res picture for editing and printing.

Four color ribbons are included for the following printers: Imagewriter, DMP, C. Itoh 8510/Prowriter, 8510 SC, NEC 8023, and Epson MX-80, RX-80, and FX-80. *Prince* sells for \$69.95.

Baudville, 1001 Medical Park Dr. SE, Grand Rapids, MI 49506.

Circle Reader Service Number 238.

### Electronic Trivia

Mentor Learning Systems has introduced *Ultimate Trivia*, a game featuring 4,000 facts and 200 color graphics. The facts are divided into nine categories: Music, Cinema, Geography, Sports, General Information, People, Art, History, and Television. The graphics are revealed piece by piece as each category is answered correctly. *Ultimate Trivia* can be played individually or in teams.

The program sells for \$49.95 and runs on all Apple computers (with at least 64K RAM) and the IBM PC/PCjr.

Mentory Learning Systems, Inc., 1825 De La Cruz Blvd., Santa Clara, CA 95050.

Circle Reader Service Number 239.

### New Infocom Adventures

Infocom has added two new products to its interactive fiction line. In *A Mind Forever Voyaging*, you play the role of a computer that has been raised as a human being up to the age of 20. You must enter a simulation of the future to see whether a plan proposed by current government and industry leaders will be beneficial for the country. Due to Infocom's new development system and an expanded 1,700-word vocabulary, the emphasis in this game is less on solving puzzles and more on revealing the story's details. (Requires at least

128K RAM; Apple II series, IBM PC/PCjr/XT/AT, Atari ST, Amiga, and Macintosh; \$44.95.)

*Spellbreaker* completes Infocom's *Enchanter* trilogy of adventures. When a world based on sorcery finds its magic failing, you, as the leader of the Circle of Enchanters, must find and destroy the cause of this failure. (Apple II series, Amiga, IBM PC/PCjr/XT/AT, Macintosh, and MS-DOS compatibles, \$49.95; Atari 400/800, XL/XE, ST, Commodore 64/128, \$44.95.)

Infocom, Inc., 125 Cambridge Park Drive, Cambridge, MA 02140.

Circle Reader Service Number 240.

### Parallel Printer Converters

Two new serial-to-parallel printer converters have been released by Practical Peripherals. The *Switchport IIc* was designed especially for the Apple IIc and allows the computer to be interfaced with a parallel printer. The *Switchport 232* transforms serial data into parallel, allowing any RS-232 computer to be interfaced with a Centronics parallel printer.

Both units come with a five-year limited warranty and retail for \$109.

Practical Peripherals, 31245 LaBaya Drive, Westlake Village, CA 91362.

Circle Reader Service Number 241.

### Productivity, Education, Entertainment Software


Brøderbund Software has introduced a hardware/software combination that turns your home computer into a science lab. The *Science Toolkit Master Module* includes a temperature-sensing probe, a light-sensing probe, and a special interface that connects them to an Apple II via the joystick port. Using the software's thermometer, light meter, timer, and strip chart, you can perform a wide variety of scientific experiments. (At least 64K RAM required; Apple IIe/IIc, II+ with joystick port adapter; \$59.95.)

Two new packages have been added to the *Bank Street* series of productivity software. *Bank Street Mailer* is a combination letter-writing/mailling list program. *Bank Street Filer* is a database manager/report-generating program. There are two versions of each program: a 64K version for the Apple II+ and IIc offers a 40-column screen display, and a 128K version for the Apple IIc and 128K IIe offers a 40- or 80-column display and includes an on-screen calculator. They are compatible with the *Bank Street Writer* word processor. All retail for \$69.95 each.

*Captain Goodnight and the Islands of Fear* is an arcade game that plays like an adventure movie. In your role as

Captain Goodnight, you must pilot helicopters, airplanes, tanks, trucks, and a submarine in your attempt to save the world from destruction. (Apple II series with at least 48K RAM; \$34.95.)

Bröderbund Software, 17 Paul Drive, San Rafael, CA 94903.



A strip chart from Bröderbund's Science Toolkit.

Circle Reader Service Number 242.

### Computerized Diet Plan From Bantam

The Complete Scarsdale Medical Diet, based on the bestselling book by the same name, is now available in a software package from Bantam Electronic Publishing. Based on sound nutritional principles, the program offers healthy, controlled weight loss. Diet features a meal-planning calendar, shopping list, expandable food directory, meal planner and analysis, and comparison charts.

Available for the Apple II series and IBM PC/PCjr, the program retails for \$39.95.

Bantam Electronic Publishing, 666-5th Ave., New York, NY 10103.

Circle Reader Service Number 243.

### Koalpad+ For Apple II

Koala Technologies has announced an enhanced version of the Koalpad, called Koalpad+, for the Apple IIc and IIe. The new version offers enhanced product styling, a gridded tablet surface, and additional graphics software. The software, *Graphics Exhibitor*, lets users edit images they have created.

Suggested retail price for the Koalpad+ is \$125.

Koala Technologies, 2065 Junction Ave., San Jose, CA 95131.

Circle Reader Service Number 244.

### Productivity Software For Commodore 64

Datamost has announced the KWIK line of home productivity software for the Commodore 64. Each package includes KWIK-LOAD! (a Datamost fast-loading program) and retails for \$19.95.

The series includes KWIK-WRITE!,

a word processor; KWIK-SPELL!, a spelling checker; KWIK-FILE!, a database manager; KWIK-CALC!, a spreadsheet program; KWIK-PAINT!, a graphics editor; KWIK-CHECK!, a checkbook balancing and maintenance program; KWIK-PAD!, a desk secretary program; and KWIK-PHONE, a communications program.

Datamost, 19821 Nordhoff Street, Northridge, CA 91324.

Circle Reader Service Number 245.

### Foreign Language Vocabulary Programs

Gessler Educational Software has produced three foreign language versions of its bestselling vocabulary program *Word Attack!*. *Bataille De Mots* (French), *Batalla De Palabras* (Spanish), and *Wortgefecht* (German) are available for the Apple II series, IBM PC/PCjr, and Commodore 64 for \$49.95.

*Word Attack!*, as well as its foreign language versions, teaches vocabulary words and grammar with word displays, quizzes, sentence completion, and an arcade game.

Gessler Educational Software, 900 Broadway, New York, NY 10003.

Circle Reader Service Number 246.

### Inexpensive Accounting Software

DAC-Easy Accounting, from DAC Software, is a seven-in-one accounting package offered at a special introductory price of \$49.95. Its seven individual modules—general ledger, accounts receivable, accounts payable, billing, purchase order, inventory, and forecasting—are integrated, allowing automatic posting between modules.

The system also has spreadsheet capability, letting the user experiment with "what-if" scenarios without entering actual data. It is compatible with the IBM PC and PCjr.

DAC Software, Inc., 5580 Peterson, Suite 130, Dallas, TX 75240.

Circle Reader Service Number 247.

### MIDI Editor

RolandCorp has released *MUSE* (MIDI Users Sequencer/Editor) for the Apple II series and Commodore 64. The program features eight independent tracks for recording and overdubbing sequences, track merging capability, track muting, looping by song or track length, and selectable time signatures. The editing functions can be used to insert, delete, move, copy, and rearrange measures of any track so that a composition can be changed after it has been recorded.

*MUSE* is compatible with any MIDI instrument and can be synchronized with drum machines, other sequencers,

and multitrack tape decks. An interface is required. Suggested retail price is \$150 for each version.

RolandCorp US, 7200 Dominion Circle, Los Angeles, CA 90040.

Circle Reader Service Number 248.

### New PCjr Drive

A second disk drive can now be added to the IBM PCjr without adding extra circuitry or another power supply. The Junior Drive II System, from PC Enterprises, includes a 360K double-sided double-density 5-1/4 inch floppy disk drive with power supply, an adapter module, a software patch, a two-drive signal cable, and an instruction manual. The system is compatible with existing external modems, parallel printer ports, and memory expansions.

The Junior Drive II System lists for \$395. For those who wish to connect their own IBM-compatible drive, the adapter module and software patch are available separately.

PC Enterprises, P.O. Box 292, Belmar, NJ 07719.

Circle Reader Service Number 249.

### The Smoking Decision

A new program from Sunburst was created to alert students to the dangers of cigarette smoking. It begins by presenting facts about health risks related to smoking, and then explores issues such as peer pressure. Throughout the program, students are confronted with a series of incremental decisions, leading to a final decision whether to smoke.

The *Smoking Decision* is suitable for youngsters in grades 6 through 12. It runs on any Apple II computer with at least 48K memory. The \$59 retail price includes a backup disk and teacher's guide.

Sunburst Communications, Inc. 39 Washington Ave., Pleasantville, NY 10570.

Circle Reader Service Number 250.

### Arcade And Adventure Games For Commodore 64

Artworx has released two new games for the Commodore 64 and 128. *Falcon Patrol II* puts the user in the pilot's seat of a Falcon fighter, fully equipped with air-to-ground and air-to-surface missiles. The object of the game is to ward off the enemy's helicopter attack squadrons. Its 16 levels of play are enhanced by 3-D graphics and sound effects.

In *Sorcery*, you are the last of the great sorcerers, given new strength and powerful spells. You must use them to regain your conquered homeland and restore its previous quality of life. *Sorcery* resembles an arcade game, but



plays much like an adventure game.

Both games retail for \$19.95.

Artworx Software Company, Inc., 150 N. Main St., Fairport, NY 14450.

Circle Reader Service Number 251.

## Educational Software For The Classroom

Focus Media, Inc. publishes an extensive line of classroom programs for a variety of computers. In *Za-Zoom*, *The Geography Genie*, students take the role of explorer as they try to determine where they are by examining the culture around them. The two programs in this package, *Travels with Za-Zoom: The World and Travels with Za-Zoom: The U.S.* retail for \$129; either program can be purchased separately for \$79. (Apple II series, Commodore 64, IBM PC/PCjr.)



Students learn about such concepts as latitude and longitude with *The Language of Maps*.

Students can go back in time with *The Time Tunnel: America Series Package*. During each journey, students must use clues to gather facts and guess the identities of historical figures. The package contains six programs: *Early America (2)*, *A Nation Emerges (2)*, and *The Presidents (2)*. Suggested retail price for the complete package is \$179; each series can be purchased individually for \$79. (Apple II series, Commodore 64, IBM PC/PCjr.)

*The Language of Maps* is a series of six programs that helps students learn about maps and map terminology. Topics covered include oceans and continents; land areas and water bodies; highlands and lowlands; and finding places on maps. The *Instant Computerized Glossary* explains unfamiliar terms. *The Surface of the Earth and Location and Distance* retail as a package for \$159; individually, each costs \$79. (Apple II series.)

A Teacher's Lesson Planner and free backup disks are included with all packages.

Focus Media, Inc., 839 Stewart Ave., Garden City, NY 11530.

Circle Reader Service Number 252.

# MUST LIQUIDATE COMMODORE COMPATIBLE BELL & HOWELL DOT MATRIX COMPUTER PRINTER AT BELOW DEALER COST!



Bell & Howell  
Model P-100  
Made in  
U.S.A.

Size: 16" W x 10 1/2" D x 6" H  
Weight: 16 lbs.

## PUBLIC NOTICE

INTENSE COMPETITION  
IN THE COMPUTER  
INDUSTRY LEADS TO  
UNPROFITABLE LINE  
FOR BELL & HOWELL  
C.O.M.B. authorized to  
liquidate recent model  
printers at BELOW dealer  
cost!

- Fast, 100 characters per second! (for faster model, see below.)
- Heavy-duty for constant use on big jobs!
- Compatible with Commodore 64 & SX64!

## Save hundreds of dollars on a top name brand!

Here's a sensational value on a fast-operating, excellent quality, heavy-duty printer. It INCLUDES an interface for hookup to your Commodore 64 or Commodore SX64.

Compared to many competitive models, THESE printers are FASTER! Virtually trouble-free. Built to handle BIG office jobs. The P-100 has a memory which allows data storage WHILE the printer is running! And it can print in a variety of type styles, from large and bold to small and light!

Other special features include: Easy loading, long-life cartridge ribbon. Crisp printing. And, with your purchase, you get a TOLL-FREE phone number to call for useful tips or questions you might have.

**CHARACTER SET:** Full upper and lower case 96 character ASCII set with descenders and underlining. Software selectable single or double wide character fonts. **GRAPHICS:** High resolution dot addressable graphics.

**PRINT FORMAT:** 8" line length; 80 characters per line at 10 CPI; 136 characters per line at 17 CPI.

**PAPER SLEW (ADVANCE):** 10 lines per second, stepper motor controlled. User selectable pressure roller or tractor feed.

**DATA INPUT:** Parallel. Centronics type 7-bit ASCII. TTL level with STROBE. **ACKNOWLEDGE** returned to indicate data was received. SERIAL: RS232C. With BUSY handshake. 10 or 11 bits; 110, 150, 300, 1200 Baud. **INPUT POWER:** 115 volts.

**PRINT RATE:** 100 characters/second. Data Buffer: 1K (Optional expandable to 2K).

**OPERATIONAL CONTROLS:** Power on/off, set top of form, select/deselect, line/forms, feed.

**MEDIA:** Roll paper: 8 1/2" W x 5' D. single ply or pressure sensitive multiple copy paper. .012" max. thickness. Fan fold paper: 1" to 9 1/2"

sprocket (including sprocket margins). .012" max. thickness.

**CUT SHEET PAPER:** max. width, 9 1/2".

**TYPE OF PRINTING:** Impact bidirectional, 7x9 dot matrix for data printing, 11 x 9 matrix for correspondence printing.

**RIBBON:** Continuous loop cartridge, 20 yards by 1/2" ribbon, 5 million character life.

**90 Day Limited Factory Warranty on Printer Parts and Labor!**

**Mfr. List Price (with interface) . . . \$644.95**

Includes Commodore Interface!  
**Price Now Only: \$238**

Item H-726-63327-10 Ship, handling: \$10

**HI-SPEED MODEL P-150**  
**150 characters per second!**

Same specifications as P-100 above, but with following special features: Tractor feed. 2K data buffer (optional; expandable to 4K and/or 68K). Paper advance of 20 lps. 14 1/4" maximum paper width. Impact logic seeking printing. 50 yd. loop cartridge ribbon: 10 million characters. Size: 23" W x 16 1/2" D x 7 1/2" H. Weight: 25 lbs. Interface included.

**\$288**

Item H-726-63327-11 Ship, handling: \$14

Price subject to change after 60 days.

Sales outside continental U.S. are subject to special conditions. Please call or write to inquire.

**C.O.M.B. CO.®** Item H-726  
14605 28th Ave. N., Minneapolis, MN 55441-3397  
Please send items indicated below. (Minnesota residents add 6% sales tax. Allow 3-4 weeks for delivery. Sorry, no C.O.D. orders.)  
P-100 Printer(s) with interface at \$238 each plus \$10 each for ship, handling; Item H-726-63327-10  
P-150 Printer(s) with interface at \$288 each plus \$14 each for ship, handling; Item H-726-63327-11

☐ My check or money order is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.)

Charge my: ☐ MasterCard® ☐ VISA

Acct. No. \_\_\_\_\_ Exp. \_\_\_\_\_

PLEASE PRINT CLEARLY

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ ZIP \_\_\_\_\_

Phone \_\_\_\_\_

Sign here \_\_\_\_\_



Credit card members  
can order by phone,  
24 hours a day,  
7 days a week!

**Toll-Free: 1-800-328-0609**

Your check is welcome!  
No delays when you pay by check!

**C.O.M.B. CO.®**

Authorized Liquidator

14605 28TH AVENUE NORTH  
MINNEAPOLIS, MINNESOTA 55441-3397

# presenting . . . **CAPTURE™**

**A NEW WAY TO UNLOCK THE POWER OF YOUR C64 OR C128\***

- **CAPTURE** IS A CARTRIDGE THAT PLUGS INTO YOUR COMPUTER'S EXPANSION PORT.
- **CAPTURE** DOES NOTHING — UNTIL YOU PRESS ITS **CAPTURE** BUTTON. UNTIL THEN, A RUNNING PROGRAM CANNOT DETECT ITS PRESENCE.
- **CAPTURE** THEN TAKES CONTROL — NO IFS, ANDS OR BUTS — AND PRESENTS A MENU.
- **CAPTURE** WILL NEATLY SAVE EVERYTHING IN YOUR COMPUTER TO YOUR 1541 OR COMPATIBLE DISK DRIVE — ALL 64K OF RAM, CPU, VIC AND SID CHIP REGISTERS — EVERYTHING. IN EASY TO VIEW CHUNKS.
- **CAPTURE** WILL, IF YOU WANT, PRE-CONFIGURE YOUR COMPUTER'S RAM SO THAT ONLY MEMORY ALTERED BY YOUR PROGRAM NEED BE SAVED.
- **CAPTURE** WILL WRITE A BOOT ON YOUR DISK SO YOU CAN RELOAD AND BEGIN EXECUTION RIGHT WHERE YOU LEFT OFF.
- **CAPTURE** DOES ALL THIS AT A COST OF JUST **\$39.95**

## **BUT HERE'S THE BEST PART**

- **CAPTURE** WILL MAKE AN AUTO-START CARTRIDGE OF YOUR PROGRAM. IT'S EASY! JUST FOLLOW THE DIRECTIONS ON THE SCREEN. NOW PLUG IN YOUR CARTRIDGE AND TURN ON YOUR COMPUTER. IN LESS THAN TWO SECONDS YOUR PROGRAM BEGINS AGAIN AT PRECISELY THE POINT WHERE YOU **CAPTURE'D** IT. MAGIC!

BESIDES **CAPTURE**, YOU NEED A *promenade* C1 AND A SUPPLY OF CPR3 CARTRIDGE KITS.

## **ORDERING INFORMATION**

- **CAPTURE** CARTRIDGE — COMPLETE WITH INSTRUCTIONS ..... \$ 39.95
- *promenade* C1 — EPROM PROGRAMMER WITH DISK SOFTWARE ..... 99.50
- CPR3 CARTRIDGE KIT — PC BOARD, CASE AND 3 EPROMS ..... 29.95
- DR—EPROM ERASER, TWO AT A TIME, 3 TO 10 MINUTES ..... 34.95
- STARTER SET — **CAPTURE**, *promenade* C1 AND 1 CPR3 ..... 149.95
- DELUXE SET — **CAPTURE**, *promenade* C1, DR AND 2 CPR's ..... 199.95

**SHIPPING AND HANDLING — USA: UPS SURFACE \$3.00**

**BLUE LABEL \$5.00**

**NEXT DAY AIR \$13.00**

**CANADA: AIR MAIL \$7.00**

**OTHER FOREIGN AIR \$12.00**

CALIFORNIA RESIDENTS ADD APPLICABLE SALES TAX

COD ORDERS, USA ONLY, ADD \$3.00

C64 AND C128 TM COMMODORE ELECTRONICS, LTD. \*WHEN OPERATING IN 64 MODE

TO ORDER: TOLL FREE 800-421-7731  
FROM CALIFORNIA 800-421-7748

TECHNICAL SUPPORT AND 408-287-0259  
FROM OUTSIDE THE US: 408-287-0264



**JASON-RANHEIM**

580 PARROT STREET  
SAN JOSE, CA USA 95112



# DISK WORLD! is proud to introduce the lowest-priced, LIFETIME-WARRANTY diskettes ever!

## And they're BRAND NAME PRODUCT to boot!

### 5.25" SSDD → .69 ea. 5.25" DSDD → .79 ea.

### 5.25" DSDD-HD → \$2.25 ea.

### 3.50" SSDD → \$2.09 ea. 3.50" DSDD → \$2.55 ea.

Based on multiples of 100 each.  
Boxed in 10's with heavy-duty cardboard sleeves, user ID labels,  
reinforced hubs (where appropriate) and write-protect tabs.

#### Introducing Wabash Pinnacle Series Diskettes.

Two years ago, if you'd told me I'd be writing this ad, I would have laughed.

At that time, Wabash diskettes were synonymous with "s---". Just saying that quality control was poor would be charitable.

So much was wrong that DISK WORLD! wouldn't sell them.

#### That was yesterday.

Kearney National Inc., a \$202-million division of a much larger company, came into Wabash. Out went the old management, the old methods, the old production techniques... and in went a lot of new people, ideas, production lines and some really imaginative thinking.

#### The end result.

Today, I'm proud to offer you the Wabash Pinnacle Series of diskettes at the prices shown.

This isn't evolution in diskette manufacturing; it's revolution.

#### Here's what you get.

Wabash Pinnacle diskettes are...  
...certified 100% Error Free  
...are covered by a LIFETIME WARRANTY  
...meet or exceed all industry specifications (by quite some distance)  
...and are simply the best value in diskettes available today.

#### The torture test.

Considering Wabash's earlier dubious reputation, I wasn't exactly a true believer when their Director of Marketing came into my office with samples.

So I took a box at random, selected a disk, bent the thing every which way and slipped it into my IBM PC. It formatted. It booted. It stored and retrieved data.

#### That wasn't enough.

I gave samples of the diskettes to Curt Rostenbach and, in turn, to Tom Streit, both hackers of long experience and members of the Wauegan (Illinois) Apple Users Group.

Tom really went at it. He took a quartz-halogen lamp, aimed it at the diskette until it started to smoke (and melt)... and then formatted, booted the diskette and stored and retrieved data. The same terribly (and intentionally) mutilated diskette ran on an ITT, Corona and IBM.

Curt was nicer. He simply bent the diskette every which way... and it still formatted, booted and ran on his Apple.

#### The best buy I've ever seen.

DISK WORLD! Inc. sells more flexible magnetic media by mail-order than anyone else in the world.

I, as President of the corporation, won't tolerate a product with a failure rate of more than 1/1000th of 1 percent.

I also don't like companies who try to milk a "quality" or "premium" image for a higher price like Dyan and Verbatim did... until they failed.

As President of DISK WORLD! Inc., my motto is simple: "the best diskette for the least amount of money."


#### Wabash is it.

Right now, there is no better value than the Wabash Pinnacle Series of diskettes.

Granted, you have to buy a hundred at a time, but so what? Split the order with friends, relatives, co-workers or even your worst enemies.

The key thing is to get the most diskette for the money. And this is it.

(Incidentally, as a corporation, we put our money where our



mouth is: Our first order for Wabash Pinnacle diskettes was 1.5 million units.)

That's an awful lot of faith and confidence.

But, then again, I have the diskette that Tom Streit literally melted... and kept on running.

#### The truth about \$1.00 or less diskettes.

More and more ads are popping up offering diskettes for \$1.00 or less.

By the same token, more and more people who were selling used cars a few months ago are now selling diskettes by mail.

We did a little survey of current ads for diskettes advertised for a dollar or less and did some analysis of the market and here's what we found as it applies to 5.25" DSDD diskettes "supposedly" selling for a dollar or less.

VENDOR:	ADVERTISED LOW PRICE:	ACTUAL PRICE PER 100:	ACTUAL MFGFR:
Unitech	89 ea.	92 ea.	Unspecified.
Qatatch	99 ea.	99 ea.	Unspecified.
Computer Club	95 ea.	98 ea.	Unspecified.
	99 ea.	1.02 ea.	Unspecified.
Communications & Electronics	49 ea.	80 ea.	Unspecified.
Precision Data	89 ea.	93 ea.	Unspecified.
Diskette Conn.	93 ea.	93 ea.	Unspecified.
Comp. Soft Serv.	77 ea.	77 ea.	Unspecified.
		+ shipg	
Computer/Computer	99 ea.	99 ea.	Unspecified.
DISK WORLD	89 ea.	92 ea.	Wabash Datacheck

#### The real truth about \$1.00 or less diskettes.

It costs all diskette manufacturers about the same to produce a diskette. Some may charge more because they want to project a "premium quality" image, ala the late, lamented Dyan who bought their basic media from 3M.

Some charge less because they sell a sub-standard product... and we're not foolish enough to name names here.

But here's the truth about the \$1.00 or less diskette market. It falls into four categories:

1. The DISK WORLD! of the universe who simply are so big that they can buy first quality product in massive quantities and choose to pass on the savings to you. (Precision Data and Diskette Connection on BRAND NAME products also fall into this category.)

2. The people who buy "cosmos"... stuff from major manufacturers that usually hits quality control standards, but is cosmetically blemished and thus can't be packaged and sold under the manufacturer's own name.

3. "Duplicate Quality". Uncertified media, usually below manufacturer's own standards and frequently below ANSI and IBM standards. Sold on an "as is" basis with the understanding that the manufacturer's name will never be divulged. Usually about a 20% reject rate... as compared to DISK WORLD!'s standard of less than 1/1000th of 1% reject/return rate. Next to garbage, this is the source of most diskettes advertised at a dollar or less.

They may work... and then again they may not. (Frankly, the odds at the Blackjack table in Las Vegas are more in your favor.)

4. Garbage. Stuff that shouldn't be sold at all. But some manufacturers are hurting for cash, so they sell it anyway. (After all, they want to meet their payroll. Look what happens when you don't: you become a Dyan or Verbatim. Lots of history, but no money.) More and more garbage is being dumped into the market as manufacturers become desperate for cash and are motivated into selling anything and everything they can manufacture. (Read the article in FORBES about Verbatim and its "Bonus" brand.)

Finally, the lawrence county prisoners are moving into the act. Perfect duplicates of the packaging of major manufacturers with one exception: the quality isn't there.

#### The Critical Factor.

Only DISK WORLD! Inc. offers truly brand-identified, LIFETIME-WARRANTY product for less than a dollar.

Every one else offering 5.25" product for less than a buck doesn't tell you who makes it.

We do. And that ought to tell you a lot right there.

### Ordering & Shipping Instructions

SHIPPING: Wabash Pinnacle Diskettes are sold in multiples of 100 only. Shipping charges are \$3.00 per 100, regardless of type or size.

PAYMENT: VISA, MASTERCARD and PREPAID orders accepted. Corporations rated 3A2 or better and government and quasi-government open accounts are accepted on a NET 15 basis.

C.O.D. orders are subject to a \$5.00 special handling charge. (Sorry for the increase, but too many people have been refusing C.O.D. orders or using bad checks. It's a classic example of a few "bad eggs" making life more expensive for everyone else.)

APO, FPO, AK, HI & PR ORDERS: Including shipping as shown and an additional 5% of the total amount of the order to cover PAL and insurance.

No other non continental U.S. orders are accepted.

TAXES: Illinois residents only add 7%.

MINIMUM ORDER \$35.00

All orders subject to acceptance.

Not responsible for typographical errors.

#### ORDERS ONLY:

1-800-621-6827

(In Illinois: 1-312-258-7140)

#### INQUIRIES & INFORMATION

1-312-258-7140

#### FOR FAST SERVICE, USE MCI MAIL

Just address to: DISKORDER

(24-hour shipping on any item in stock if you order via MCI MAIL.)

# DISK WORLD!, Inc.

629 Green Bay Road  
Wilmette, Illinois 60091



# MONITORS DISK DRIVES

\$149

FULL  
COLOR  
COMMODORE 1702



\$159

1541  
COMMODORE



## VIDEO

COLOR  
VIDEO CAMERA  
& RECORDER

\$698



PORTABLE  
VIDEO RECORDER

\$198



1-800-328-8322 EXT 581

T & D ELECTRONICS  
10517 UPTON CIRCLE  
BLOOMINGTON, MN 55431

# PROFESSIONAL HANDICAPPING SYSTEMS

• PRESENTED BY PROFESSOR JONES •

## MARKET YOUR SOFTWARE INEXPENSIVELY

*Professor Jones will be reviewing 3rd party software for our newest catalogue*

If you currently market or plan to market PROFESSIONAL software dedicated to handicapping, stock market analysis, sports, accounting, or business application, Prof. Jones is now reviewing software for the Spring '86 catalogue. ALL software will be reviewed and developers will either receive a letter of review and/or a multilevel contract proposal.

*(Sorry, we will review software but it cannot be returned)*

Call (208) 342-6939 or Mail to:

Professor Jones  
1940 West State Street  
Boise, Idaho 83702



### NEW! Universal Parallel Graphics Interface

*\$50 for your old  
interface*

- Built-in self-test with status report
- Optional RAM printer buffer
- Provides virtually total emulation of Commodore printers for compatibility with popular software
- ASCII conversion, total test, Emulate & transparent mode
- Fully intelligent interface that plugs into standard Commodore printer socket
- Exclusive graphic key-match function


Micrografix MW-350 ..... \$129  
..... \$79.00 with any trade in

- Switch selectable Commodore graphics mode for Epson, StarMicro, C. Itoh, Prowriter, Okidata, Seikoshia, Banana, BMC, Panasonic, Mannesman Talley & others

### Universal Input/Output Board for C-64 & C-128

- 16 Channel 8-bit A/D converter with 100 microsecond sampling time.
- 1 D/A output
- 16 high voltage/high current discrete output
- 1 EPROM socket
- Use multiple boards for additional channels up to 6 boards

CBM-64 used MW-611 ..... \$225.00



Dealer Inquiries invited

Micro World Computers, Inc. (303) 987-9531  
3333 W. Wadsworth Blvd. #C105  
Lakewood, CO 80227



## COMPUTE! Subscriber Services

Please help us serve you better. If you need to contact us far any of the reasons listed below, write to us at:

COMPUTE! Magazine  
P.O. Box 10955  
Des Moines, IA 50590

or call the Toll Free number listed below.

**Change Of Address.** Please allow us 6-8 weeks to effect the change; send your current mailing label along with your new address.

**Renewal.** Should you wish to renew your COMPUTE! subscription before we remind you to, send your current mailing label with payment or charge number or call the Toll Free number listed below.

**New Subscription.** A one year (12 month) US subscription to COMPUTE! is \$24.00 (2 years, \$45.00; 3 years, \$65.00. For subscription rates outside the US, see staff page). Send us your name and address or call the Toll Free number listed below.

**Delivery Problems.** If you receive duplicate issues of COMPUTE!, if you experience late delivery or if you have problems with your subscription, please call the Toll Free number listed below.

**COMPUTE!**  
**800-334-0868**  
In NC 919-275-9809

# What the world really needs is a 69 cent Double Sided, Double Density Diskette with a LIFETIME WARRANTY!

## And DISK WORLD! has it.

### Introducing Super Star Diskettes: the high quality diskette with the lowest price and the best LIFETIME WARRANTY!

In the course of selling more than a million diskettes every month, we've learned something: higher prices don't necessarily mean higher quality.

In fact, we've found that a good diskette manufacturer simply manufactures a good diskette...no matter what they charge for it. (By way of example, consider that none of the brands that we carry has a return rate of greater than 1/1,000th of 1 percent!)

In other words, when people buy a more expensive diskette, they aren't necessarily buying higher quality.

The extra money might be going toward flashier advertising, snazzier packaging or simply higher profits.

But the extra money in a higher price isn't buying better quality.

All of the good manufacturers put out a good diskette. Period.

#### How to cut diskette prices ...without cutting quality.

Now this discovery posed a dilemma: how to cut the price of diskettes without lowering the quality.

There are about 65 companies claiming to be "diskette" manufacturers.

Trouble is, most of them aren't manufacturers.

Rather they are fabricators or marketers, taking other company's components, possibly doing one or more steps of the processing themselves and pasting their labels on the finished product.

The new Eastman Kodak diskettes, for example, are one of these. So are IBM 5 1/4" diskettes. Same for DYSAN, Polaroid and many, many other familiar diskette brand names. Each of these diskettes is manufactured in whole or in part by another company!

So, we decided to act just like the big guys. That's how we would cut diskette prices...without lowering the quality.

We would go out and find smaller companies to manufacture a diskette to our specifications...specifications which are higher than most...and simply create our own "name brand" diskette.

Name brand diskettes that offered high quality at low prices.

SUPER  
STAR  
DISKETTES

5 1/4"  
SSDD  
\$.55 ea.  
Qty. 50



5 1/4"  
DSDD  
\$.69 ea.  
Qty. 50

Super Star diskettes are sold in multiples of 50 only. Diskettes are shipped with white Tyvek sleeves, reinforced hubs, user ID labels and write-protect tabs.

**Boy, did we get lucky. Our Super Star Diskettes are the same ones you've been using for years...without knowing it.**

In our search for the low priced, high quality diskette of our dreams, we found something even more interesting.

We found that there are several manufacturers who don't give a hoot about the consumer market for their diskettes. They don't spend millions of dollars in advertising trying to get you, the computer user, to use their diskettes.

Instead, they concentrate their efforts on turning out the highest quality diskettes they can...because they sell them to the software publishers, computer manufacturers and other folks who (in turn) put their name on them...and sell them for much higher prices to you!

After all, when a software publisher or computer manufacturer or diskette marketer puts their name on a diskette, they want it to work time after time, everytime. (Especially software publishers who have the nasty habit of copy-protecting their originals!)

**Super Star Diskettes. You already know how good they are. Now you can buy them...cheap.**

Well, that's the story.

Super Star diskettes don't roll off the boat from Pago-Pago or emerge from a basement plant just east of Nowhere.

Super Star diskettes have been around for years...and you've used them for years as copy-protected software originals, unprotected originals. Sometimes, depending on which computer you own, the system master may have been on a Super Star diskette. And maybe more than once, you've bought a box or two or more of Super Star diskettes without knowing it. They just had some "big" company's name on them.

Super Star Diskettes are good. So good that a lot of major software publishers, computer manufacturers and other diskette marketers buy them in the tens or hundreds of thousands.

We buy them in the millions.

And then we sell them to you.

Cheap.

**When every little bit counts,  
it's Super Star Diskettes.**

You've used them a hundred times...under different names.

Now, you can buy the real McCoy, the same diskette that major software publishers, computer manufacturers and diskette marketers buy...and call their own.

We simply charge less.

#### Super Special!

Order 50 Super Star Diskettes and we'll be happy to sell you an Amaray Media-Mate 50 for only \$8.95, shipping included...a lot less than the suggested retail price of \$15.95.



Regular DISK WORLD! price: \$9.69 ea.  
+ \$2.00 Shpg.

#### DISKETTE STORAGE CASES

##### DISK CADDIES

The original flip-up holder for 10 5 1/4" diskettes. Beige or Grey only.

**\$1.65 ea. + .20 Shpg.**

##### DISKETTE 70 STORAGE

Dust-free storage for 70 5 1/4" diskettes. Six dividers included. An excellent value.

**\$9.95 ea. + \$3.00 Shpg.**



#### HOW TO ORDER:

ORDERS ONLY:  
1-800-621-6827  
(In Illinois: 1-312-256-7140)

INQUIRIES:  
1-312-256-7140

FOR FASTEST SERVICE, USE NO-COST MCI MAIL. Our address is DISKORDER. It's a FREE MCI MAIL letter. No charge to you. (Situation permitting, we'll ship these orders in 24 hours or less.)

**SHIPPING:** 5 1/4" & 3 1/2" DISKETTES—Add \$3.00 per each 100 or fewer diskettes. **OTHER ITEMS:** Add shipping charges as shown in addition to other shipping charges. **PAYMENT:** VISA, MASTERCARD and Prepaid orders accepted. **CDD DR-DISK:** Add additional \$5.00 special handling charge. **APD, FPD, AK, HI & PR DR-DISK:** Includes shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. We ship only to United States addresses, except for those listed above. **TAXES:** Illinois residents, add 7% sales tax.

MINIMUM ORDER: \$35.00.

#### The Super Star LIFETIME WARRANTY!

Super Star Diskettes are unconditionally warranted against defects in original material and workmanship so long as owned by the original purchaser. Returns are simple: just send the defective diskettes with proof of purchase, postage-paid by you with a short explanation of the problem, and we'll send you the replacements. (Incidentally, coffee stained diskettes and diskettes with staples driven through them don't qualify as "defective".)

**WE WILL MEET OR BEAT ANY NATIONALLY  
ADVERTISED PRICE  
ON THE SAME PRODUCTS AND QUANTITIES  
SUBJECT TO THE SAME TERMS AND CONDITIONS.**

# DISK WORLD!, INC.

629 Green Bay Road  
Wilmette, Illinois 60091

HOURS:  
Human: 8AM-6PM Central Time, Monday through Friday  
Answering Machine: 8PM-8AM, All Times  
MCI MAIL: 24 hours a day.

Incredible value!

# Nashua™ Diskettes

LIFETIME WARRANTY!

85¢ ea. 5 1/4" SSDD 97¢ ea.  
Qty 50 Qty 50 5 1/4" DSDD Qty 50

These are poly bagged diskettes packaged with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs. NASHUA Corporation is a half-billion dollar corporation and a recognized leader in magnetic media.

**SOFT SECTOR ONLY!** Sold in multiples of 50 only!

**FOR ORDERS ONLY:** INFORMATION & INQUIRIES:  
1-800-621-6827 1-312-256-7140  
(In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday  
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!, Inc.**

629 Green Bay Road • Wilmette, Illinois 60091

**DISK WORLD!**

Authorized Distributor NASHUA MAGNETIC MEDIA

## ATHANA DISKETTES

The great unknown!

79¢ ea. 5 1/4" SSDD 85¢ ea.  
Qty 50 Qty 50 5 1/4" DSDD Qty 50

You've used these diskettes hundreds of times...as copy-protected originals on some of the most popular software packages. They're packed in poly-bags of 25 with Tyvek sleeves, reinforced hubs, user identification labels and write-protect tabs.

LIFETIME WARRANTY!

**SOFT SECTOR ONLY!** Sold in multiples of 50 only.

**FOR ORDERS ONLY:** INFORMATION & INQUIRIES:  
1-800-621-6827 1-312-256-7140  
(In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday  
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!, Inc.**

629 Green Bay Road • Wilmette, Illinois 60091

**DISK WORLD!**

Authorized Distributor ATHANA MAGNETIC MEDIA

## DISKETTE STORAGE CASES

AMARAY MEDIA-MATE 50. A REVOLUTION IN DISKETTE STORAGE

Every once in a while, someone takes the simple and makes it elegant! This unit holds 50 5 1/4" diskettes, has grooves for easy stacking, inside nipples to keep diskettes from slipping and several other features. We like it!

\$9.69 ea. \$2.00 Shipping

**DISKETTE 70 STORAGE: STILL A GREAT BUY.** Just-free storage for 70 5 1/4" diskettes. Six dividers included. An excellent value!

**DISK CADDIES** \$9.95 ea. \$2.00 Shipping

The original flip-up holder for 10 5 1/4" diskettes. Beige or grey only. \$1.65 Shipping

**FOR ORDERS ONLY:** INFORMATION & INQUIRIES:  
1-800-621-6827 1-312-256-7140  
(In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday  
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!, Inc.**

629 Green Bay Road • Wilmette, Illinois 60091

**DISK WORLD!**

The value leader in Computer Supplies And accessories.

FANTASTIC LOW PRICES ON

# BASF QUALIMETRIC DISKETTES!

LIFETIME WARRANTY!

Buy in bulk and save. 150 to the carton with envelopes, write-protect tabs and user I/O labels. Boxed product is the same, except in cardboard boxes of 10.

5 1/4" SSDD	Qty. 50	5 1/4" DSDD	Qty. 150
5 1/4" SSDD	83 ea.	5 1/4" DSDD	80 ea.
5 1/4" SSDD	94 ea.	5 1/4" DSDD	92 ea.
5 1/4" SSDD	213 ea.	5 1/4" DSDD	N/A
5 1/4" SSDD	94 ea.	5 1/4" DSDD	N/A
5 1/4" SSDD	1.06 ea.	5 1/4" DSDD	1.06 ea.
5 1/4" SSDD	1.84 ea.	5 1/4" DSDD	1.84 ea.
5 1/4" SSDD	2.40 ea.	5 1/4" DSDD	2.40 ea.

NOTE: 350 diskettes in Quantity 50 are packed in plastic library cases. That's why they seem to be a better buy. But there are only 5 diskettes to a case...so the bulk diskettes are really a better deal, unless you like expensive little library cases.

**FOR ORDERS ONLY:** INFORMATION & INQUIRIES:  
1-800-621-6827 1-312-256-7140  
(In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday  
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!**

Authorized Reseller Information Processing BASF Media

## DISK WORLD!

Ordering & Shipping Instructions

Shipping: 5 1/4" & 3 1/2" DISKETTES—Add \$3.00 per each 100 or fewer diskettes. Other Items: Add shipping charges as shown in addition to other shipping charges. Payment: VISA and MASTER CARD accepted. C.O.D. Orders: Add additional \$5.00 Special Handling charge. APO, FPO, AK, HI & PR Orders: Include shipping charges as shown and additional 5% of total order amount to cover PAL and insurance. Taxes: Illinois residents only, add 7% sales tax.

Prices subject to change without notice.

This ad supersedes all other ads.

Not responsible for typographical errors.

MINIMUM TOTAL ORDER: \$35.00

**FOR ORDERS ONLY:** INFORMATION & INQUIRIES:  
1-800-621-6827 1-312-256-7140  
(In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday  
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!, Inc.**

629 Green Bay Road • Wilmette, Illinois 60091

**DISK WORLD!**

## PRINTER RIBBONS:

at extraordinary prices!

Brand new ribbons, manufactured to Original Equipment Manufacturer specifications, in housings (Not re-wound or spools only).

**LIFETIME WARRANTY!**  
Epson MX-70/80...\$2.70 ea. + 25¢ Shpg.  
Epson MX-100...\$4.08 ea. + 25¢ Shpg.  
Okidata Micro83...\$1.37 ea. + 25¢ Shpg.  
Okidata Micro100...\$2.90 ea. + 25¢ Shpg.

**FOR ORDERS ONLY:** INFORMATION & INQUIRIES:  
1-800-621-6827 1-312-256-7140  
(In Illinois: 1-312-256-7140) 1-312-256-7140

HOURS: 8AM-5PM Central Time, Monday-Friday  
WE WILL BEAT ANY NATIONALLY ADVERTISED PRICE ON THE SAME PRODUCTS AND QUANTITIES!

**DISK WORLD!, Inc.**

629 Green Bay Road • Wilmette, Illinois 60091

**DISK WORLD!**

# 3M Scotch® DISKETTES

LIFETIME WARRANTY!

The best deal on 3M diskettes you've ever seen! **FREE!** FLIP 'N FILE 15 with every order for 5.25" SSDD and DSDD.



\$1.36 ea. 5.25" SSDD with FREE Flip 'n File 15 5.25" DSDD with FREE Flip 'n File 15...\$1.67 ea.

MINIMUM ORDER: 50 Diskettes (Orders less than 50 are \$1.39 and \$1.70, respectively.)

100% LIFETIME WARRANTY!

This is a Super Special Promotion. It was supposed to end May 31, 1985.

But we decided to buy more than 1,000,000 3M diskettes packed in the FREE Flip 'n File 15...and give you the benefits of this terrific value.

One word of warning: this offer is limited only to supplies on hand. Once this inventory is gone, that's it. The prices stay the same...but there's no FREE Flip 'n File.

The last time we ran an offer like this, everything sold out in about six weeks.

So don't wait. Order now.

Other 3M diskettes

Qty. 20	Qty. 50	
5.25" SSDD-96TPI	\$2.07 ea.	\$2.04 ea.
5.25" DSDD-96TPI	\$2.51 ea.	\$2.48 ea.
5.25" DSDD-HD FDR AT	\$3.18 ea.	\$3.14 ea.
5.25" SSDD-135TPI (Mac)	\$2.29 ea.	\$2.26 ea.

DATA CARTRIDGES

100% certified 3M data cartridges

DC-1000	\$16.62 ea.
DC-300XLP	\$19.38 ea.
DC-600A	\$20.61 ea.

Sold in cases of 10 only. Add \$5.00 shipping per 10.



FIRST TOUCH KEYBOARD STRIP

The best way we've ever seen to avoid static danger. Adheres to the front ledge of your keyboard. Overpriced at \$19.95, so we cut the price to \$10.95 + \$1.50 Shipping.



A VERY SPECIAL OFFER

3M POST-IT NOTES & DISPENSER

Suggested Retail: \$20.95. Includes dispenser, 12 pads of 3" x 5" Post-it notes and Pilot Ball Point Pen. Order it with 30 3 1/2" diskettes or 10 data cartridges and it's only \$9.75 + \$3.00 Shipping.

**DISK WORLD!**

Authorized Distributor Information Processing Products

**3M**



## At Far Below Dealer Cost!



**GREAT GIFT IDEA  
FOR STUDENTS!**

## THE COMPUTER

**Original List Price . . . . . \$995.00**

**\$388**

## THE PRINTER

**Original List Price: \$200.00**

**\$118**

Liquidation Price ..... \$10 pr.

**Liquidation Price . . . . . \$44**

**\$44**

## THE SOFTWARE

**Original List Price: \$73.98**

Liquidation Price ..... 24

**BUY INDIVIDUAL UNITS OR  
GET THIS ULTRA-FAMOUS  
SYSTEM AT ONE LOW  
PACKAGE PRICE!**


**TOTAL Personal Computer System**  
available at **FAR BELOW** dealer cost!

**Original List Price . . . . . \$1,293.00**

**TOTAL  
PACKAGE  
PRICE**

**\$488**

Item H-725-64011-02 Ship, handling: \$24.00



**Toll-Free: 1-800-328-0609**



**C.O.M.B. CO.®**

**Authorized Liquidator**

14605 28TH AVENUE NORTH  
MINNEAPOLIS, MINNESOTA 55441-3397

**SEND ME THE ITEMS I HAVE LISTED BELOW**

Price subject to change after 60 days. Sales outside continental U.S. are subject to special conditions. Please call or write to inquire.

[illegible]

**C.O.M.B. CO.®**

Item H-725

14605 28th Ave. N./Minneapolis, MN 55441-3397

Send the items indicated at left. (Minnesota residents add 6%

sales tax. Please allow 3-4 weeks delivery. Sorry, no C.O.D.  
 mon. - fri. 9-5, sat. 10-4, sun. 12-5 (No delivery on orders  
 placed after 12:00 noon on Friday)

☐ My check or money order is enclosed. (No delays in processing orders paid by check, thanks to TeleCheck.)

Charge: ☐ MasterCard® ☐ VISA

Acct. No. \_\_\_\_\_ Exp. \_\_\_\_\_

PLEASE PRINT CLEARLY

Name \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ ZIP \_\_\_\_\_

Phone \_\_\_\_\_

Figure 1

Sign here \_\_\_\_\_

# WHITE HOUSE COMPUTER

P.O. Box 4025, Williamsport, PA 17701

"Where Prices Are Born, Not Raised"

## TOLL FREE 1-800-351-3442

PA CALL 1-717-322-7700

— PA Residents FREE Shipping —

### PRINTERS

EPSON		DKIDATA	
FX 80	209.00	Okimate 10	179.95
FX 100	369.00	182	219.95
JX 80	479.00	84	640.95
FX 85	345.00	192	349.95
FX 185	499.00	193	525.95
LQ 1500 PAR	979.00	COMMODORE	
LQ 1500 SER	1039.00	MPS 801	165.95
LM 80	222.00	802	199.95
Homewriter	209.00	803	165.95
Comrex 220 Atari	199.00	DPS 1101	295.95
Comrex 220 Comm	199.00	STAR MICRONICS	
LX 90	245.00	SG 10	214.00
SQ 2000	525.00	SG 15	379.00
DX 10 Daisywheel	135.00	SD 10	345.00
DX 20 Daisywheel	319.00	SD 15	450.00
HS 80 Letterjet	359.00	SR 15	485.00
ATARI		SR 15	585.00
XTM 201	99.95	Powertype	307.00
XTC 201	109.95	LEGEND	
LMX 121	209.95	1380	269.00
XMM 801	169.95	1385	305.00
STC 504	139.95	1080	229.00
STD 121	219.95	880	199.00
SMM 801	279.95	PANASONIC	
CITIZEN		1090	187.00
MSP 10	305.00	1091	CALL
MSP 15	450.00	1092	385.00
MSP 20	450.00	1093	425.00
MSP 25	575.00	3151	455.00

### INTERFACES

850 (Atari)	108.95
UPrint/port	49.95
UPrint/16k Buffer	69.95
UPrint/64k Buffer	89.95
Cardco G	39.95
G-Wiz	48.95
Apple Duplicating GX	59.95

### PRINTER PAPER

2500 Sheets	
Lazer Edge	24.95
1000 Shits Lazor	14.95
500 Shits Lazor	9.95
Color Paper	
Assorted Pastels	
2500 Shits Lazor	42.95
1000 Shits Lazor	23.95
500 Shits Lazor	14.95

### SOFTWARE

Print Shop	28.95
Graphics Library I	17.50
Graphics Library II	17.50

### VIDEO CASSETTE RECORDER \$279.00

## MONDAY - FRIDAY 9 AM - 6 PM VISA & MC ACCEPTED 4%

**POLICY:** No deposit on COD orders. Free freight on all prepaid cash orders over \$300 in the continental USA. APO & FPO add \$5.00 per hundred. For priority mail add \$8.00 per hundred. PA residents add 6% sales tax. Defective products must have Prior RA number. Schools net 15.

### DISK DRIVES

ATARI	
Indus GT	205.95
1050	164.95
Happy 1050	335.95
Happy Enhancer	160.95
MSD Dual	459.00
C-64	
Indus GT	229.00
1541	135.00
1571	249.95
1572	375.95

### MONITORS

ZENITH	
122 A	82.95
123 G	75.95
AMDEK	
300 G	119.00
300 A	129.00
Color 300	229.00
Color 500	339.00
Color 600	399.00
Color 700	469.00
Color 710	539.00
310A	145.00

### MODEMS

C-1650	54.95
C-1670 300/1200	185.95
MPP 1064	54.95
Tele Learning	39.95
Hayes 300	149.95
Hayes 1200	385.95
Miley Mod	59.95
Westridge	59.95
Compuserve	19.95
Micro Stuffer	95.95
MPP 1000E	69.95

### DISKETTES

SKC	
SS/DD	10.95
DS/DD	14.95
BONUS	
SS/DD	9.50
DS/DD	13.50
MAXELL	
MD 1	15.95
MD 2	20.95

### COMPUTERS

COMMODORE	
C1702	185.95
C1902 RGB	259.95
C1901	129.95
COMPUTERS	
COMMODORE	
C64	139.95
C128	275.95
ATARI	
800 XL	89.95
1200 YE	139.95
520 ST Monochrome	
& More	CALL
520 ST Color RGB	
& More	CALL

## IT'S LIKE FREE DISKETTES

Your 5 1/4" single side disks are usable on the other side. You paid for one side, why not use the other... IT'S FREE!

Nibble Notch will open your new disk. It's easy... won't harm existing data. Try it!

### nibble notch I

For Apple, Franklin, Commodore & Atari (w/Atari Drives); square notch.

### nibble notch II

For all other computers; square notch & index hole.

only \$1495\*

only \$2190\*

### DISK OPTIMIZER II

Apple II Series Software  
Pro DOS • DOS 3.3 • Pascal  
Examines your new disk, locks out bad sectors and certifies it 100%  
**ERROR-FREE** in 30 seconds or less!  
Also checks drive speed... and more!

QUALITY DISKETTES  
low as

99c

### SUPER SAVER PACKAGE

Nibble Notch I and Disk Optimizer Combo (Optimizer alone ret. \$14.95)  
**\$2995\* FOR BOTH!**

\*add \$2 (\$5 from) for P & H. F. Res. add 5% S. Sales Tax

nibble notch  
computer products

FL 1-305-748-3770  
OR SEND CHECK OR MONEY ORDER TO:



4211 NW 75th TERRACE, DEPT. 6 62 LAUDERHILL, FL 33319

## PROFESSIONAL HANDICAPPING SYSTEMS

• PRESENTED BY PROFESSOR JONES •

**GLD. Thoroughbred "Gold" Edition™**  
A "Real" featured Thoroughbred analysis designed for the professional and the serious novice. **\$159.95 complete**

**EGLO. Enhanced "Gold" Edition™**  
"Gold" Edition with complete Master Better™ system integrated into the same disk. This powerful program will transfer all horses and scores to the best analysis with a "single keystroke." (Master Better™ included) **\$199.95 complete**

**GLDB. Limited "Gold"™**  
Enables Professional Handicappers to assign specific values to the racing variables "they" feel are important. Create program weight based on a particular track and line line to the maximum win percentage. This program is designed for "use of use." The user needs no programming experience. (contains Integrated Better™) **\$299.95 complete**

**GD. Gold Dog Analysis™**  
The "ONLY" professional greyhound analysis available that evaluates ALL variables. **\$149.95 wire/registered Better™ Limited Version \$299.95**

**MHH. Master Harness**  
Professional software designed to provide a thorough analysis of all harness and pace races in North America and Canada. **\$159.95 complete \$199.95 wire/registered Better™ Limited \$299.95**

**Professor Pix Football™**  
Complete STATISTICAL ANALYSIS on Data Base allowing "Disorganized" previous players to be organized. **\$149.95**

**NBA. Basketball™**  
w/Win-Loss Power Ratings **\$149.95**  
w/Win-Loss Power Ratings **\$149.95**

**LOT. Lottery Analysis™**  
Statistical comparison program designed to detect subtle patterns in winning numbers and digits. **\$149.95**


**PC-3 Portable Computer (4K)** with choice of Thoroughbred, Greyhound or Trotter. **\$249.95** (includes portable computer and program).

**M-100 Portable (24K)** works like Thoroughbred, Greyhound or Trotter. **\$849.95** (includes portable computer and program).

BROCHURE AVAILABLE

IBM™  
APPLE™  
TRS-80™  
CPM™  
COMMODORE™


Prof. Jones  
1940 W. State St.  
Boise, ID 83702



48 HR. FREE SHIPPING

CALL  
208-342-6939

TERMS: FREE SHIPPING ALL SOFTWARE. Add \$5.00 hard-ware / \$5.00 C.O.D. / UPS Blue \$5.00 / Out of Country \$9.00 / 10 Residents 4% / 3 weeks personal checks / Cash price only, add 2% Visa, MC / Prices subject to change.





# \$699 Computer Breakthrough

IBM compatible computer with 128K memory and two disk drives is more than a bargain.

A It carries like a briefcase.

B With LCD lid open.



The Visual Commuter sells for only \$699. The IBM monochrome monitor is optional.

**It's a new concept. And if my hunches are correct, the new Visual Commuter will take years for others to copy.**

*By Joseph Sugarman, President*

First, it is a tremendous bargain. At \$699 nothing even comes near. Secondly, it's powerful. You get 128K memory that's expandable to 512K. And finally, it's totally IBM compatible. It will even run the Flight Simulator program and Lotus Symphony™. But there's more.

The unit can be used as a stand-alone office computer as shown above or it can be packed up and used as a portable—but without all the weight. There's an optional 16-line x 80 character LCD display that pops up to replace the heavy CRT monitor. Unlike the smaller portable computer keyboards, the Commuter keyboard is a full-size replica of the IBM with its ten function keys and numeric keypad. And the Commuter uses 5¼" disks so you have full access to all the popular IBM software.

It's lighter (only 18 lbs), flatter (only 3½" thick) and carries like a briefcase. In short, the Visual Commuter is a combination of all the good features of a portable computer (size, weight, portability), all the good features of a traditional desktop computer (full-size keyboard, 5¼" disks, full power) and none of the disadvantages of either.

## USE IBM PROGRAMS

Even if you have another computer but miss some of the IBM programs, for only \$699 and an IBM compatible monitor, you've got a complete MS/DOS system.

It was also made modular so you can select just those components that you need for your particular application. For example, you may not need the 16 line x 80 column LCD display which adds 2 lbs to the unit's weight (a blank lid comes with the unit). Or you may not need a monitor because your other computer may already have one. But you may want more power—256K or 512K—so you order just what you need.

For all you technical people, listen to these specs. There's a 16-bit 8088 processor, 128K memory with parity, parallel printer port, serial ASYNC RS 232C port, Din connector RF modulator or composite video output for TV and composite video input monitors, RGB/direct drive output for high resolution monochrome or color monitors, IBM compatible color graphic support, support logic for 80x25 or 40x25 character display and LCD display, connector to IBM expansion unit, disk controller

supporting two 5¼" disk drives, ANSI standard ROM-based terminal emulation, and ROM-based extended diagnostics. The dual disk drives are double sided-double density (360 Kbytes). The Commuter runs at the same clock speed as the IBM PC (4.77 MHz) but because of its new design, it runs between 8 to 10 percent faster.

## ATTRACTIVE CASE

There's an attractive carrying case made by American Tourister that holds your software, your power cord, your documents and even our optional 1200 baud modem. The compatible Maxwell modem lets you communicate with other data banks. Made by the world's largest modem manufacturer, Racal-Vadic, it is normally a \$500 value but our price is only \$249 which includes a complete communications software package. There's also a toll free, on-line warranty service and a customer hotline to answer any of your technical questions.

You may have recently heard of Visual Technology Incorporated. They are innovators in the design and manufacture of smart alphanumeric terminals and some of the finest graphic terminals in the country.

The Visual Commuter was scheduled to sell for over \$2500 with the LCD display. And even at that price, when compared to the IBM system, it was a good value. But JS&A and Visual (in a joint venture with SGD Holding Corp.) saw the opportunity of having just one customer. Together, by selling directly to you, we've eliminated the distributors, dealers and all the sales, administration and advertising costs and have passed the savings on to you. But there are a few catches.

## JUST A FEW THOUGH

Once we install the memory, you'll have to send the unit back to us to add more memory. So we ask that you estimate, in advance, the maximum power that you'll require for your needs. 128K memory is plenty for most applications but if you want to run Lotus Symphony, you'll need all 512K. Secondly, we ask that you act quickly. Although we have most of the product in stock right now, there's always the chance that we'll run out.

The Visual Commuter measures only 3½ x 15½ x 18" wide and comes complete with power cord (it only operates on standard AC current), the operating system (Micro-Soft's MS/DOS ver. 2.1) complete with basic and utilities, two beautifully written manuals, lid (without LCD display) and a limited 90-day warranty. There are service centers throughout the United States set up to service the unit in addition

to the service-by-mail facility at Visual's home office near Boston.

I urge you to give the Visual Commuter a test. Order one from JS&A and use it for 30 days without risk. Plug in your IBM monitor and load any of the IBM software you currently have. See how the large keyboard matches the IBM perfectly and how its handle makes a perfect hand rest while typing or a comfortable handle for carrying the unit. See how convenient the unit is to take home or bring with you on a trip with its fold open LCD monitor. If you don't feel that the Visual Commuter is more than you expected, pack it up and ship it back within 30 days for a prompt and courteous refund including the \$25 postage charge. You can't lose.

## PERSONALLY USED

I have personally used the Visual Commuter. I have taken it with me on trips, set it up as a stand alone by plugging in my IBM monitor. I have run everything from Symphony™ to Wordstar®—from 1-2-3® to the Flight Simulator program. I strongly recommend the system.

To order, send your check or money order to the address below listing the items and order numbers (shown in parentheses) or order by credit card using our toll free number below.

Thanks to the latest in technology and a direct-to-consumer marketing program, this system can be yours at a tremendous value. Order your Visual Commuter at no obligation, today.

Visual Commuter with 2 Disk Drives and 128K Memory (6105) ..... **\$699**  
16 x 80 LCD Alphanumeric Display (6106) ..... **299**  
IBM 12" Green Monitor (6107) ..... **229**  
Zenith 12" Amber Monitor (6114) ..... **99**  
Expansion to 256K (6110) ..... **199**  
Expansion to 512K (6111) ..... **399**  
Maxwell 1200 Baud Modem (6112) ..... **249**  
Carrying Case (6115) ..... **69**  
Add \$25 postage and handling per system.  
IBM is a Trademark of International Business Machines Corporation.

**JS&A PRODUCTS THAT THINK**

Dept. PT One JS&A Plaza  
Northbrook, IL 60062

**QUESTIONS ONLY: (312) 564-7000**

**CALL TOLL FREE 800 228-5000**

IL residents add 7% sales tax. ©JS&A Group, Inc., 1985



# Classified

## SOFTWARE

### ATARIWARE FROM THE LIBRARY OF JAX

**ATARI** - Computer Enthusiasts! Over 70 disks to choose from. \$7.95 ea. Catalog with **SASE**, JACE, 1187 Dunbar Ct., Orange Park, FL 32073

**COMMODORE: TRY BEFORE YOU BUY.** Top 25 best-selling games + classics, new releases. Visa, Mastercard. Free brochure. Rent-A-Disc, 908 9th Ave., Huntington, WV 25701. (304) 522-1665

**ATARI ST USERS** - Life organizer & entertainment jackpot. Big software package. Write: MC, 94 Macalester Bay, Winnipeg, Manitoba R3T 2X5 Canada

**BASICALLY SIMPLE**, a fast, easy method to learn programming in basic on your Commodore 64. Clear, concise instruction in the use of all commands. No gobblede-gook. Send \$20 for this tutorial and reference disk to: Free Spirit Software, Inc., 5836 S. Mozart, Chicago, IL 60629

**TI-99/4A SST Expanded Basic Compiler \$49.00.** Converts Basic to machine language. Requires E/A or MM, Disk, Memory Expansion. Compiler and Graphics Utility \$59.00. **SOFTWARE**, P.O. Box 26, Cedarburg, WI 53012

**HOW GOOD A COACH ARE YOU? CALL** the plays against Atari or a friend. Football text game features varied team strength, weather, overtime, 2 pt. conversions, team stats, standings + more! Easy to play. For Atari 800 + Basic. \$25 disk. James Franklin, 1600 NE 135 St., Apt. 803, N. Miami, FL 33181

### Free Educational Software Catalog

158 pp., color pictures, 1000+ programs for Com., Apple, IBM, Atari. Send name & address to: Interstate Software, P.O. Box 8952, Boise, ID 83707, (208) 342-3347

**ATARI MICROSOFT Basic 1.0/II: Try ACEY DUCEY**, a great casino card game for 1-4 players. ACEY DUCEY is designed as a tutorial, allowing Microsoft Basic's best features. Full documentation explains every detail. 400/800/XL/XE disk or tape + docum. Send \$8.50. **CALTECH**, Box 136, Kenilworth, NJ 07033-0136

**ORGANIZE YOUR GENEALOGY** with **BRANCHES** on your C-64 & 1541 drive. Send \$14.95 to **Inventure Soft.**, 3353 South Main, Suite 101, Salt Lake City, UT 84115

**TI-99/4A QUALITY SOFTWARE** for Business, Home and Entertainment \*\* **BONUS Software Offer!** \*\* Send for **FREE Catalog** to **MICRO-BIZ HAWAII**, Box 1108, Pearl City, HI 96782

**AT BAT STATS 64** - Baseball stats for C64. Keeps 22 offensive stats, holds 162 games and 40 players. Prints 7 reports. On disk \$32.95 postpaid. **THE 43RD ST. SOFTWARE SHOP**, 720 43rd St., Ashland, KY 41101. Ideal for coach or player! (606) 324-7403.

**GOMUKO** - Compiled basic program 15 by 15 board, Urmovoe, load/save game user changeable logic for 64. Send \$14.95 to: W. L. Schneider, 6027 S. High, Suite 410, Oklahoma City, OK 73149

**IBM PCjr. OWNERS:** We have the software you want. We also have kits for easy 2nd drive addition. Free catalog. **OWWL SOFTWARE**, 1435 Burnley Sq. N., Columbus, OH 43229

### TEACHERS: ELECTRONIC GRADEBOOK

For Atari. Powerful, simple to use. Record keeping, grade averaging. Screen display and variety of pre-formatted printed reports. Clear instructions. Requires 48K and one disk drive. \$29.95. **GRADESCAN**, 1722 Golden Ct., Crofton, MD 21114

**TI-99/4A Software/Hardware bargains.** Hard-to-find items. Huge selection. Fast service. Free catalog. **D.E.C.**, Box 690, Hicksville, NY 11801

**REAL ESTATE SOFTWARE** for C64, Apple II, IBM-PC. Includes Mortgage Payments, Amortization, Depreciation, Cash Flows and Taxable Income Effects. All for \$35 pp. I.A.I., Box 234, East Texas, PA 18046. (215) 398-0434

**APPLE II SERIES, COMM 64, TI 99/4A, IBM/PC** Discount Entertainment Software. Specify which free catalog. New titles. **The Adventure Store**, Roscoe, IL 61073-0320

**TOR FIGHTER:** You are entrusted with the daring adventure of defending earth, \$12. C64, C16, + 4 (disk), TI (cass.). Check or money order to: **CompuX**, Box 7245, Ponce, PR 00732

**TIM**, The Investment Manager and **COMEX** Gold and Silver Management, plus **Fun-Anl** Analyze Stock Program for 64. All three \$19.95 or write for free details to: W. L. Schneider, 6027 S. High, Suite 410, Oklahoma City, OK 73149

**LOTTO PICKER.** Go for Million Dollar Jackpots! Picks all USA Lotto games + **PRO FOOTBALL ANALYST.** Beat the points consistently and easily! They pay for themselves! Each \$35. **IBM-PC/XT/99** ver. **RIDGE**, 170 Broadway, #210-C NYC, NY 10038. 718-833-6335. Free Catalog.

## HARDWARE

**Trade in your used Commodore or Atari on a brand new C-128 or Atari ST.** This offer may not be available through retail outlets.

**Brochure \$2.00 and SASE NEW WEST TECHNOLOGY**, 48 Monroe Pkw., Box 200, Ste. 134, Lake Oswego, OR 97034

**HARDWARE & SOFTWARE 30% BELOW RETAIL.** Apple, Atari, C64, IBM-PC, TI-99. Over 1000 titles. Hard to find items. Send \$1.00 for catalog. Specify computer. **Multi-Video**, P.O. Box 246, East Amherst, NY 14051

## MISCELLANEOUS

**64 AUTHOR'S CLUB** - We get you published. Send for free details or send \$25.00 (a 50% savings) to: **AUTHOR'S CLUB**, 6027 S. High, Suite 410, Oklahoma City, OK 73149

**1986 CALENDAR.** The history of computers 1592-1985, especially micros. \$6 ch or m.o. Spiral, 3 holes, 8 1/2 X 11. **HEATSTROKE SOFTWARE**, P.O. Box 62171, Tucson, AZ 85734-6171

### HELP IS ON THE WAY

Just call 1-800-334-0868 to get your free copy of the latest **COMPUTE!** Books Catalog! If you need help in getting information on all of the latest **COMPUTE!** book titles available plus all **COMPUTE!** backlist titles, call us today!

**NATIONWIDE BBS DIRECTORY.** 250 exciting network numbers. Computer to computer. Coast-to-coast and Canada. Send \$3 to: **Compuquest**, Box 267, Fairfax, VA 22030-0267.

**RIBBONS for ANY PRINTER at LOW PRICES!** **DELTA MICRONICS** BOX 10933, ERIE, PA 16514 (814) 455-5667

**\* MR. SOFTWARE CO. ALL POPULAR TITLES \*** \* Printers, Monitors, Drives, VISA, MC \* heavy discounts - Send \$1.00 for catalog 11-9 Exton Center, Somers Point, NJ 08244

**FREE! USE YOUR MODEM! Call our innovative electronic shopping center, FANTASY PLAZA. VISA and MASTERCARD accepted. 300 BAUD. You've never seen anything like it! Use your Modem NOW! (818) 840-8066**

**EARN MONEY, PART OR FULL TIME, AT HOME** with your computer. 50 page manual with forms. Money back guarantee, \$9.95, JV Tech, P.O. Box 563, Ludington, MI 49431

## COMPUTE! Classified is a low-cost way to tell over 350,000 microcomputer owners about your product or service.

**Rates:** \$25 per line, minimum of four lines. Any or all of the first line set in capital letters at no charge. Add \$15 per line for boldface words, or \$50 for the entire ad set in boldface (any number of lines.)

**Terms:** Prepayment is required. Check, money order, American Express, Visa, or MasterCard is accepted. Make checks payable to **COMPUTE!** Publications.

**Form:** Ads are subject to publisher's approval and must be either typed or legibly printed. One line equals 40 letters and spaces between words. Please underline words to be set in boldface.

**General Information:** Advertisers using post office box numbers in their ads must supply permanent address and telephone numbers. Orders will not be acknowledged. Ad will appear in next available issue after receipt.

**Closing:** 10th of the third month preceding cover date (e.g., June issue closes March 10th). Send order and remittance to: **Harry Blair, Classified Manager, COMPUTE!**, P.O. Box 5406, Greensboro, NC 27403. To place an ad by phone, call **Harry Blair** at (919) 275-9809.

**Notice:** **COMPUTE!** Publications cannot be responsible for offers or claims of advertisers, but will attempt to screen out misleading or questionable copy.



# Advertisers Index

Reader Service Number/Advertiser	Page	Reader Service Number/Advertiser	Page
<b>102</b> Abacus Software	120	<b>131</b> Mindscope, Inc.	12-13
<b>103</b> Abacus Software	121	<b>132</b> Mindscope, Inc.	15
<b>104</b> Activision	11	<b>133</b> Nibble Notch Computer Products	156
<b>105</b> American TV	144	North Hills Corp.	159
<b>106</b> Artificial Intelligence Research Group	143	North Hills Corp.	159
Atari Corp.	9	NRI Schaal's	89
<b>107</b> Basix	60	<b>134</b> Okidata	2-3
<b>108</b> Basix	64	<b>135</b> Pacific Exchanges	159
Batteries Included	41	<b>136</b> Professor Jones	152
<b>109</b> Blockship Computer Supply	159	<b>137</b> Professor Jones	156
<b>110</b> Bowtrot Computer Forms, Inc.	21	<b>138</b> Protecto	82
<b>111</b> Cordca, Inc.	IBC	<b>139</b> Precision Data Products	159
CBS Software	86	<b>140</b> Quinsept, Inc.	143
C.O.M.B. Co.	149	<b>141</b> Scarborough Systems, Inc.	7
C.O.M.B. Co.	155	<b>142</b> The Source	81
Commodore	BC	Spinnaker	38-39
<b>112</b> Campucat	159	Spinnaker	40
<b>113</b> CampusServe	24-25	<b>143</b> Strategic Simulations, Inc.	63
ComputAbility	93	<b>144</b> Timeworks, Inc.	4
<b>114</b> Computer Centers of America	42-43	<b>145</b> subLOGIC Corporation	45
<b>115</b> Computer Direct	83-85	<b>146</b> T & D Electronics	152
<b>116</b> Computer Mail Order	112-113	<b>147</b> Starpoint Software	47
<b>117</b> Davidson & Associates	91	<b>148</b> USA★Flex	107
Disk World, Inc.	151	<b>149</b> White House Computer	156
Disk World, Inc.	153	The Wholesale Outlet	110
Disk World, Inc.	154	<b>150</b> World Trade Wholesale Outlet	104-105
<b>118</b> Electronic Arts	IFC-1		
<b>119</b> Electronic Arts	88		
<b>120</b> Elek-Tek, Inc.	97		
<b>121</b> EPYX	33		
<b>122</b> EPYX	35		
<b>123</b> EPYX	37		
Franrunner Computer Industries	144		
<b>124</b> Inmac	87		
<b>125</b> J&R Music World	159		
<b>126</b> Josan-Ronheim	107		
<b>127</b> Jason-Ranheim	150		
JS&A	157		
Lyca Computer	50-51		
<b>128</b> MegaSoft, Ltd.	49		
<b>129</b> Micra Prose Simulation Software	53		
Micro World Computers, Inc.	152		
<b>130</b> Mimic Systems, Inc.	29		

Crossed Ads	158
COMPUTE! Book Issues	94-95
COMPUTE! Books' New Fall Releases	61
COMPUTE!'s Commodore 64 Books Special Offer	57
COMPUTE!'s Telecomputing Books	23
COMPUTE! Subscription	17
MacOffice & Second Book of Apple	55
Machine Language for Beginners & Second Book of Machine Language	59



Technical

# Breakthrough

Number 27



## Price and performance no other printer interface can touch!

Only CARDCO would dare improve on its own best seller (the +G has far out-sold any other printer interface, and has set the industry standard by which competitors are judged). The G-Wiz is even better — and costs 30% less.\* Our 27th major innovation in Commodore accessories has all the +G's features, and more...

### **Built-In Buffer for More Speed**

The G-Wiz buffer dumps high-resolution screens up to 18 times faster than competitive interfaces without buffers. No more waiting! A complex 50-minute printout now takes just 2.5 minutes with the G-Wiz.

### **Exclusive! Aspect Ratio Selection**

Only the G-Wiz matches graphics characters to standard characters on Okidata, Epson, Star

\* Actual price may vary according to dealer and region.

Micronics, Prowriter, Smith Corona, C-ITOH, Gorilla Banana, and many other dot matrix printers. Now you can perfectly align high resolution graphics characters within text blocks, or in columns.

CARDCO excellence triumphs again! The G-Wiz is the "best bang for the buck" on the printer interface market today — and it's backed by CARDCO'S exclusive lifetime warranty! G-Wiz: another distant target for the competition to shoot at.

CARDCO, Inc. 300 S. Topeka/Wichita, KS 67202




**The Wizarda from the Lend of Dz Have Done It Again!**

# HOW TO EVOLVE TO A HIGHER INTELLIGENCE.



## THE COMMODORE 128.

The first step is buying the Commodore 128™ Personal Computer. The smartest computer available for the price. It's like getting three computers for less than one usually costs. You can run CP/M® business software, the new programs written for the 128, and over 3,000 Commodore 64® programs. You start out with more software than most machines give you after years on the market.



## THE COMMODORE 128 WORKS FASTER.

To run all that software and run it faster, you'll want the 1571 Disk Drive. You can't find a faster drive at the price. It transfers nearly 1,000 words a second (5200 cps), so you can load most programs instantly.




## THE COMMODORE 128 GETS SMARTER.

Now try improving your memory. Plug in our 1750 RAM Expansion Module and your 128 moves up to a powerful 512K. That's enough to handle just about anything you can dish out, from complicated business forecasting to giant databases.



## THE COMMODORE 128 LEARNS TO COMMUNICATE.

There's no real intelligence without the ability to communicate. So you'll want our 1670 Modem/1200. It puts you in touch with a new world of shopping, banking, communications and information over your telephone line. And it operates at a lightning-fast 1200 baud to save on your phone bill.



## THE COMMODORE 128 LEARNS TO WRITE.

Looking good in print could be your next move with the MPS 1000 Printer. It's a new dot matrix printer designed to make the most of the 128's speed and high-resolution graphics. The MPS turns out about 1200 words a minute (100 cps) of draft-quality printing, or gives you near-letter-quality at about 240 words a minute (20 cps).



## THE COMMODORE 128 IMPROVES YOUR VISION.

Brains aren't enough without good looks, so improve your vision with Commodore's new 1902 RGB Color Monitor. The high-resolution screen gives you a sharper image and better color than your standard TV, so you can really appreciate the 128's great graphics.

All these evolutionary steps ahead won't set you back when it comes to paying for them. Additions to your Commodore 128 are available at a store near you and are as affordable as the 128 itself. We think that's a smart way to help you build a computer system.

© CP/M is a registered trademark of Digital Research, Inc. © 1985, Commodore Electronics Limited

**COMMODORE 128 PERSONAL COMPUTER**  
A Higher Intelligence

# RETROMAGS

**Our goal is to preserve classic video game magazines so that they are not lost permanently.**

**People interested in helping out in any capacity,  
please visit us at [www.retromags.com](http://www.retromags.com).**

**No profit is made from these scans, nor do we offer anything available from the publishers themselves.**

**If you come across anyone selling releases from this site, please do not support them and do let us know.**

# Thank you!

